

system • stainless steel interior • quiet operation • merchandising 2003 • flexible racking • energy efficient • tall-over-tall™

Built-In Dishwashers

Dramatic design. Exceptional cleaning. Incredible capacity.









Pramatic design. Exceptional cleaning. Incredible capacity.

Featuring—the new GE Profile™ dishwashers with stainless interior.



Beautiful on the outside and inside.

- **Exclusive full-length, one-piece color wrap contour door** elevates any kitchen decor.
- Two durable interiors backed by a lifetime warranty.*
 - The brilliant stainless steel interior with lustrous Pearlescent[™] racks, creates a rich, inviting appearance.
 - The classic **PermaTuf®** interior offers a bright, white appearance.



No dishwasher holds more.**

- Tall-Over-Tall[™] towerless rack design allows a single load to handle all the dishes and cookware that go into a memorable dinner for four or 16 place settings at once.
- Four-position adjustable upper rack allows for great loading flexibility.
- Only GE has adjustable upper racks and 100% fold-down tines in the lower rack.



GE's quietest Profile dishwashers.

- Two advanced sound packages ensure the kitchen stays incredibly quiet.
 - QuietPower™ IV sound package includes Thinstall™ Plus insulation
 that surrounds the dishwasher and ActiveVent II that closes during
 the wash cycle to keep sound from escaping.
 - QuietPower V sound package, found on stainless interior models, includes Thinstall insulation surrounding the dishwasher and door, ActiveVent II and heat-bonded bitumen for exceptional sounddeadening performance.



The highest performance dishwashers you can buy...guaranteed!

- The best combination of:
 - Wash performance through the ExtraClean[™] wash system
 - Sound performance through the QuietPower V and QuietPower IV packages
 - **Usable capacity** through Tall-Over-Tall rack design
 - Energy efficiency and water consumption through our ExtraClean sensor with automatic temperature control

^{*}See written warranty for details.

^{**}Based on competitive literature.

Reature gallery.

Dramatic design. Exceptional cleaning. Incredible capacity.



Stainless steel interior

Lustrous, commercial grade stainless steel provides lasting beauty that resists corrosion.




Removable upper rack

Allows more room for washing oversized items when combined with 100% fold-down tines in the lower rack.



Color-matched Pearlescent™ racks

Coated with high-quality nylon to complement the radiance of the stainless interior.





Three direct-feed wash arms

Clean every spot on every dish.



Silverware and ExtraBasket™

Add flexibility while keeping silverware from crowding, so forks, knives and spoons get clean.



Unique multi-wattage Calrod® heater

Delivers the perfect wash and dry temperatures for both cookware and fine china. Allows dish sanitization with inlet water as low as 95°F.



Four-position adjustable upper rack

Allows both sides to move up, down and diagonally for maximum loading flexibility.









The inside story.

Dramatic design. Exceptional cleaning. Incredible capacity.



ActiveVent II

Closes during the wash cycle to keep sound from escaping.




Long door design

Eliminates the access panel, where sound can escape.



Silent crossconvection drying

Natural, silent crossconvection airflow dries dishes much more quietly than fan drying.






Quiet tub

The advanced **QuietPower™ V** sound package includes:

- Heat-bonded bitumen, a higher quality mastic for exceptional sound deadening.
- Stainless steel tub and inner door, to enhance the benefits of the heat-bonded, sound-reducing material.
- Thinstall™ insulation surrounds the dishwasher and door to keep sound inside.
- ActiveVent II closes during the wash cycle to keep sound from escaping.
- Electronic cycle controls reduce noise associated with cycle changes.



Quiet door

Bitumen, Thinstall and stainless steel combine to create a sound barrier during the wash cycle.



ExtraClean™ sensor

Continually monitors every cycle, adjusting to ensure dishes get clean efficiently.



Dare to compare.

GE Profile™ dishwashers with stainless interior.



The leading edge of kitchen design

- Innovative designs, like inlaid electronic controls and one-piece color wrap contour door allow the GE Profile stainless dishwasher to stand out from the rest.
- The unique, GE Profile stainless steel wrap contour door design has received an **ADEX Gold "Award for Design Excellence"** from <u>Design Journal</u> magazine.



Appearance is the #1 pre-purchase cue. GE wins, hands down.




Largest capacity

- From salad to sorbet, a single load handles all the dishes and cookware that go into a memorable dinner for four.
- Accommodates up to 16 place settings at once, as well as some of the kitchen's tallest items.

No dishwasher holds more.*

Dare to compare how many place settings these dishwashers will hold.



^{*}Based on competitive literature.



Superior upper and lower rack flexibility

- Removable upper rack for 22 inches of usable height
- Four-position, adjustable upper rack
- 100% fold-down tines in lower rack
- Three-piece modular silverware basket with ExtraBasket[™]

Unmatched loading flexibility.

Tall-Over-Tall™ rack design

- Holds tall wineglasses and a 20-quart stockpot all at the same time.
- Direct-feed towerless wash system provides 100% usable capacity in the upper and lower racks.



GE Profile Stainless

Competitive Stainless

Maximum flexibility at your fingertips.

Show and tell.

GE Profile[™] dishwashers with stainless interior.

Flexibility





Four-position adjustable upper rack

Demonstrate how easily the racks adjust up, down and diagonally.





Fold-down tines

Demonstrate how the tines fold down completely in the lower rack.

Capacity



Tall-Over-Tall™ rack design

- Demonstrate how a tall glass and a 20-qt. stockpot fit in racks without adjusting either rack. Place the tall wineglass P.O.P. in the right-hand side of the upper rack and the 20-qt. stockpot in the lower rack.
- Repeat demonstration in the competitors' stainless dishwashers. It won't work.

Performance and Efficiency



Sell Performance

■ The highest performing dishwasher you can buy, guaranteed. These dishwashers offer the best combination of wash and sound performance, usable capacity, energy efficiency and water consumption.



Sell Efficiency

America's most energy-efficient dishwashers. Based on a comparison of energy usage data submitted to the Federal Government by Dishwasher Manufacturers.

Stainless steel interior built-in dishwashers.

More than beautiful. More than spacious. More than stainless.

All Models Include:

- Energy Star®-qualified Stainless steel 304 commercial grade tub and door liner ExtraClean™ wash system
- ExtraFine[™] filter ExtraClean sensor Automatic temperature control NSF-certified antibacterial cycle
- Cookware selection China/Crystal selection Automatic HotStart™ Removable upper rack
- QuietPower™ V sound package



GE Profile™ stainless dishwasher PDW8200J

- One-piece color wrap contour door
- One "Clean" light, one "Sanitized" light
- 9 touchpads
- 2/4/8-hour Delay Start
- Tall-Over-Tall™ nylon racking system
- Towerless lower rack with CleanTip tines
- Fold-down tines in lower rack—two sets
- Two utility shelves in removable upper rack
- Super capacity silverware basket with two cell covers
- PDW8280JSS stainless steel one-piece, full wrap contour door



GE Profile stainless dishwasher PDW8400J

- One-piece color wrap contour door
- Countdown display with six status lights
- 11 touchpads
- **1-9-hour Delay Start**
- PreWash cycle
- **I** SpeedCycle[™] (wash and dry)
- Pearlescent™ Tall-Over-Tall nylon racking system
- Four-position adjustable removable upper rack
- Towerless lower rack with CleanTip tines
- Fold-down tines in upper rack—two sets with one multi-position
- Fold-down tines in lower rack—two sets
- **I** StemSafe[™] system upper rack—two sets
- Super capacity three-piece silverware basket
- PDW8480JSS stainless steel one-piece, full wrap contour door



GE Profile stainless dishwasher PDW8680J

- One-piece color wrap contour door
- Countdown display with six status lights
- 12 touchpads
- 1-9-hour Delay Start
- PreWash cycle
- SpeedCycle (wash and dry)
- **■** Glasses cycle
- Pearlescent Tall-Over-Tall nylon racking system
- Four-position adjustable removable upper rack
- Towerless lower rack with CleanTip tines
- Fold-down tines in upper rack—four sets with two multi-position
- Fold-down tines in lower rack—100%
- StemSafe system upper rack—four sets
- Super capacity three-piece silverware basket and ExtraBasket™
- PDW8600JWW/CC/BB one-piece color wrap contour door



GE Profile stainless dishwasher PDW8500J

- Long, flat door
- **■** CustomStyle[™] panel trim kit available
- Countdown display with six status lights
- 12 touchpads
- 1-9-hour Delay Start
- PreWash cycle
- SpeedCycle (wash and dry)
- Glasses cycle
- Pearlescent Tall-Over-Tall nylon racking system
- Four-position adjustable removable upper rack
- Towerless lower rack with CleanTip tines
- Fold-down tines in upper rack—four sets with two multi-position
- Fold-down tines in lower rack—100%
- StemSafe system upper rack—four sets
- Super capacity three-piece silverware basket and ExtraBasket

Built-in dishwashers.

A dishwasher for every kitchen.

All Models Include:

- **■** Energy Star®-qualified **■** PermaTuf® tub and door liner **■** ExtraClean™ wash system **■** ExtraFine™ filter
- ExtraClean sensor Automatic temperature control NSF-certified antibacterial cycle Cookware selection
- China/Crystal selection Automatic HotStart™ Tall-Over-Tall™ racking system StemSafe™ system
- QuietPower™ IV sound package



GE Profile™ dishwasher PDW7300J

- One-piece color wrap contour door
- 11 touchpads
- Countdown display with six status lights
- Four position adjustable upper rack
- Fold-down tines in upper rack—two sets with one multi-position
- Fold-down tines in lower rack—two sets
- StemSafe[™] upper rack—four sets
- Super capacity three-piece silverware basket



GE Profile dishwasher PDW7800J

- One-piece color wrap contour door
- 12 touchpads
- **Glasses cycle**
- Countdown display with six status lights
- Four position adjustable upper rack
- Fold-down tines in upper rack—four sets with two multi-position
- Fold-down tines in lower rack—100%
- **ExtraBasket**™
- StemSafe upper rack—four sets
- Super capacity three-piece silverware basket



GE Profile dishwasher PDW7880J

- Stainless steel one-piece, full wrap contour door
- 12 touchpads
- Glasses cycle
- Countdown display with six status lights
- Four position adjustable upper rack
- Fold-down tines in upper rack—four sets with two multi-position
- Fold-down tines in lower rack—100%
- ExtraBasket
- StemSafe upper rack—four sets
- Super capacity three-piece silverware basket



GE Profile dishwasher PDW7700J

- Long, flat door
- **■** CustomStyle[™] panel trim kit available
- 12 touchpads
- **■** Glasses cycle
- Countdown display with six status lights
- Four position adjustable upper rack
- Fold-down tines in upper rack—four sets with two multi-position
- Fold-down tines in lower rack—100%
- ExtraBasket
- StemSafe upper rack—four sets
- Super capacity three-piece silverware basket

GE Profile[™] Stainless Steel Interior Built-In Dishwashers

	GE Profile			
	ENERGY STAR® PDW8680JSS PDW8600JWW PDW8600JCC PDW8600JBB	ENERGY STAR PDW8500JWW PDW8500JCC PDW8500JBB	ENERGY STAR PDW8480JSS PDW8400JWW PDW8400JCC PDW8400JBB	ENERGY STAR PDW8280JSS PDW8200JWW PDW8200JCC PDW8200JBB
Features Table and deep lines	Otalialasa ataul	Ctainless steel	Ctrimina at al	Otalialasa ataul
Tub and door liner Front appearance	Stainless steel Contour door	Stainless steel Flat door	Stainless steel Contour door	Stainless steel Contour door
Upscale flush design	Contour door	•	•	• Contour door
Long door design	One-piece color wrap	•	One-piece color wrap	One-piece color wrap
Wash system	ExtraClean™	ExtraClean	ExtraClean	ExtraClean
Wash arms	3-direct feed	3-direct feed	3-direct feed	3-direct feed
Wash levels	6	6	6	6
Water filtration	100% triple with ExtraFine™ filter	100% triple with ExtraFine filter	100% triple with ExtraFine filter	100% triple with ExtraFine filter
Dual pumps and motors	extrarine liller	EXITATINE IIILEI	EXITAFINE IIILEI	extrarille liller
Hard food disposer	Piranha™	Piranha	Piranha	Piranha
Sensor	ExtraClean	ExtraClean	ExtraClean	ExtraClean
Automatic temperature control	•	•	•	•
Electronic controls	Light-touch	Light-touch	Light-touch	Light-touch
	Countdown display	Countdown display	Countdown display	1 "Clean" light
Cycle progress indicators	with 6 status lights	with 6 status lights	6 status lights	1 "Sanitized" light
Touchpads Selections/Enhancements	12 Variable*	12 Variable*	11 Variable*	9 Variable*
Last cycle memory	Variable	Variable	Variable	Variable
Selections				
Anti-bacteria (NSF**)	•	•	•	•
Cookware	•	•	•	•
Normal wash	•	•	•	•
China/Crystal	•	•	•	•
Glasses cycle	•	•		
SpeedCycle™ (wash & dry)	•	•	•	_
Rinse only Enhancements	•	•	•	•
Delay Start	1-9-hour	1-9-hour	1-9-hour	2/4/8-hour
Hi-Temp Wash	Added heat	Added heat	Added heat	Added heat
Hi-Temp Rinse	Auto w/added heat	Auto w/added heat	Auto w/added heat	Auto w/added heat
PreWash	•	•	•	
Heated Dry	•	•	•	•
HotStart™	Automatic	Automatic	Automatic	Automatic
Child lock	•	•	•	•
Racking	D. IITM	D. J.	Dec les set	
Nylon racking system	Pearlescent™ Tall-Over-Tall™	Pearlescent Tall-Over-Tall	Pearlescent Tall-Over-Tall	Tall-Over-Tall
Adjustable upper rack	Idii-Over-Idii	Idii-Over-Idii	Idii-Over-Idii	Idii-Over-Idii
w/CleanTip tines	4-position	4-position	4-position	
Removable, deep tiered	,		, , , ,	
upper rack [†]	•	•	•	•
Lower rack w/CleanTip tines	Towerless	Towerless	Towerless	Towerless
	4 upper with 2 multi-position/	4 upper with 2 multi-position/	2 upper with 1 multi-position/	
Fold-down tine flexibility	100% lower	100% lower	2 lower	2 lower
Utility shelves	4 w/StemSafe™ upper		2 w/StemSafe upper	2 upper
	Super capacity 3-pc.	Super capacity 3-pc.		Super capacity
Silverware basket	and ExtraBasket [™]	and ExtraBasket	Super capacity 3-pc.	w/2 cell covers
Hard countertop installation	Ready	Ready	Ready	Ready
Calrod® heater	Multi-wattage	Multi-wattage	Multi-wattage	Multi-wattage
Rinse aid dispenser	w/Indicator and adjustment	w/Indicator and adjustment	w/Indicator and adjustment	w/Indicator and adjustment
Latch	Squeeze	Squeeze	Squeeze	Squeeze
Quiet				
Sound insulation package	QuietPower™ V	QuietPower V	QuietPower V	QuietPower V
	Thinstall™ with	Thinstall with	Thinstall with	Thinstall with
Tub insulation	heat-bonded bitumen			
Door insulation	With bitumen	With bitumen	With bitumen	With bitumen
QuietPower™ motor	•	•	•	•
ActiveVent system Tub collar trim			II .	II .
Electronic control system	•	•	•	•
Quiet water valve	-	•	•	•
Appearance	_			
Colors available***	SS, WW, CC, BB,	WW, CC, BB	SS, WW, CC, BB	SS, WW, CC, BB
	33, VVVV, GG, DD,	VV VV, OO, DD	33, WWW, GG, DD	33, WWW, GG, DD
Weights & Dimensions	0.4	0.4	0.4	0.4
Height w/legs retracted (in.) Overall width (in.)	34 24	34 24	34 24	34 24
Overall width (in.) Overall depth (in.)	24 25-1/4	24 25-1/4	24 25-1/4	24 25-1/4
Approx. shipping weight (lbs.)	105	105	105	105
Accessories	100	100	100	100
Requires kit for 1/4" panel				
capability with trim	N/A	GPF825W/C/B	N/A	N/A
Requires kit for trimless				
3/4" panel capability	N/A	GPF875W/C/B	N/A	N/A
*Sensor controlled. **Certified by National Sanitation Fo	undation			







^{***}Certified by National Sanitation Foundation.

***SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

†For best results, use shower nozzle attachment when upper rack is removed.

GE Profile Built-In Dishwashers

	GE Profile				
	ENERGY STAR® PDW8060JSS PDW8000JWW PDW8000JCC PDW8000JBB	ENERGY STAR PDW7880JSS PDW7800JWW PDW7800JCC PDW7800JBB	ENERGY STAR PDW7700JWW PDW7700JCC PDW7700JBB	ENERGY STAR PDW7300JWW PDW7300JCC PDW7300JBB	
Features	TEWOOOGGE	1 5 17 1000055	1 5 17 1 1 1 1 1 1	1 5 47 7 0 0 0 0 5 5	
Tub and door liner	Stainless steel	PermaTuf®	PermaTuf®	PermaTuf®	
Front appearance	Flat door	Contour door	Flat door	Contour door	
Upscale flush design Long door design	•	One-piece color wrap	•	One-piece color wrap	
Wash system	ExtraClean	ExtraClean	ExtraClean	ExtraClean	
Wash arms	2	3-direct feed	3-direct feed	3-direct feed	
Wash levels	4	6	6	6	
Water filtration	100%	100% triple with ExtraFine filter	100% triple with ExtraFine filter	100% triple with ExtraFine filter	
Dual pumps and motors	•	•	•	•	
Hard food disposer	Piranha	Piranha	Piranha	Piranha	
Sensor Automatia temperatura central	CleanSensor™	ExtraClean	ExtraClean	ExtraClean	
Automatic temperature control Electronic controls	Electronic	● Light-touch	● Light-touch	● Light-touch	
Cycle progress indicators	5 LEDs	Countdown display with 6 status lights	Countdown display with 6 status lights	Countdown display with 6 status lights	
Touchpads	8	12	12	11	
Selections/Enhancements	Variable*	Variable*	Variable*	Variable*	
Last cycle memory	•	•	•	•	
Selections					
Anti-bacteria (NSF**)	•	•	•	•	
Cookware Normal wash	•	•	•	•	
China/Crystal	-	•	•	•	
Glasses cycle	— —	•	•		
SpeedCycle (wash & dry)		•	•	•	
Rinse only		•	•	•	
Enhancements					
Delay Start	2/4/6-hour	1-9-hour	1-9-hour	1-9-hour	
Hi-Temp Wash	Added heat	Added heat	Added heat	Added heat	
Hi-Temp Rinse PreWash		Auto w/added heat	Auto w/added heat	Auto w/added heat	
Heated Dry		•	•	•	
HotStart	- -	Automatic	Automatic	Automatic	
Child lock	•	•	•	•	
Racking					
Nylon racking system	Tall-Over-Tall	Tall-Over-Tall	Tall-Over-Tall	Tall-Over-Tall	
Adjustable upper rack with CleanTip tines		4-position deep tiered	4-position deep tiered	4-position deep tiered	
Lower rack w/CleanTip tines	•	Towerless	Towerless	Towerless	
201101 14011 11/010411119 111100		4 upper with	4 upper with	2 upper with	
		2 multi-position/	2 multi-position/	1 multi-position/	
Fold-down tine flexibility	4 lower		100% fold-down lower	2 lower	
Utility shelves	2 w/stem holder Deluxe Plus	4 w/StemSafe upper Super capacity 3-pc.	4 w/StemSafe upper Super capacity 3-pc.	4 w/StemSafe upper Super capacity	
Silverware basket Accessory Basket	w/2 cell covers	and ExtraBasket™	and ExtraBasket	3-piece	
Hard countertop installation	Ready	Ready	Ready	Ready	
Calrod® heater	•	Multi-wattage	Multi-wattage	Multi-wattage	
	w/Indicator	w/Indicator	w/Indicator	w/Indicator	
Rinse aid dispenser	and adjustment	and adjustment	and adjustment	and adjustment	
Latch	Center pull	Squeeze	Squeeze	Squeeze	
Quiet					
Sound insulation package Tub insulation	Quiet 8000	QuietPower IV	QuietPower IV	QuietPower IV	
IIIN INSTITUTION	Mastic w/steel case	Thinstall Plus	Thinstall Plus Steel door w/mastic	Thinstall Plus Steel door w/mastic	
	Ctool door w/mactic			oleei uuui w/iiiasiic	
Door insulation	Steel door w/mastic				
Door insulation QuietPower motor		•	•	•	
Door insulation	Steel door w/mastic				
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system	•	•	•	•	
Door insulation QuietPower motor ActiveVent system Tub collar trim	•	•	•	•	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance	•	•	•	•	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available****	•	•	•	•	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions	SS, WW, CC, BB	SS, WW, CC, BB	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.)	SS, WW, CC, BB	• • • • • • • SS, WW, CC, BB	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.)	SS, WW, CC, BB	SS, WW, CC, BB	• • • • • • • • • • • • • • • • • • •	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.)	SS, WW, CC, BB 34 23-5/8 23-1/2	SS, WW, CC, BB	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	• • • • • • • • • • • • • • • • • • •	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Approx. shipping weight (lbs.)	SS, WW, CC, BB	SS, WW, CC, BB	• • • • • • • • • • • • • • • • • • •	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Overall depth (in.) Approx. shipping weight (lbs.) Accessories	SS, WW, CC, BB 34 23-5/8 23-1/2 115	SS, WW, CC, BB	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	• • • • • • • • • • • • • • • • • • •	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Overall depth (in.) Accessories Requires kit for 1/4* panel	SS, WW, CC, BB 34 23-5/8 23-1/2 115 N/A—SS	SS, WW, CC, BB 34 24 25-1/4 97	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Door insulation QuietPower motor ActiveVent system Tub collar trim Electronic control system Quiet water valve Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Overall depth (in.) Approx. shipping weight (lbs.) Accessories	SS, WW, CC, BB 34 23-5/8 23-1/2 115	SS, WW, CC, BB	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	• • • • • • • • • • • • • • • • • • •	







^{*}Sensor controlled.

**Certified by National Sanitation Foundation.

***SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

GE Triton $XL^{\scriptscriptstyle\mathsf{TM}}$ Built-In Dishwashers

	GE			
	ENERGY STAR®	ENERGY STAR	ENERGY STAR	ENERGY STAR
	GSD6860JSS	GSD6900JWW GSD6900JCC GSD6900JBB	GSD6660GSS GSD6600GWW GSD6600GCC GSD6600GBB	GSD6260JSS GSD6200JWW GSD6200JCC GSD6200JBB
Features	51			
Front appearance	Flat door	Contour door	Flat door	Flat door
Upscale flush design	•	•	•	•
Long door design Wash system	XtraClean™	XtraClean	XtraClean	XtraClean
Wash arms	3	3	3	3
Wash levels	6-direct feed	6-direct feed	6-direct feed	6-direct feed
XtraFine™ filter	100% triple	100% triple	100% triple	100% triple
Dual pumps and motors	•	•	•	•
Hard food disposer	Piranha™	Piranha	Piranha	Piranha
Sensor	XtraClean	XtraClean	XtraClean	XtraClean
Automatic temperature control	•	•	•	•
Electronic controls	Light-touch	Light-touch	Light-touch	Light-touch
Cycle progress indicators	Countdown display, 6 status lights	Countdown display, 6 status lights	6 status lights	1 "Clean" light, 1 "Sanitized" light
Touchpads	10	10	10	9
Cycles/Options	Variable*	Variable*	Variable*	Variable*
Last cycle memory	•	•	•	•
Cycles				
Anti-bacteria (NSF**)	•	•	•	•
Pots & Pans cycle	•	•	•	•
Normal wash China/Crystal	•	•	•	•
SpeedCycle™ (wash & dry)	•	•	•	•
Rinse Only	•	•	•	•
Options	_ •	•	•	•
Delay Start option	1-9-hour	1-9-hour	2/4/8-hour	2/4/8-hour
Hi-Temp Wash	XtraHot Wash	XtraHot Wash	XtraHot Wash	XtraHot Wash
Hi-Temp Rinse		Auto w/XtraHot Wash		
Heated Dry	•	•	•	•
HotStart™	Automatic	Automatic	Automatic	Automatic
Child lock option	•	•	•	•
Racking				
Racking system	Tall-Over-Tall™	Tall-Over-Tall	Tall-Over-Tall	Tall-Over-Tall
	4-position, adjustable			
Upper rack	nylon deep tiered	nylon deep tiered	Nylon deep tiered	Deep tiered
Lower rack	nylon deep tiered Nylon towerless	Nylon towerless	Nylon towerless	Deep tiered Towerless
Lower rack Fold-down tine flexibility	nylon deep tiered Nylon towerless 2 lower	Nylon towerless 2 lower	Nylon towerless 2 lower	Towerless
Lower rack	nylon deep tiered Nylon towerless 2 lower 4 upper	Nylon towerless 2 lower 4 upper	Nylon towerless 2 lower 2 upper	Towerless 2 upper
Lower rack Fold-down tine flexibility Utility shelves	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity	Nylon towerless 2 lower 4 upper Super capacity	Nylon towerless 2 lower 2 upper Super capacity	Towerless 2 upper Super capacity
Lower rack Fold-down tine flexibility	nylon deep tiered Nylon towerless 2 lower 4 upper	Nylon towerless 2 lower 4 upper	Nylon towerless 2 lower 2 upper	Towerless 2 upper
Lower rack Fold-down tine flexibility Utility shelves Silverware basket	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece	Nylon towerless 2 lower 4 upper Super capacity 3-piece	Nylon towerless 2 lower 2 upper Super capacity 3-piece	Towerless 2 upper Super capacity 3-piece
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower TM IV	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze	Nylon towerless 2 lower 4 upper Super capacity 3-plece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze	Nylon towerless 2 lower 2 upper Super capacity 3-plece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV ThinstalI™ Plus	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	2 upper 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV ThinstalI™ Plus	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	2 upper 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus	Nylon towerless 2 lower 4 upper Super capacity 3-plece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-plece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ●	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available****	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ●	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available*** Weights & Dimensions	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ■ ■ ■ SS	Nylon towerless 2 lower 4 upper Super capacity 3-plece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket • • • • SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.)	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ■ ■ ■ SS SS	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.)	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ■ ■ SS SS	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus SS, WW, CC, BB	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.)	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ■ ■ ■ SS SS	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available**** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Approx. shipping weight (lbs.)	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus SS SS 34 24 25-1/4	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus SS, WW, CC, BB	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available**** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Overall depth (in.) Approx. shipping weight (lbs.) Accessories	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus SS SS 34 24 25-1/4	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus SS, WW, CC, BB	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available**** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Approx. shipping weight (lbs.)	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus SS SS 34 24 25-1/4	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus SS, WW, CC, BB	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB 34 24 25-1/4 90
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available**** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Overall depth (in.) Approx. shipping weight (lbs.) Accessories Requires kit for 1/4* panel capability with trim Requires kit for trimless	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ■ ■ SS SS 34 24 25-1/4 90	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB 34 24 25-1/4 90	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus SS, WW, CC, BB	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB
Lower rack Fold-down tine flexibility Utility shelves Silverware basket Hard countertop installation Calrod® heater Rinse aid dispenser Latch Quiet Sound insulation package Tub insulation Door insulation and mastic QuietPower™ motor ActiveVent II system Tub collar trim Electronic control system PermaTuf® tub and door liner Appearance Colors available*** Weights & Dimensions Height w/legs retracted (in.) Overall width (in.) Approx. shipping weight (lbs.) Accessories Requires kit for 1/4" panel capability with trim	nylon deep tiered Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower™ IV Thinstall™ Plus ■ ■ SS SS 34 24 25-1/4 90	Nylon towerless 2 lower 4 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus WW, CC, BB 34 24 25-1/4 90	Nylon towerless 2 lower 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower IV Thinstall Plus SS, WW, CC, BB	Towerless 2 upper Super capacity 3-piece GPF65 Kit Multi-wattage w/Indicator and adjustment Squeeze QuietPower III T-blanket SS, WW, CC, BB 34 24 25-1/4 90

^{***}Certified by National Sanitation Foundation.

***SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.







GE Triton™ Built-In Dishwashers

	GE			
	Energy Star	ENERGY STAR GSD5500GWW GSD5500GCC		
	GSD5560GSS	GSD5500GBB		
Features				
Wash system	TriClean™	TriClean		
Dual pumps and motors	•	•		
Wash arms	3	3		
Wash levels	6	6		
Water filtration	100% Triple	100% Triple		
Hard food disposer	Piranha	Piranha		
CleanSensor	•	•		
Cycles	Variable*	Variable*		
Pots & Pans	•	•		
Normal Wash	•	•		
Light Wash	•	•		
China/Crystal	•	•		
SaniWash	•	•		
Rinse only	•	•		
Options	Variable	Variable		
Delay Start option	2/4/8-hour	2/4/8-hour		
Heated Dry	•	•		
Child lock option	•	•		
Racks, shelf & basket	_			
Upper rack	Super	Super		
Lower rack	Super	Super		
Utility shelves	2	2		
ounty onorros	Super capacity	Super capacity		
Silverware basket	w/1 cell cover	w/1 cell cover		
Control type	Electronic	Electronic		
Cycle progress indicators	6 LEDs	6 LEDs		
Touchpads	10	10		
Rinse aid dispenser	w/Indicator	w/Indicator		
Center throw door latch	•	• Wy III dicator		
Quiet	•			
	QuietPower II	QuietPower II		
Sound insulation package	1			
PermaTuf® tub and door liner	•	•		
QuietPower™ motor	•	•		
Appearance				
Colors available**	SS	WW, CC, BB		
Color panels—door & access	Trimless	Trimless		
Weights & Dimensions				
Height w/legs retracted (in.)	34	34		
Overall width (in.)	24	24		
Overall depth (in.)	25-3/4	25-3/4		
Approx. shipping weight (lbs.)	85	80		
	00			
Accessories				
Requires kit for 1/4" panel	N/A	CDE425W/C/D		
capability with trim	N/A	GPF425W/C/B		
Requires kit for trimless 3/4" panel capability	N/A	GPF475		

All GE dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.

^{**}Sensor controlled.

**Colors available: SS = Stainless Steel, WW = White on white,
CC = Bisque on bisque, BB = Black on black.





Listed by Underwriters Laboratories



As an ENERGY STAR® partner, GE has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.

GE® Built-In Dishwashers

	GE			
	GSD4500GWW GSD4500GCC GSD4500GBB	ENERGY STAR® GSD3800GWW GSD3800GCC GSD3800GBB	GSD3400GWW GSD3400GCC GSD3400GBB	ENERGY STAR GSD2600GWW GSD2600GCC GSD2600GBB
Features				
Wash system	PowerScrub™	SureClean™	PowerScrub	Standard
Wash levels	5	3	5	2
Water filtration	Dual	Dual	Dual	_
Food disposer	Piranha™	•	Piranha	•
Cycles	4	6	6	5
Pots & Pans	•	ě	•	
Heavy Wash		•		•
Normal Wash	•	•	•	•
Light Wash	•	•	•	Dial
Short Wash			Dial	Dia.
Plate Warmer		Dial	Dial	Dial
Rinse Only	•	Dial	Dial	Dial
Options	26	35	31	22
Delay Start option	4/6/8-hour	1-6-hour	1-6-hour	
Heated Dry	•	•	•	•
Hi-Temp Wash	•	•	•	•
Hi-Temp Rinse	•			
HotStart™		•	•	Dial
Child lock option	•			
Racks, shelf & basket	_			
Upper rack	Deluxe Plus	Deluxe Plus	Deluxe	Standard
Lower rack	Deluxe	Deluxe	Deluxe	Deluxe
Utility shelves	2	2		
Silverware basket	Deluxe	Deluxe	Deluxe	Deluxe
Control type	Electronic	TouchTap™	TouchTap	Turn-to-start
Cycle progress indicator(s)	1 "Clean"	1 "Cycle On"	1 "Cycle On"	Dial
Touchpads	10	8	7	
Pushbuttons				6
Rinse aid dispenser	w/Indicator	w/Indicator	•	•
Center throw door latch	•	•	•	•
Ouiet				
Quiet				
Sound insulation package	QuietPower I	QuietPower1	QuietDesign™	QuietDesign
PermaTuf® tub/door liner	•	• Quicti OWCI I	QuictDc3igi1	• QuictDesign
QuietPower™ motor	•	•	•	•
Appearance	,			
Colors available*	WW. CC. BB	WW. CC. BB	WW. CC. BB	WW. CC. BB
Color panels—door & access	Trimless	Trimless	Trimless	Trimless
	111111111111111111111111111111111111111	1111111855	HIIIIIESS	111111111111111111111111111111111111111
Weights & Dimensions				
Height w/legs retracted (in.)	34	34	34	34
Overall width (in.)	24	24	24	24
Overall depth (in.)	25-3/4	25-3/4	25-3/4	25-3/4
Approx. shipping weight (lbs.)	80	80	80	80
Accessories				
Requires kit for 1/4"				
panel capability with trim	GPF425W/C/B	GPF425W/C/B	GPF425W/C/B	GPF325W/C/B
Requires kit for trimless 3/4" panel capability	GPF475	GPF475	GPF475	GPF375
NII OF Distance	20.00.00.00.00.00.00.00	00F:-L-1	E - OE	

3/4" panel capability All GE Dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection

drying, horizontal mechanism, leveling screws.
*Colors available: WW = White on white, CC = Bisque on bisque, BB = Black on black.






ramatic design. Exceptional cleaning. Incredible capacity.



Sleek Sculpted and stylish.

- Exclusive full-length, one-piece color wrap contour door elevates any kitchen decor.
- A lifetime warranty* covers both the brilliant stainless steel interior and the classic PermaTuf® interior.



Smart

The highest-performance dishwashers you can buy...guaranteed!

- The best combination of:
 - Wash performance through the ExtraClean[™] wash system
 - Sound performance through the QuietPower™ V package
 - Usable capacity through Tall-Over-Tall rack design
- Energy efficiency and water consumption through the ExtraClean[™] sensor with automatic temperature control.



Spacious

No dishwasher holds more.**

- Tall-Over-Tall[™] towerless rack design allows a single load to handle all the dishes and cookware that go into a memorable dinner for four, or 16 place settings at once.
- Flexible upper rack can be adjusted or positioned four ways, while the lower rack has 100% fold-down tines.



A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.



GE Appliances

GE Consumer Products General Electric Company Louisville, Kentucky 40225 GEAppliances.com

Before purchasing an Energy Star®-qualified appliance, read important information about its estimated annual energy consumption or energy efficiency rating that is available from your retailer or at GEAppliances.com.

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.