

COUNTERTOP & MICROWAVE WALL OVENS

GE Countertop Microwaves Rated Number One*

*GE microwaves were ranked #1 by a leading consumer magazine in the categories of mid-sized countertop (JE1060) and compact countertop (JE740).



A microwave for every kitchen.



We bring good things to life.

The GE Convection/Microwave Oven, two-oven cooking flexibility from a single oven cavity.

Cooks with the speed and
convenience of a microwave...



...and combines the ability to brown and
crisp meats and poultry through fan-driven
convection capability!

- Prepare delicious foods faster.
- Brown, bake, crisp – what you expect
from your conventional oven.
- The perfect solution when you need to prepare
multiple dishes – it's like having an extra oven.

**Discover the added speed, quality, and convenience
a GE Convection/Microwave oven brings to any kitchen.**



JE1390WA

Customize your kitchen with built-in microwave options...

A countertop microwave oven built-in with a trim kit.



JE1860SB with trim kit JX1830SB

Or a microwave wall oven.

Custom built-in microwave choices give any kitchen an upscale appearance.

- Unique and attractive design options.
- Wide variety of colors, including stainless steel.
- Save valuable counter space and add to the value and appearance of your kitchen.
- Create your own dream kitchen.

See pages 4 and 10 for a complete listing of microwave wall ovens and trim kits.



JEB1055WB Microwave Wall Oven

GE Profile Performance™/Profile™ Microwave Wall Ovens

These models include: 1.0 cu. ft. oven cavity • 800 watts* • Express Cook • Sensor Cooking Controls for Popcorn, Reheat, Beverage and Cook pads **Note: bold = feature upgrade from previous model**



Convection/ Microwave Wall Ovens provide a true built-in appearance. JEB1095 and JEB1055 now fit a 27" or 30" cutout. A trim kit (included with all models) enables the unit to be adapted to a 30" width. The models are available in classic white and black. There is also a stainless steel model available in the GE Profile Performance Series.™

Sensor Microwave/Convection



Shown in 30" size

GE Profile Performance Series™
30" or 27" Convection Microwave Wall Oven

JEB1095SB Stainless steel

- **Convection Cooking**
- **Combination Roast (probe)**
- **Combination Cooking**

JEB1095WB White on white (not shown)

JEB1095BB Black on black (not shown)



Sensor Controls take the guesswork out of cooking.

Sensor Microwave



Shown in 27" size

GE Profile™
30" or 27" Microwave Wall Oven

JEB1055WB White on white

- **Auto Roast (probe)**

JEB1055BB Black on black (not shown)



Convection cooking produces brown exteriors and moist interiors.



JEB1055WB control panel

*IEC-705 Test Procedure

GE Profile Performance™ Countertop: Convection/Microwave

These models include • 1.3 cu. ft. oven cavity • 850 watts* • Sensor Cooking Controls for Popcorn, Reheat, Beverage and Cook pads • Turntable • Time Cook I & II • Combination Cook • Combination Roast • Convection Cook • 10 power levels • SmartRack • Auto Defrost • Time Defrost • Kitchen Timer • Delay Start • Express Cook • Deluxe Cookbook



Convection Cooking produces golden brown exteriors and moist interiors.



Combination Cooking combines microwave and convection cooking.



The SmartRack provides two levels of convection cooking.



GE Profile Performance Series™
Microwave/Convection Countertop
JE1390WA White on white

Model shown with trim kit**



GE Profile Performance Series™
Microwave/Convection Countertop
JE1390GA Black with greystone case

Model shown on countertop



**Optional Trim Kit
Custom trim kits available in both 27" and 30" configurations at an additional cost. See page 11 to complete installation.

* IEC-705 Test Procedure

GE Profile™ Countertop: Sensor Microwaves

These models include • Scrolling Display • Sensor Cooking Controls for Popcorn, Beverage, Reheat, Vegetable, Potato and Chicken/Fish pads • Time Cook I & II • Auto Defrost/Time Defrost • Express Cook • Add 30 Seconds • 10 power levels • Instant On Controls • Timer On/Off • Child Lock-Out • Delay Start • Reminder • Cooking Complete Reminder • Variable Beeper Volume

Note: bold = feature upgrade from previous model



Sensor Controls take the guesswork out of cooking.



The Scrolling Display is easy to read and a helpful cooking guide.



GE Profile™
Sensor Countertop

JE1860SB Stainless steel

• **Extra-large 1.8 cu. ft. oven cavity** • 1100 watts* • **Turntable On/Off**

JE1860WB White on white (not shown)

JE1860CB Bisque (not shown)

JE1860GB Black with greystone case (not shown)

Model shown with trim kit**



GE Profile™
Sensor Countertop

JE1660WB White on white

• **Full-size 1.6 cu. ft. oven cavity** • 1100 watts* • **Turntable** • **Optional trim kit available****

JE1660GB Black with greystone case (not shown)




** Optional Trim Kit
Custom trim kits available in both 27" and 30" configurations at an additional cost. See page 11 to complete installation.

* IEC-705 Test Procedure

GE Profile™ Countertop: Sensor Microwaves

These models include • Scrolling Display • Sensor Cooking Controls for Popcorn, Beverage, Reheat, Vegetable, Potato and Chicken/Fish pads • Time Cook I & II • Auto Defrost/Time Defrost • Express Cook • Add 30 Seconds • 10 power levels • Instant On Controls • Timer On/Off • Child Lock-Out • Delay Start • Reminder • Cooking Complete Reminder • Variable Beeper Volume

Note: bold = feature upgrade from previous model



GE Profile™
Sensor Countertop
JE1360WB White on white
• Family-size 1.3 cu. ft. oven cavity • 1100 watts* • Turntable
JE1360GB Black with greystone case (not shown)



GE Profile™
Sensor Countertop
JE1060GB Black with greystone case
• Family-size 1.0 cu. ft. oven cavity • 1100 watts* • Turntable
JE1060WB White on white (not shown)

*IEC-705 Test Procedure

GE Countertop: Convenience Control Microwave Ovens

These models include • Convenience Cooking Controls for Popcorn, Beverage, Reheat, Snacks and Cook Pads • Turntable
 • Time Cook I & II • Auto Defrost • Time Defrost • Express Cook • Kitchen Timer • Child Lock-Out

Note: bold = feature upgrade from previous model




GE
 Convenience Countertop
JE1840WB White on white
 • **Extra-large 1.8 cu. ft. oven cavity**
 • 1100 watts* • Optional trim kit available**
JE1840GB Black with greystone case (not shown)



GE
 Convenience Countertop
JE1640GB Black with greystone case
 • **Full-size 1.6 cu. ft. oven cavity** • 1100 watts*
 • **Optional trim kit available****
JE1640AB Almond on almond (not shown)
JE1640WB White on white (not shown)



GE
 Convenience Countertop
JE1340GB Black with greystone case
 • **Family-size 1.3 cu. ft. oven cavity** • 1100 watts*
JE1340WB White on white (not shown)



GE
 Convenience Countertop
JE1040WB White on white
 • **Mid-size 1.0 cu. ft. oven cavity** • 1100 watts*
JE1040GB Black with greystone case (not shown)



GE
 Convenience Countertop
JE740WY White on white
 • **Compact .7 cu. ft. oven cavity** • 700 watts*
 • **Optional undercabinet mounting kit available†**
JE740GY Black with greystone case (not shown)

**Optional Trim Kit
 Custom trim kits available in both 27" and 30" configurations at an additional cost.
 See page 11 to complete installation.

† Undercabinet Mounting Kit
 Noted microwave ovens can easily be mounted below your cabinetry, freeing up valuable counter space. A mounting template provides all the necessary measurements for installation on practically any wood or metal cabinets.

* IEC-705 Test Procedure

GE Countertop Microwave Ovens

Note: bold = feature upgrade from previous model



GE
Convenience Countertop
JE835WW White on white

- **Mid-size .8 cu. ft. oven cavity** • **800 watts*** • Convenience Controls for Baked Potato, Vegetables, Dinner Plate, Popcorn, Beverage, Frozen Pizza and **Soup Pads** • **Time Preference**



GE
Convenience Countertop
JE635WW White on white

- **Compact .6 cu. ft. oven cavity** • **600 watts*** • **Convenience Cooking Controls for Baked Potato, Vegetables, Dinner Plate, Frozen Pizza, Popcorn and Beverage Pads** • **Instant On controls** • **Auto Defrost** • **Auto Start** • **Electronic Digital Display with Clock** • **Child Lock-Out**



GE
Countertop
JE520BW Black with greystone case

- **Subcompact .5 cu. ft. oven cavity** • **600 watts*** • **Turntable**
- **Electronic touch controls with electronic digital display and clock**
- **Time Cook** • **Time Defrost** • **Cooking Complete Reminder**
- **10 power levels** • **Optional undercabinet mounting kit available†**

JE520WC White on white (not shown)



GE
Countertop
JE710BA Black with greystone case

- **Compact .7 cu. ft. oven cavity** • **600 watts*** • **Turntable**
- **15-minute timer** • **Optional undercabinet mounting kit available†**



GE
Countertop
JE510BW Black with greystone case

- **Subcompact .5 cu. ft. oven cavity**
- **600 watts*** • **Turntable** • **15-minute timer** • **Optional undercabinet mounting kit available†**

JE510WC White on white (not shown)

† Undercabinet Mounting Kit

Noted microwave ovens can easily be mounted below your cabinetry, freeing up valuable counter space. A mounting template provides all the necessary measurements for installation on practically any wood or metal cabinets.

* IEC-705 Test Procedure

GE Spacemaker II™ Microwave Ovens

These models include • Mid-size .9 cu. ft. oven cavity • 800 watts* • Delay/Start Reminder • Auto Defrost/Time Defrost • Time Cook I & II • Express Cook • Instant On Controls • Add 30 seconds • Designed to fit under cabinetry and free up countertop space **Note: bold = feature upgrade from previous model**



GE Profile™

Sensor Countertop

JEM31SA Stainless steel

• **Sensor Cooking Controls for Popcorn, Beverage, Reheat, Chicken/Fish, Potato and Vegetable pads** • **Beeper Volume** • **Optional undercabinet mounting kit available†**

JEM31WA White on white (not shown)

JEM31GA Black with greystone case (not shown)

Model shown with trim kit**



JEM31GA Control Panel Shown

**Optional Trim Kit

Custom trim kits available in both 27" and 30" configurations at an additional cost. See page 11 to complete installation.



GE

Convenience Countertop

JEM25WY White on white

• **Convenience Cooking Controls for Popcorn, Beverage, Reheat, Snacks and Cook Pads** • **Sound On/Off** • **Optional trim kit available**** • **Optional undercabinet mounting kit available†**

JEM25GY Black with greystone case (not shown)

Model shown with undercabinet mounting kit†



† Undercabinet Mounting Kit

Noted microwave ovens can easily be mounted below your cabinetry, freeing up valuable counter space. A mounting template provides all the necessary measurements for installation on practically any wood or metal cabinets.

GE Countertop Microwave Oven Optional Trim Kits



30" Deluxe Trim Kit For 1.8 Cu.Ft. Microwave Ovens

(For models JE1860 and JE1840)

This trim kit allows for built-in installation of the 1.8 countertop microwave oven in a wall or cabinet alone, or over a GE 30" single electric wall oven as shown.

30" Deluxe Trim Kits

JX1830SB – Stainless Steel, JX1830WB – White, JX1830CB – Bisque, JX1830BB – Black

27" Deluxe Trim Kit For 1.8 Cu.Ft. Microwave Ovens (not shown)

(For models JE1860 and JE1840)

The 27" deluxe trim kit allows a 1.8 countertop microwave oven to be built into a wall or cabinet alone, or over a GE 27" single electric wall oven for a complete one-piece built-in integrated appearance.

27" Deluxe Trim Kits

JX1827SB – Stainless Steel, JX1827WB – White, JX1827CB – Bisque, JX1827BB – Black



30" Deluxe Trim Kit For 1.6 Cu.Ft. Microwave Ovens

(For models JE1660 and JE1640)

This trim kit allows for built-in installation of the 1.6 countertop microwave oven in a wall, cabinet alone, or over a GE 30" single electric wall oven as shown.

30" Deluxe Trim Kits

JX1530MWW – White, JX1530MAW – Almond, JX1530MBW – Black

27" Deluxe Accessory Trim Kit For 1.6 Cu.Ft. Microwave Ovens (not shown)

(For models JE1660 and JE1640)

The 27" deluxe trim kit allows a 1.6 countertop microwave oven to be built into a wall or cabinet alone, or over a GE 27" single electric wall oven for a complete one-piece built-in integrated appearance.

27" Deluxe Trim Kits

JX1527MWW – White, JX1527MAW – Almond, JX1527MBW – Black



Deluxe Trim Kits For 1.3 Cu.Ft.

GE Profile Performance™ Microwave Ovens

(For model JE1390)

Built-in trim kits allow installation in a wall, cabinet alone or over a GE 30" or 27" single electric wall oven. Use a convection wall oven under these convection microwave ovens for a complete convection cooking center.

30" Deluxe Trim Kits

JX1330MWW – White, JX1330MBV – Black

27" Deluxe Trim Kits

JX1327MWW – White, JX1327MBV – Black



Built-In Trim Kit For .9 Cu.Ft. Microwave Ovens

(For models JEM31 and JEM25)

For a custom built-in appearance, this kit allows built-in installation of the Spacemaker II™ microwave oven into a wall or cabinet alone.

Trim Kits

JX827SS – Stainless Steel Trim Kits, JX827WN – White Trim Kits,

JX827BN – Black Trim Kits



Hanging Kit For .5, .7 And .9 Cu.Ft. Microwave Ovens

(For models JE510, JE520, JE710, JE740, JEM25, JEM31)

The hanging kit allows installation under a cabinet.

Hanging Kit

4-A019

Built-In Microwave Ovens

	GE Profile Performance Series™			GE Profile™	
	Microwave/Convection Oven			Microwave Oven	
	JEB1095SB	JEB1095WB	JEB1095BB	JEB1055WB	JEB1055BB
Capacity					
Oven cavity (cu. ft.)	1.0	1.0	1.0	1.0	1.0
Features					
Watts (IEC-705 Test Procedure)	800	800	800	800	800
Electronic Touch Controls	●	●	●	●	●
Electronic digital display w/clock	●	●	●	●	●
Beverage	Sensor	Sensor	Sensor	Sensor	Sensor
Cook	Sensor	Sensor	Sensor	Sensor	Sensor
Popcorn	Sensor	Sensor	Sensor	Sensor	Sensor
Reheat	Sensor	Sensor	Sensor	Sensor	Sensor
Convection Cook	●	●	●		
Combination Cook	●	●	●		
Combination Roast (Probe)	●	●	●		
Express Cook	●	●	●	●	●
Instant On Controls	●	●	●	●	●
Time Cook	I & II	I & II	I & II	I & II	I & II
Add 30 Seconds	●	●	●	●	●
Temp Cook/Hold (Probe)	●	●	●	●	●
Auto Roast (Probe)	●	●	●	●	●
Auto Defrost/Time Defrost	●	●	●	●	●
Power levels	10	10	10	10	10
Delay/Start Reminder	●	●	●	●	●
Minute Pad	●	●	●	●	●
Program cooking	5 Stage	5 Stage	5 Stage	5 Stage	5 Stage
Kitchen timer	99-M./99-S. Digital	99-M./99-S. Digital	99-M./99-S. Digital	99-M./99-S. Digital	99-M./99-S. Digital
Variable Beeper Volume	●	●	●	●	●
Cooking Complete Reminder	●	●	●	●	●
Appearance					
Color appearance*	SS	WW	BB	WW	BB
Designer-style handle	●	●	●	●	●
Weights & Dimensions					
Approx. shipping wt. (lbs.)	84	84	84	75	75
WxHxD	18x8-3/16x11-1/2				
(in inches)	26-3/4x18-5/8x16-3/8				
Power/Ratings					
2450 Frequency (MHz)	●	●	●	●	●
Electrical input	1450	1450	1450	1450	1450
@ 120V	13.0	13.0	13.0	13.0	13.0
Accessory					
Deluxe cookbook	●	●	●	●	●
Wire oven rack	●	●	●	●	●
30" trim kit (included)	●	●	●	●	●
Warranty					
Full One-Year In-Home Warranty**	●	●	●	●	●
Limited Nine-Year Magnetron Warranty** (10 years total)	●	●	●	●	●


*SS = Stainless steel, WW = White on white, BB = Black on black.

**See written warranty for details.

†Exterior dimensions: depth excludes handle.



Cut-Out and Dimensional Information (in inches)



This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

Countertop Microwave Ovens

	GE Profile Performance Series™	GE Profile™	GE	GE Profile™	GE	GE Profile™	GE	GE Profile™	GE	
	Microwave/Convection	Extra-large		Full-size		Family-size		Mid-size	Compact	
	JE1390WA JE1390GA	JE1860SB JE1860WB JE1860CB JE1860GB	JE1840WB JE1840GB	JE1660WB JE1660GB	JE1640WB JE1640AB JE1640GB	JE1360WB JE1360GB	JE1340WB JE1340GB	JE1060WB JE1060GB	JE1040WB JE1040GB	JE740WY JE740GY
Capacity										
Oven cavity (cu. ft.)	1.3	1.8	1.8	1.6	1.6	1.3	1.3	1.0	1.0	.7
Features										
Watts (IEC-705 Test Procedure)	850	1100	1100	1100	1100	1100	1100	1100	1100	700
Electronic Touch Controls	●	●	●	●	●	●	●	●	●	●
Scrolling Display with Help Pad	●	●	●	●	●	●	●	●	●	●
Demo Mode	●	●	●	●	●	●	●	●	●	●
Electronic digital display w/clock	●	●	●	●	●	●	●	●	●	●
Display On/Off	●	●	●	●	●	●	●	●	●	●
Beverage Pad	Sensor	Sensor	●	Sensor	●	Sensor	●	Sensor	●	●
Cook Pad	Sensor	●	●	●	●	●	●	●	●	●
Chicken/Fish Pad	●	Sensor	●	Sensor	●	Sensor	●	Sensor	●	●
Potato Pad	●	Sensor	●	Sensor	●	Sensor	●	Sensor	●	●
Vegetable Pad	●	Sensor	●	Sensor	●	Sensor	●	Sensor	●	●
Popcorn Pad	Sensor	Sensor	●	Sensor	●	Sensor	●	Sensor	●	●
Reheat Pad	Sensor	Sensor	●	Sensor	●	Sensor	●	Sensor	●	●
Snacks Pad	●	●	●	●	●	●	●	●	●	●
Convection Cook	●	●	●	●	●	●	●	●	●	●
Combination Cook	●	●	●	●	●	●	●	●	●	●
Combination Roast	●	●	●	●	●	●	●	●	●	●
Express Cook	●	●	●	●	●	●	●	●	●	●
Instant On Controls	●	●	●	●	●	●	●	●	●	●
Time Cook	I & II	I & II	I & II	I & II	I & II	I & II	I & II	I & II	I & II	I & II
Add 30 Seconds	●	●	●	●	●	●	●	●	●	●
Temp Cook/Hold (probe)	●	●	●	●	●	●	●	●	●	●
Auto Defrost	●	●	●	●	●	●	●	●	●	●
Time Defrost	●	●	●	●	●	●	●	●	●	●
Power levels	10	10	10	10	10	10	10	10	10	10
SmartRack	●	●	●	●	●	●	●	●	●	●
Turntable	●	●	●	●	●	●	●	●	●	●
Turntable On/Off	●	●	●	●	●	●	●	●	●	●
Kitchen timer	99-M./99-S.	Timer On/Off	99-M./99-S.	Timer On/Off	99-M./99-S.	Timer On/Off	99-M./99-S.	Timer On/Off	99-M./99-S.	99-M./99-S.
Delay Start/Reminder	●	●	●	●	●	●	●	●	●	●
Sound On/Off	●	●	●	●	●	●	●	●	●	●
Variable Beeper Control	●	●	●	●	●	●	●	●	●	●
Cooking Complete Reminder	●	●	●	●	●	●	●	●	●	●
Child lock out	●	●	●	●	●	●	●	●	●	●
Appearance										
Color appearance*	WW BB	SS WW CC BB	WW BB	WW BB	WW AA BB	WW BB	WW BB	WW BB	WW BB	WW BB
Case color	White Greystone	Greystone White Bisque Greystone	White Greystone	White Greystone	White Almond Greystone	White Greystone	White Greystone	White Greystone	White Greystone	White Greystone
Door color	White Black	Stainless Steel White Bisque Black	White Black	White Black	White Almond Black	White Black	White Black	White Black	White Black	White Black
Weights & Dimensions										
Approx. shipping wt. (lbs.)	64	48	48	50	50	42	42	43	39	33
Cavity	14-1/2 x 10-1/8 x 14-1/2	17-1/16 x 9-3/4 x 18-3/8	17-1/16 x 10-3/8 x 18-3/8	16-1/2 x 9-23/32 x 16-27/32		14-3/4 x 9-1/4 x 16		13-11/16 x 8-1/2 x 14-15/16		12-1/16 x 7-11/16 x 12-1/16
WxHxD (in inches) Exterior †	22-1/4 x 14-7/8 x 19-7/8	23-7/8 x 13-1/2 x 18-13/16		23-21/32 x 13-5/16 x 18-5/16		21-7/8 x 12-5/8 x 17-1/4		20-1/2 x 11-7/8 x 15-7/8		19-1/4 x 10-13/16 x 13-9/16
Power/Ratings										
2450 Frequency (MHz)	●	●	●	●	●	●	●	●	●	●
Electric Watts	1500	1550	1550	1500	1500	1550	1550	1500	1500	1150
input @ 120V Amperage	14.0	13.6	13.6	13.0	13.0	13.3	13.3	13.0	13.0	10.5
Accessories										
Optional built-in kit	JX1330MWW/ JX1327MWW/ JX1330MBV/ JX1327MBV	JX1830SB/ JX1827SB JX1830WB/ JX1827WB JX1830CB/ JX1827CB JX1830BB/ JX1827BB	JX1830SB/ JX1827SB JX1830WB/ JX1827WB JX1830BB/ JX1827BB	JX1530MWW/ JX1527MWW/ JX1530MBW/ JX1527MBW	JX1530MAW/ JX1527MAW/ JX1530MWW/ JX1527MWW/ JX1530MBW/ JX1527MBW					
Optional hanging kit										Pub. No. 4-A019
Warranty										
Full One-Year Warranty**	In-Home	In-Home	In-Home	In-Home	In-Home	Carry-In	Carry-In	Carry-In	Carry-In	Carry-In
Limited Nine-Year Magnetron Warranty** (10 years total)	●	●	●	●	●	●	●	●	●	●

*SS = Stainless Steel, WW = White on white, CC = Bisque, AA = Almond on almond, BB = Black on black.

**See written warranty for details.

†Exterior dimensions: height includes feet.

Spacemaker II™ Microwaves

	GE Profile™		GE	
	JEM31SA	JEM31WA JEM31GA	JEM25WY	JEM25GY
Capacity				
Oven cavity (cu. ft.)	.9	.9	.9	.9
Features				
Watts (IEC-705 Test Procedure)	800	800	800	800
Electronic Touch Controls	●	●	●	●
Scrolling Display with Help	●	●	●	●
Electronic digital display w/clock	●	●	●	●
Beverage	Sensor	Sensor	●	●
Cook	Chicken/Fish Potato Vegetable Sensor	Chicken/Fish Potato Vegetable Sensor	●	●
Popcorn	Sensor	Sensor	●	●
Reheat	Sensor	Sensor	●	●
Snacks			●	●
Express Cook	●	●	●	●
Instant On Controls	●	●	●	●
Time Cook I & II	●	●	●	●
Add 30 Seconds	●	●	●	●
Auto Defrost/Time Defrost	●	●	●	●
Power levels	10	10	10	10
Kitchen timer	Timer On/Off	Timer On/Off	99-M./99-S.	99-M./99-S.
Beeper Volume	●	●		
Sound On/Off			●	●
Cooking Complete Reminder	●	●	●	●
Delay Start/Reminder	●	●	●	●
Child Lock Out	●	●	●	●
Appearance				
Color appearance*	SS	WW BB	WW	BB
Door color	Stainless Steel	White Black	White	Black
Case color	Stainless Steel	White Greystone	White	Greystone
Weights & Dimensions				
Approx. shipping wt. (lbs.)	41	41	41	41
WxHxD (in inches)	← 16-1/2 x 7-7/16 x 11-1/4 →			
Cavity	← 23-25/32 x 11-3/16 x 12-9/32 →			
Exterior ††	← 23-25/32 x 11-3/16 x 12-9/32 →			
Power/Ratings				
2450 Frequency (MHz)	●	●	●	●
Electrical input	1300	1300	1300	1300
@ 120V	11.5	11.5	11.5	11.5
Accessories				
Hanging kit (Pub. No. 4-A019)**	Optional	Optional	Optional	Optional
Optional built-in kit	JX827SS	JX827WN/ JX827BN	JX827WN	JX827BN/ JX827SS
Warranty				
Full One-Year Warranty†	In-Home	In-Home	Carry-In	Carry-In
Nine-Year Magnetron Warranty† (10 years total)	Limited	Limited	Limited	Limited


*SS = Stainless Steel, WW = White on white, BB = Black on black.

**Pub. No. 4-A019 is available at additional cost.

†See written warranty for details.

††Exterior dimensions: height includes feet.

Cut-Out Dimensions (in inches)



Accessory Trim Kits for .9 Microwave Ovens (Available at additional cost)

For a custom built-in appearance, this kit allows built-in installation of the Spacemaker II™ microwave oven into a wall or cabinet alone, and is U.L.-approved for installation over a GE single electric wall oven. This kit should not be installed over a gas wall oven.

JX827BN—JEM31GA/JEM25GY, JX827WN—JEM31WA/JEM25WY
JX827SS—JEM31SA/JEM31GA/JEM25GY

Countertop/Compact/Subcompact Microwaves


	GE			
	JE710BA	JE835WW/ JE635WW	JE520WC/ JE520BW	JE510WC/ JE510BW
Capacity				
Oven cavity (cu. ft.)	.7	.8 .6	.5	.5
Features				
Watts (IEC-705 Test Procedure)	600	800 600	600	600
Electronic Touch Controls		●		
Electronic digital display w/clock (LED)		●	●	
Mechanical Dial	●			●
Beverage Pad				
Popcorn Pad		●		
Frozen Pizza Pad		●		
Dinner Plate Pad		●		
Baked Potato Pad		●		
Vegetables Pad		●		
Soup Pad		—		
Instant On Controls		●		
Time Cook	15 Min.		●	15 Min.
Auto Defrost		●		
Time Defrost			●	
Power levels	1	10	10	1
Turntable	●	●	●	●
Quick Set		●		
Auto Start		●		
Child Lock Out		●		
Appearance				
Door color	Black	White	White/Black	White/Black
Case color	Black	White	White/Black	White/Black
Weights & Dimensions				
Approx. shipping wt. (lbs.)	29	33	29	29
WxHxD (in inches)	← 19 x 11 x 12-7/8 →			
Cavity	11-7/8 x 7-5/8 x 12-1/2	12-5/8 x 8-1/2 x 13-3/16 11-3/8 x 7-7/8 x 11-5/8	11-3/32 x 6-11/16 x 11-7/32	
Exterior †	19 x 11 x 12-7/8	19-1/2 x 11-3/8 x 15-1/8 18-5/16 x 10-13/16 13-7/8	18-5/32 x 9-19/32 x 12-11/16	
Power/Ratings				
2450 Frequency (MHz)	●	●	●	●
Electrical input	910	1200/920	950	950
@ 120V	8.5	10.5/8.0	8.5	8.5
Accessory				
Hanging kit (Pub. No. 4-A019)*	Optional		Optional	Optional
Warranty				
Full One-Year warranty**	Carry-In	Carry-In	Carry-In	Carry-In
Four-year Magnetron warranty** (Five years total)	●	●	●	●

*Pub. No. 4-A019 is available at additional cost.

**See written warranty for details.

†Exterior dimensions: height includes feet.

Undercabinet Mounting Kit Pub. No. 4-A019 For Spacemaker II™ Compact and Subcompact Microwave Oven Models (Available at additional cost)



Undercabinet Installation

Install Spacemaker II™ Compact and Subcompact microwave ovens in just a few easy steps with the mounting template, which provides all the necessary measurements.* These microwave ovens can be installed on practically any wood or metal cabinets.

*Installation may vary depending on cabinets.

Note: 120V, 60-cycle, grounded power receptacle location optional on back within cabinet opening.

This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

Accessory Trim Kits

Optional Accessory Trim Kits for 1.3 GE Profile Performance™ Microwave Ovens (Available at additional cost)

For a custom built-in appearance, these kits allow built-in installation of the 1.3 countertop microwave oven into a wall or cabinet alone and are U.L.-approved for installation over a GE single electric wall oven. These kits should not be installed over a gas wall oven.

Note: 120V, 60-cycle, grounded power receptacle location optional on back within cabinet opening.

30" Deluxe Accessory Trim Kits


JX1330MBV—Black
JX1330MWW—White

Model	"A"	30" Deluxe Accessory Trim Kit
JE1390GA	29-3/4"	JX1330MBV
JE1390WA	29-3/4"	JX1330MWW

27" Deluxe Accessory Trim Kits

JX1327MBV—Black
JX1327MWW—White

Model	"A"	27" Deluxe Accessory Trim Kit
JE1390GA	26-3/4"	JX1327MBV
JE1390WA	26-3/4"	JX1327MWW



Optional Accessory Trim Kits for 1.6 GE Profile™ and GE Microwave Ovens (Available at additional cost)

For a custom built-in appearance, these kits allow built-in installation of the 1.6 countertop microwave oven into a wall or cabinet alone and are U.L.-approved for installation over a GE single electric wall oven. These kits should not be installed over a gas wall oven.

30" Deluxe Accessory Trim Kits


JX1530MBW—30" Black
JX1530MWW—30" White
JX1530MAW—30" Almond

Model	"A"	30" Deluxe Accessory Trim Kit
JE1660WB	29-3/4"	JX1530MWW
JE1660GB	29-3/4"	JX1530MBW
JE1640WB	29-3/4"	JX1530MWW
JE1640GB	29-3/4"	JX1530MBW
JE1640AB	29-3/4"	JX1530MAW

27" Deluxe Accessory Trim Kits

JX1527MBW—27" Black
JX1527MWW—27" White
JX1527MAW—27" Almond

Model	"A"	27" Deluxe Accessory Trim Kit
JE1660WB	26-3/4"	JX1527MWW
JE1660GB	26-3/4"	JX1527MBW
JE1640WB	26-3/4"	JX1527MWW
JE1640GB	26-3/4"	JX1527MBW
JE1640AB	26-3/4"	JX1527MAW



Optional Accessory Trim Kits for 1.8 GE Profile™ and GE Microwave Ovens (Available at additional cost)

For a custom built-in appearance, these kits allow built-in installation of the 1.8 countertop microwave oven into a wall or cabinet alone and are U.L.-approved for installation over a GE single electric wall oven. These kits should not be installed over a gas wall oven.

30" Deluxe Accessory Trim Kits


JX1830SB—30" Stainless Steel
JX1830BB—30" Black
JX1830WB—30" White
JX1830CB—30" Bisque

Model	"A"	30" Deluxe Accessory Trim Kit
JE1860SB	29-3/4"	JX1830SB
JE1860GB	29-3/4"	JX1830BB
JE1860WB	29-3/4"	JX1830WB
JE1860CB	29-3/4"	JX1830CB
JE1840WB	29-3/4"	JX1830WB
JE1840GB	29-3/4"	JX1830BB

27" Deluxe Accessory Trim Kits

JX1827SB—27" Stainless Steel
JX1827BB—27" Black
JX1827WB—27" White
JX1827CB—27" Bisque

Model	"A"	27" Deluxe Accessory Trim Kit
JE1860SB	26-7/8"	JX1827SB
JE1860GB	26-7/8"	JX1827BB
JE1860WB	26-7/8"	JX1827WB
JE1860CB	26-7/8"	JX1827CB
JE1840WB	26-7/8"	JX1827WB
JE1840GB	26-7/8"	JX1827BB



GE has a microwave for every kitchen.



Microwave Wall Ovens

For more room in the kitchen and a true built-in look, GE offers the microwave wall oven. A Profile Performance™ stainless steel convection model was introduced last fall. All microwave wall ovens are available in 27" and 30" applications.



Spacemaker™ Over-The-Range Microwave Ovens

These microwaves complete your cooking center – and make the most of your time and kitchen space. The built-in vent helps keep the kitchen free of smoke and odors, and eliminates the need for a hood vent.



Countertop Microwave Ovens

GE's countertop microwave ovens complete any kitchen. Build them into a wall, hang them from a cabinet or set them on a shelf! These microwave ovens offer the conveniences today's consumers want – colors, sizes and feature choices.

Industry Leading Service Support From —



America's
#1
Preferred
Appliance
Brand

GE is the appliance brand most often mentioned among the brands rated as offering the best products and services in America.*

*Source: *Louis Harris Poll* – 1999

The GE Answer Center®
Information Service 800.626.2000.
Questions? Call any time.

Before or after you buy any GE product, ask us about the features, product comparisons, pricing and where to find it. Call us any time. We never close.

GE Genuine Parts 800.626.2002.
Enhance, upgrade or fix it.
Check out our accessories!

Accessories can make great GE products even better. Replacement parts for GE and most other brands, too. Fast delivery, convenient, direct.

GE Appliance Service 800.432.2737
(800.GE.CARES)

If you ever need product service, we'll come where and when you want – at your convenience. We're the largest manufacturer-owned service organization in the appliance industry. Same or next day service in most cases. Buy with confidence from GE.

Visit us at www.geappliances.com



GE Appliances

General Electric Company
Louisville, Kentucky 40225
www.geappliances.com

Pub. No. 4-S020
PC21547