HOTPOINT®

2003 Refrigeration



Side-by-Side Refrigerators

Hotpoint® side-by-side refrigerators combine storage convenience with state-of-the-art technology. Outside, an extra-tall LightTouch! dispenser delivers filtered water and ice at the slightest touch.



LightTouch! dispenser Taller LightTouch! dispenser fills sport bottles, pitchers, even blenders! Delivers chilled, filtered water and ice.



Adjustable door bins Door bins hold gallon containers and six-packs in the fresh food compartment.



FrostGuard™ technology
Defrosts only as needed,
reducing freezer burn.



Upfront electronic dial temperature controls
Convenient upfront electronic dial temperature controls are easy to set and see.



Sealed pansProvide the perfect storage environment for fresh foods.



HSS25GFP

- 24.9 cubic foot capacity
- Upfront electronic dial temperature controls
- Tall LightTouch! dispenser
- Three adjustable glass shelves
- Clear vegetable/fruit crisper
- Three adjustable door bins, one with gallon storage
- Hotpoint® water filtration with 6-month filter
- FrostGuard[™] technology
- Deluxe quiet design
- NeverClean[™] condenser

Hotpoint® top-freezer refrigerators are designed for total convenience and flexibility. Adjustable shelves provide easy access to contents, while upfront controls allow easy adjustment of temperatures.



Fixed gallon door storageProvides storage for gallon containers, six-packs and other large fresh food items.



Upfront temperature controls Convenient upfront temperature controls are easy to set and see.



Adjustable gallon door storage Accommodates gallon containers for quick access to most-used items.



Snack panExcellent for rewrapped meats, cheese, hors d'oeuvres, pudding and other snacks.



SpillKeeper™ glass shelves Helps contain spills for ease of cleaning.



Dairy compartmentClear, lift-open cover provides easy access to butter, cheese and other dairy products.



HTS20GBN

- 20.0 cubic foot capacity
- Upfront fresh food temperature controls
- Two full-width, adjustable SpillKeeper™ glass shelves
 Two full-width adjustable
- Two full-width adjustable gallon door bins
- One fixed door bin with gallon storage
- Two clear vegetable/fruit crispers
- Clear snack pan
- Equipped for optional automatic icemaker
- Spillproof freezer floor
- Deluxe quiet design

Hotpoint® Top-freezer no-frost refrigerators have a wide range of capacities with a variety of features, including gallon door storage, providing maximum food storage flexibility and convenience.



Fixed gallon door storage Provides storage for gallon containers, six-packs and other large fresh food items.



Upfront temperature controls Convenient upfront temperature controls are easy to set and see.



Fixed gallon door storage Accommodates gallon containers for quick access to most-used items.



Snack pan Excellent for rewrapped meats, cheese, hors d'oeuvres, pudding and other snacks.



SpillKeeper™ glass shelves Helps contain spills for ease of cleaning.



Dairy compartment Clear, lift-open cover provides easy access to butter, cheese and other dairy products.



HTS18GBN

HTS18GBN

- 18.0 cubic foot capacity Upfront fresh food
- temperature controls
- Two full-width, adjustable SpillKeeper™ glass shelves
- Two full-width adjustable gallon door bins
- One fixed door bin with gallon storage
- Two clear vegetable/fruit crispers
- Clear snack pan
- Equipped for optional automatic icemaker
- Spillproof freezer floor
- Deluxe quiet design

HTS18GCN (not shown)

 Similar features and appearance as HTS18GBN except is equipped with factory-installed icemaker

HTS18JBP

- 17.9 cubic foot capacity
 Upfront illuminated
- Uprront liuminated temperature controls
 Two split, one full-width, adjustable spillproof glass shelves
 Two clear vegetable/fruit
- Wo clear vegetable/frucrispers
 Clear snack pan
 Equipped for optional automatic icemaker
 Spillproof freezer floor

- Deluxe quiet design
 NeverClean[™] condenser

HTS18JCP (not shown)

• Similar features and appearance as HTS18JBP except is equipped with factory-installed icemaker





Deluxe quiet design

New design and enhanced components ensure quiet operation.

HTS18BCP


- 17.9 cubic foot capacity
- Upfront illuminated temperature controls
- Two full-width, adjustable wire shelves
- Three fixed door shelves with gallon storage
- Two classic white vegetable/fruit crispers
 • Equipped with factory-
- installed icemaker
- Spillproof freezer floor
- Deluxe quiet design
- NeverClean[™] condenser

HTS18BBP (not shown)

 Similar features and appearance as HTS18BCP without factory-installed icemaker.

HTR18ABM (not shown)

- 17.6 cubic foot capacity
- Upfront temperature controls
- Three full-width, adjustable wire cabinet shelves
- Two fixed door shelves with tall bottle storage
- Recessed door handles
- Equipped for optional automatic icemaker
- Deluxe quiet design
- NeverClean[™] condenser



HTS17BCM

- 16.9 cubic foot capacity
- Upfront temperature controlsTwo full-width, adjustable wire cabinet shelves
- Two fixed door shelves with tall bottle storage
- Two classic white vegetable/ fruit crispers
- Equipped with factoryinstalled icemaker
- Deluxe quiet design
- NeverClean[™] condenser

HTS17BBM (not shown)

• Similar features and appearance as HTS17BCM without factory-installed icemaker.

HTR17BBM

- 16.9 cubic foot capacity
- Upfront temperature controls
- Two full-width, adjustable wire shelves
- Two fixed door shelves with tall bottle door storage
- Two classic white, vegetable/ fruit crispers

 Recessed door handles
- Equipped for optional icemaker
- Deluxe quiet designNeverClean™ condenser







Recessed handles

Color-matched recessed door handles reflect the latest in European design and appearance.

HTS16HBM

- 15.6 cubic foot capacity
- Upfront temperature controls
- Three adjustable glass shelves, one full-width, two split
- Two fixed door shelves with gallon storage
- Two clear vegetable/ fruit crispers
- Clear snack pan
- Equipped for optional icemaker
- Deluxe quiet design
- NeverClean[™] condenser

HTS16BBM

- 15.6 cubic foot capacity
- Upfront temperature controlsTwo full-width, adjustable
- Iwo full-width, adjustable wire shelves
- Two fixed door shelves with tall bottle storage
- Two classic white vegetable/ fruit crispers
- Equipped for optional icemaker
- Deluxe quiet design
- NeverClean[™] condenser

HTS16BCM (not shown)

 Similar features and appearance as HTS16BBM with factory-installed icemaker.

HTR16BBM (not shown)

 Similar features and appearance as HTR17BBM except 15.6 cu. ft. capacity.



HTS15BCM (not shown)

■ Similar features and appearance as HTS16BCM except 14.6 cu. ft. capacity.

HTS15BBM (not shown)

• Similar features and appearance as HTS16BBM except 14.6 cu. ft. capacity.

HTR15BBM (not shown)

 Similar features and appearance as HTR17BBM except 14.6 cu. ft. capacity.



HTR15ABM

- 14.6 cubic foot capacity
- Two full-width, adjustable wire cabinet shelves
- Two fixed door shelves with tall bottle door storage
- One full-width, white vegetable/fruit crisper
- Equipped for optional icemaker
- Deluxe quiet design
- NeverClean[™] condenser



GE® Top-Freezer **Refrigerators**

GTS12BBP

- 11.7 cubic foot capacity
- Two full-width, adjustable wire cabinet shelves
- Two full-width and one half fixed door shelves
- One full-width, white vegetable/fruit crisper

GTR11AAP

- 11.4 cubic foot capacity
- Two full-width wire cabinet shelves
- One full-width white vegetable/fruit crisper
- One wire full-width freezer shelf






Not all features available on all models.

For additional features, specifications and color availability, refer to pages 15 and 16.

GE® Cycle Defrost **Refrigerator**

- **GFR12AAM** 11.7 cubic foot capacity
- Tall bottle storageThree door shelves
- Two clear vegetable/fruit crispers
- Two adjustable wire cabinet shelves



GE® Manual Defrost Refrigerator



GMS10AAM

- 9.7 cubic foot capacity.94 cubic foot compartment for short-term frozen food storage (not a zero-degree freezer)
- Two adjustable wire cabinet shelves
- Full-width vegetable/fruit pan
- Tall bottle storage

Not all features available on all models. For additional features, specifications and color availability, refer to page 16.

GE Spacemaker[™] **Refrigerators**

GMR06AAP

- 6.0 cubic foot capacity
- Two wire cabinet shelves, one adjustable
- One full-width, two half-width door shelves
- Can rack
- Built-in or free-standing capability
- Color-matched visor handle
- Available in white and black

GMR04AAM

- 4.3 cubic foot capacity
- Two adjustable wire cabinet shelves
- Two full-width, one half-width door shelves
- Can rack
- Available in white and black

GMR02BAN

- 1.8 cubic foot capacityOne fixed wire cabinet shelf
- One full-width, one half-width door shelves
- Available in white and black



GE® Upright **Freezers**



Lock provides security.

FUF20DM

- 20.3 cu. ft. capacity
- Five cabinet shelves, three adjustable
- One slide-out bulk storage basket
- Six door shelves (two juice shelves)
- Adjustable temperature control
- Built-in lock
- Interior light
- Limited food loss warranty

FUF17DM (not shown)

- 16.7 cu. ft. capacity
- Four cabinet shelves, three adjustable
- One slide-out bulk storage basket
- Five door shelves (two juice shelves)
- Adjustable temperature control
- Built-in lock
- Interior light
- Limited food loss warranty

FUF14DM (not shown)

- 13.7 cu. ft. capacity
- Three cabinet shelves, two adjustable
- One slide-out bulk storage basket
- Five door shelves (two juice shelves)
- Adjustable temperature control
- Built-in lock
- Interior light
- Limited food loss warranty

FUM21DM (not shown)

- 20.6 cu. ft. capacityFive cabinet shelves,
- one adjustable
- One slide-out bulk storage basket
- Six door shelves (two juice shelves)
- Defrost water drain
- Adjustable temperature control
- Built-in lock
- Interior light
- Limited food loss warranty

FUM17DM (not shown)

- 17.1 cu. ft. capacity
- Four cabinet shelves, one adjustable
- One slide-out bulk storage basket
- Five door shelves (two juice shelves)
- Defrost water drain
- Adjustable temperature control
- Built-in lock
- Interior light
- Limited food loss warranty

FUM14DM (not shown)

- 14.1 cu. ft. capacity
- Four cabinet shelves, one adjustable
- One slide-out bulk storage basket
- Five door shelves (two juice shelves)
- Defrost water drain
- Adjustable temperature control
- Built-in lock
- Interior light
- Limited food loss warranty

FUM14SM (not shown)

- 14.1 cu. ft. capacity
- Three cabinet shelves
- Five door shelves (two juice shelves)
- Defrost water drain
- Adjustable temperature control
- Limited food loss warranty

FUM5SN (not shown)

- 4.7 cu. ft. capacity
- Three cabinet shelves
- Three door shelves
- Adjustable temperature control
- Limited food loss warranty





Not all features available on all models. For additional features, specifications and color availability, refer to page 18.



Lift-out and sliding bulk storage baskets for easy loading and unloading.

FCM25RM

- 25.1 cu. ft. capacity
- Four lift-out and sliding bulk storage baskets
- Adjustable temperature control
- Upfront defrost drain
- Built-in lock
- Interior light
- Limited food loss warranty

FCM20DM (not shown)

- 19.7 cu. ft. capacity
- Three lift-out and sliding bulk storage baskets
- Adjustable temperature control
- Upfront defrost drain
- Built-in lock
- Interior light
- Limited food loss warranty

FCM15DM (not shown)

- 14.8 cu. ft. capacity
- Two lift-out and sliding bulk storage baskets
- Adjustable temperature control
- Upfront defrost drain
- Built-in lock
- Interior light
- Limited food loss warranty

FCM15SM (not shown)

- 14.8 cu. ft. capacity
- One lift-out and sliding bulk storage basket
- Adjustable temperature control
- Upfront defrost drain
- Limited food loss warranty

FCM9DM

- 8.8 cu. ft. capacity
- Two lift-out and sliding bulk storage baskets
- Adjustable temperature control
- Upfront defrost drain
- Built-in lock
- Interior light
- Limited food loss warranty

FCM7DN (not shown)

- 7.0 cu. ft. capacity
- Power "ON" light
- Two lift-out and sliding bulk storage baskets
- Adjustable temperature control
- Upfront defrost drain
- Built-in lock
- · Limited food loss warranty

FCM5DM (not shown)

- 5.0 cu. ft. capacity
- Power "ON" light
- Fast freeze
- Two lift-out and sliding bulk storage baskets
- Adjustable temperature control
- Upfront defrost drain
- Built-in lock

FCM5SM (not shown)

- 5.0 cu. ft. capacity
- One lift-out and sliding bulk storage basket
- Adjustable temperature control
- Upfront defrost drain







Side-by-Side Refrigerators	HSS25GFP
Capacity	
Total (cu. ft.)	24.9
Fresh food (cu. ft.)	15.44
Freezer (cu. ft.)	8.56
Shelf area (sq. ft.)	22.3
Fresh Food Features	
Upfront electronic temperature controls	•
Electronic sensors	•
Hotpoint® Water Filter	•
LightTouch! dispenser	Cubes, Water
Light	•
Cabinet shelves	3 Glass
(adjustable)	3
Vegetable/fruit crisper	2 Clear
	4 (2 adj.
Door shelves	w/gallon storage)
Dairy compartment	Opaque
Quiet Package	Deluxe
NeverClean™ condenser	•
reezer Features	
FrostGuard™ technology	•
Factory-installed icemaker & bin	•
Wire cabinet shelves	3 (2 adj.)
Storage bin	•
Door shelves	5 Fixed
Interior light	•
ppearance	
Color(s) available*	WW
Deluxe door handles	Color-Matched short
Textured steel door and case	•
Adjustable rollers	Front
Weights & Dimensions	
Height to top of hinge (in.) A	69-3/4
Height to top of case (in.) B	68-3/4
Case depth without door (in.) C	28
Case depth less door handle (in.) D	31-1/4
Case depth with door handle (in.) E	33-9/16
Depth with fresh food door open 90° (in.) F	49-3/8
Width (in.) G	35-3/4
Width w/door open 90° w/door handle (in.) H	38-3/16
Air clearances Each side (in.)	1/8
Top (in.)	1
Back (in.)	1
Approx. shipping weight (lbs.)	344
*Color(s) available: WW - White on white	

Approx. Sinpling weight (ibs.)

**Color(s) available: WW = White on white.

Add 9/16" for water hook-up. Hook-up fits in 5/8" back air clearance when calculating installation depth.

If installed against a wall, allow clearance of 12-1/8" on 25 cu. ft. models on freezer side to remove bin.


To remove fresh food pans, remove door bins.

Clearances required to remove fresh food full-size pan without disassembling: 15" on 25 cu. ft.

Allow additional space for any necessary leveling adjustments.

ALL MODELS AVAILABLE IN U.S. AND CANADA.


Side-By-Side Refrigerators



Total (cu. ft.)	Top-Freezer Refrigerators	HTS20GBN	HTS18GCN HTS18GBN	HTS18JCP HTS18JBP	
Fresh food (cu. ft.)	Capacity				
Freezer (cu. ft.)	Total (cu. ft.)	20.0	18.0	17.9	
Shelf area (sq. ft.)	Fresh food (cu. ft.)	14.58	13.13	12.89	
Peatures	Freezer (cu. ft.)	5.44	4.84	5.03	
Upfront temperature controls	Shelf area (sq. ft.)	24.2	22.5	21.8	
Cabinet shelves	Features				
Adjustable 2 Full-Width 2 Full-Width 2 Split	Upfront temperature controls	•	•	Illuminated	
(agiustable) 2 Full-Width 2 Full-Width 2 Spillkeeper" ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼ ▼	Cabinet shelves	2 Glass	2 Glass	2 Glass	
Spillproof) SpillKeeper" SpillKeeper Spi					
Vegetable/fruit crisper(s) 2 2 2 2 3				2 Split	
Snack pan					
Fixed door bins			_		
Fixed door bins	Snack pan	_	•		
Fixed door shelves Dairy compartment Interior light system Quiet Package—Quiet Design Automatic moisture control NeverClean™ condenser Freezer Features Factory-installed icemaker Opt. (IM4A) Ice **N Easy trays Quiet Design Opt. (IM4A) Ice **N Easy trays Quiet Package—Quiet Design NeverClean™ condenser Freezer Features Factory-installed icemaker Opt. (IM4A) Ice **N Easy trays Quiet Package—Quiet Design NeverClean™ condenser Freezer Features Factory-installed icemaker Opt. (IM4A) Ice **N Easy trays Quiet Package—Quiet Design Opt. (IM4A) Ice **N Easy trays Quiet Package—Quiet Design Package—Quiet Design Opt. (IM4A) Ice **N Easy trays Quiet Package—Quiet Design Freezer Features Factory-installed icemaker Opt. (IM4A) Ice **N Easy trays Quiet Package—Quiet Design Ice **N Uniet Package—Quiet Package—Q	E alde Re				
Fixed door shelves	Fixed door dins	storage, 2 adj.	storage, 2 adj.		-
Dairy compartment	Fixed door chalves				
Interior light system					
Quiet Package — Quiet Design Deluxe Deluxe Deluxe Automatic moisture control ● ● ● NeverClean™ condenser ● ● ● Freezer Features Factory-installed icemaker Opt. (IM4A) ● / Opt. (IM4A) ● / Opt. (IM4A) Ice *N Easy trays 2 — / 2 — / 2 Ice storage bin lee Bucket / — Ice Bucket / — Ice shelf Spiliproof freezer floor ● ● Wire freezer compartment shelves 1 F/W (2 pos.) 1 F/W (2 pos.) Step Fixed door shelves 2 2 2 2 Appearance 2 2 2 2 2 Color(s) available * WW, CC WC WC WW, CC WW, CC WC WC					
Automatic moisture control NeverClean™ condenser Freezer Features Factory-installed icemaker Opt. (IM4A) Lee 'N Easy trays Lee storage bin Lee shelf Spillproof freezer floor Wire freezer compartment shelves Fixed door shelves Color(s) available* Color(s) available* Www, CC Customer installed handles Exterior design Reversible doors Reversible doors Reversible doors Height to top of hinge (in.) A Height to top of hinge (in.) B Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Reversible door open 90° (in.) F Back (in.) Approx. shipping weight (lbs.) Popt. (IM4A) Opt. (IM4A) Op		•			
NeverClean™ condenser					
Freezer Features		 	_		
Factory-installed icemaker					
Ice shelf		Opt. (IM4A)	● / Opt. (IM4A)	● / Opt. (IM4A)	
Ice shelf	Ice 'N Easy trays	2	—/2	—/2	
Lice shelf Spilliproof freezer floor Wire freezer compartment shelves 1 F/W (2 pos.) 1 F/W (2 pos.) Step Fixed door shelves 2 2 2 2 2 2 2 2 2					
Spillproof freezer floor Wire freezer compartment shelves 1 F/W (2 pos.) 1 F/W (2 pos.) Step					
Wire freezer compartment shelves 1 F/W (2 pos.) 1 F/W (2 pos.) Step Fixed door shelves 2 2 2 Appearance Color(s) available* WW, CC				•	
Appearance Color(s) available* WW, CC WW, CC Door handle(s)* CM CM CM CM Customer installed handles ● ● ● ● ● ● Exterior design Rounded Doors Rounded D		1 F/W (2 pos.)	1 F/W (2 pos.)	Step	
Color(s) available* WW, CC WW, CC WW, CC Door handle(s)* CM CM CM Customer installed handles ● ● ● Exterior design Rounded Doors Rounded Doors Rounded Doors Reversible doors ● ● ● Choose right or left door opening Adjustable rollers Front Front Weights & Dimensions Height to top of hinge (in.) A 68-1/2 66-5/8 66-5/8 Height to top of hinge (in.) B 67-1/2 66-1/8 66-1/8 Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 Case depth with door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width (in.) G 29-1/2 30 32 <td< td=""><td>Fixed door shelves</td><td>2</td><td>2</td><td>2</td><td></td></td<>	Fixed door shelves	2	2	2	
Color(s) available* WW, CC WW, CC WW, CC Door handle(s)* CM CM CM Customer installed handles ● ● ● Exterior design Rounded Doors Rounded Doors Rounded Doors Reversible doors ● ● ● Choose right or left door opening Adjustable rollers Front Front Weights & Dimensions Height to top of hinge (in.) A 68-1/2 66-5/8 66-5/8 Height to top of hinge (in.) B 67-1/2 66-1/8 66-1/8 Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 Case depth with door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width (in.) G 29-1/2 30 32 <td< td=""><td>Appearance</td><td></td><td></td><td></td><td></td></td<>	Appearance				
Door handle(s)*					
Customer installed handles ●<	Color(s) available*	WW, CC	WW, CC	WW, CC	
Exterior design Reversible doors Choose right or left door opening Adjustable rollers Front Front Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth without door (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G Width w/door open 90° less door handle (in.) H Ar clearances Each side (in.) B Approx. shipping weight (lbs.) Rounded Doors	Door handle(s)*	CM	CM	CM	
Reversible doors Choose right or left door opening Adjustable rollers Front Front Front Front Front Weights & Dimensions Height to top of hinge (in.) A 68-1/2 66-5/8 66-5/8 Height to top of case (in.) B 67-1/2 66-1/8 66-1/8 Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 Case depth with door handle (in.) E 32-3/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/resh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Depth w/resh food door open 90° less door handle (in.) H 32-1/2 1/8 1/8 1/8 Aprox. shipping weight (lbs.) 255 206/201 206/201				•	
Choose right or left door opening Adjustable rollers Front Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth less door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth wift door handle (in.) E 32-3/8 32-1/8 32-1/8 32-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 Top (in.) Back (in.) 1 Approx. shipping weight (lbs.) 255 206/201		Rounded Doors	Rounded Doors	Rounded Doors	
Adjustable rollers Front Front Front Weights & Dimensions Height to top of hinge (in.) A 68-1/2 66-5/8 66-5/8 Height to top of case (in.) B 67-1/2 66-1/8 66-1/8 Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 Case depth less door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201		•	•	•	
Weights & Dimensions					
Height to top of hinge (in.) A 68-1/2 66-5/8 66-5/8 Height to top of case (in.) B 67-1/2 66-1/8 66-1/8 Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 Case depth less door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° 18-2 29-1/2 29-1/2 Width w/door open 90° 18-2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201		Front	Front	Front	
Height to top of case (in.) B 67-1/2 66-1/8 66-1/8 Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 27-1/2 Case depth with door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° 18-2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201					
Case depth without door (in.) C 27-1/2 27-1/2 27-1/2 Case depth less door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/resh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 1 Back (in.) 1 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201					
Case depth less door handle (in.) D 30-5/8 30-1/4 30-1/4 Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8 Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201					
Case depth with door handle (in.) E 32-3/8 32-1/8 32-1/8		•			
Depth w/fresh food door open 90° (in.) F 57-7/8 58-1/8 58-1/8					
open 90° (in.) F 57-7/8 58-1/8 58-1/8 Width (in.) G 29-1/2 29-1/2 29-1/2 Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201		32-3/8	32-1/8	32-1/8	
Width w/door open 90° less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201	open 90° (in.) F				
less door handle (in.) H 32-1/2 30 32 Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201		29-1/2	29-1/2	29-1/2	
Air clearances Each side (in.) 1/8 1/8 1/8 Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201		I			
Top (in.) 1 1 1 Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201					
Back (in.) 1 1 1 Approx. shipping weight (lbs.) 255 206/201 206/201		•			-
Approx. shipping weight (lbs.) 255 206/201 206/201					
					-
		•			

^{*}Color(s) available: WW = White on white, CC = Bisque, AA = Almond on almond, CM = Color-Matched. ALL MODELS AVAILABLE IN U.S. AND CANADA.

Top-Freezer No-Frost Refrigerator



	HTS18BCP HTS18BBP	HTR18ABM	HTS17BCM HTS17BBM	HTR17BBM	HTS16HBM	HTS16BCM HTS16BBM	HTR16BBM	HTS15BCM HTS15BBM HTH15BBM	HTR15BBM	HTR15ABM	GTS12BBP	GTR11AAP
	•											
	17.9	17.6	16.9	16.9	15.6	15.6	15.6	14.6	14.6	14.6	11.7	11.4
	12.89	13.62	13.05	13.05	11.69	11.69	11.69	10.77	10.77	10.72	8.9	8.4
	5.03	4.01	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.0	3.0
	21.2	16.4	16.7/17.5	17.5	19.6	16.4/17.2	17.2	16.4/17.2/17.2	17.2	16.1	12.1	13.4
	•	•	•	•	•	•	•	•	•	•		
	2 Wire	3 Wire	2 Wire	2 Wire	3 Glass	2 Wire	2 Wire	2 Wire	2 Wire	2 Wire	2 Wire	2 Wire
	2 Full-Width	3 Full-Width	2 Full-Width	2 Full-Width	1 F/W, 2 split	2 Full-Width	2 Full-Width	2 Full-Width	2 Full-Width	2 Full-Width	2 Full-Width	2 Full-Width
-	2		2	2	2	2	2	2	2	1 Full-Width	1 Full-Width Divided	1 Full-Width
					•					T Tull Width	TT dii VVidi T Divided	I I uli VViutii
	3 (with	2 tall bottle	2 tall bottle	2 tall bottle	2 with	2 tall bottle	2 tall bottle	2 tall bottle	2 tall bottle	2 tall bottle	2 Full-Width,	
	gallon storage)	storage	storage	storage	gallon storage	storage	storage	storage	storage	storage	1 Split	4
	•		•	•	•	•	•	•	•	•	•	
	Single	Single	Single	Single	Single	Single	Single	Single	Single	Single	Single	Single
	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Standard	Standard
	•	•	•	•	•	•	•	•	•	•		
	•	•	•	•	•	•	•	•	•	•		
	● / Opt. (IM4A)	Opt. (IM4A)	● / Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)	● / Opt. (IM4A)	Opt. (IM4A)	 / Opt. (IM4A) / Opt. (IM4A) 	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)	
	— / 2	1	— / 2	2	2	— / 2	2	— /2/2	2	1	1	2
	Ice Bucket / —		Ice Bucket / —			Ice Bucket / —		Ice Bucket / — / —				
			-/●	•		—/●	•	—/●/●	•			
	•											
	Step				Step							1
	2	2	2	2	2	2	2	2	2	2	2	1
		<u> </u>								<u> </u>		
	WW WW, CC	WW	WW CC	WW, CC	WW, CC	WW WW, CC	WW, CC	WW CC	WW, CC, AA	WW, CC	WW, CC	WW
	CM	CM Recessed	CM	CM Recessed	CM	CM	CM Recessed	CM	CM Recessed	CM Recessed	CM	CM Recessed
	Davided Davis	Carrage Danses	Causan Danie	Causas Dasas	C D	Causana Danasa	Causan Dasan	Causana Danasa	Causan Danas	Carrage Danses	Davindad Daaria	Davidad David
	Rounded Doors	Square Doors	Square Doors	Square Doors	Square Doors	Square Doors	Square Doors	Square Doors	Square Doors	Square Doors	Rounded Doors	Rounded Doors
	•	•	•	•	•	•	•	•	•	•	•	
	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front		
	1 Tront	110110	TTOTIC	TIOIL	TIOTIC	TIOIL	TIOIL	TTOTIL	TTOIL	11011		
	66-5/8	67-3/8	67-3/8	67-3/8	64-3/4	64-3/4	64-3/4	61-3/4	61-3/4	61-3/4	60-5/8	57-78
	66-1/8	66-7/8	66-7/8	66-7/8	64-1/4	64-1/4	64-1/4	61-1/4	61-1/4	61-1/4	60	57-7/8
	27-1/2	26-3/4	26-3/4	26-3/4	25-7/8	25-7/8	25-7/8	25-7/8	25-7/8	25-7/8	27-3/4	28-1/4
	30-1/4	30-1/2	30	30	29-1/8	29-1/8	29-1/8	29-1/8	29-1/8	29-1/8	30-1/4	31-1/8
	1 00 1/1					31	29-1/8	31	29-1/8	29-1/8	32	31-1/8
	32-1/8	30-1/2	1 31-//8	30	31			<u> </u>	20 .70			
	32-1/8	30-1/2	31-7/8	30	31	01						
	32-1/8 58-1/8	30-1/2 56-3/8	31-7/8 55-3/4	55-3/4	54-7/8	54-7/8	54-7/8	54-7/8	54-7/8	54-7/8	51-5/8	52-3/4
							54-7/8 28	54-7/8 28	54-7/8 28	54-7/8 28		52-3/4 23-7/8
	58-1/8 29-1/2 32	56-3/8 28 28-7/8	55-3/4	55-3/4	54-7/8 28 30-1/2	54-7/8 28 30-1/2		28 30-1/2	28 28-5/8		51-5/8 23-3/8 26-1/2	
	58-1/8 29-1/2	56-3/8 28	55-3/4 28	55-3/4 28	54-7/8 28	54-7/8 28	28	28	28	28	51-5/8 23-3/8 26-1/2 3/4	23-7/8
	58-1/8 29-1/2 32	56-3/8 28 28-7/8	55-3/4 28 30-1/2	55-3/4 28 28-5/8	54-7/8 28 30-1/2	54-7/8 28 30-1/2	28 28-5/8	28 30-1/2	28 28-5/8	28 28-5/8	51-5/8 23-3/8 26-1/2	23-7/8 25-1/8
	58-1/8 29-1/2 32 1/8	56-3/8 28 28-7/8 3/4	55-3/4 28 30-1/2 3/4	55-3/4 28 28-5/8 3/4	54-7/8 28 30-1/2 3/4	54-7/8 28 30-1/2 3/4	28 28-5/8 3/4	28 30-1/2 3/4	28 28-5/8 3/4	28 28-5/8 3/4	51-5/8 23-3/8 26-1/2 3/4	23-7/8 25-1/8 1

Note: All Top-Freezer No-Frost Right-Hand Refrigerator Doors: As you face the front of the refrigerator, the handle is on your left and the hinges are on your right. All Top-Freezer No-Frost Left-Hand Refrigerator Doors: As you face the front of the refrigerator, the handle is on your right and the hinges are on your left.








GE [®] Cycle and Manual	Cycle Defrost	Manual Defrost
Defrost Refrigerators	GFR12AAM	GMS10AAM
Capacity		
Total (cu. ft.)	11.7	9.6
Fresh food (cu. ft.)	9.04	8.64
Freezer (cu. ft.)	2.61	.94*
Shelf area (sq. ft.)	13.9	9.88
eatures		
Ice 'N Easy trays	2	2
Freezer chiller tray with baffle		•
Cabinet shelves	2 Adj.	2 Adj.
Vegetable/fruit crisper	2	1 F/W
Door shelves	3	5 (2 Egg)
Tall bottle storage on door	•	•
Dairy compartment(s)	1 F/W	1
Egg storage bin		Pockets
Freezer compartment shelf(s)	1 F/W	1 F/W
conomical/Quiet		
Cabinet/door insulation	Foam	Foam
Cabinet/door liner	Plastic	Plastic
ppearance		
Color(s) available	White	White
Door handle(s)	White Recessed	White
Reversible doors	•	
Right or left door opening		•
Veights & Dimensions		
Height to top of hinge (in.) A	59-1/2	58
Height to top of case (in.) B	59-5/16	57-9/16
Case depth without door (in.) C	26	21-3/8
Case depth with door	00	00.1/0
less handle (in.) D	28 28	23 - 1/2
Case depth with door handle (in.) E	28	24-13/16
Depth with door open 90° less door handle (in.) F	50-1/8	44 - 13/16
Width (in.) G	23-1/2	23
Width w/door open 90°	20 1/2	1
less door handle (in.) H	23-1/2	23 -1/2
Air clearances Each side (in.)	1/4	5/8
Top (in.)	1	2
Back (in.)	2	1
Approx. shipping weight (lbs.)	139	135

^{*}Compartment for short-term storage of frozen food. The frozen food compartment of this refrigerator will make ice, and pre-frozen foods can be stored for about **two weeks**. It will not effectively freeze fresh foods or provide long-term storage for meats, poultry, or fish.






Cycle Defrost Two Door Refrigerator



Manual Defrost Single Door Refrigerator



GE® Spacemaker™		1	
Compact Refrigerators	GMR06AAP	GMR04AAM	GMR02BAN
Capacity			
Total (cu. ft.)	6.0	4.3	1.8
Fresh food (cu. ft.)	5.51	3.26	1.51
Freezer (cu. ft.)	.49*	.42*	.21*
Shelf area (sq. ft.)	8.8	6.0	2.9
Features			
Ice 'N Easy trays	2 Mini	1 Mini	1 Mini
Manual defrost	•	•	•
Cabinet shelves (wire)	2, 1 Adj.	2	1
Can rack	•	•	
Door shelves	1 F/W, 2 Half-width	2 F/W, 1 Half-width	1 F/W, 1 Half-width
Interior light	•		
Economical/Quiet			
Cabinet/door insulation	Foam	Polystyrene	Foam
Cabinet/door liner	ABS	ABS	ABS
Appearance			
Color(s) available	White, Black	White, Black	White, Black
Door handles	White or Black Visor	Color-Matched Recessed	Color-Matched Recessed
Rounded doors	1	•	•

Approx. shipping weight (lbs.)	88	77	51
*Compartment for short-term storage or	f frozen food. The frozen fo	od compartment of this ref	rigerator will make ice, and
pre-frozen foods can be stored for abo	out two weeks. It will not	effectively freeze fresh for	ods or provide long-term
storage for meats, poultry, or fish.			

32-7/8 20-1/16

21-7/8 39-1/4

1/2

18-15/16

17-1/2 19-1/4 35-1/2

1/2

•

34 -1/4

23-3/4 24-1/4 47 -1/2

0†

Reversible doors


Height (in.) A

Weights & Dimensions

Width (in.) B
Depth with handle (in.) C
Depth with door open 90° (in.) D
Air clearances Each side (in.)

Each side (in.)

Top (in.)



Note: Right-hand Refrigerator Door: As you face the front of the refrigerator, the handle is on your left and the hinges are on your right.

Left-hand Refrigerator Door: As you face the front of the refrigerator, the handle is on your right and the hinges are on your left.


[†] If installed against a wall, allow 1-1/4" on hinge side to allow for proper door opening.

Freezer **Specifications**

	Frost-Free			Manual Defrost					
GE [®] Upright Freezers	FUF20DM	FUF17DM	FUF14DM	FUM21DM	FUM17DM	FUM14DM	FUM14SM	FUM5SN	
Capacity									
Total volume (cu. ft.)	20.3	16.7	13.7	20.6	17.1	14.1	14.1	4.7	
Shelf area (sq. ft.)	23.9	18.4	14.3	25.3	19.2	17.9	15.0	6.0	
Features									
Temperature control	Adjustable								
Limited food loss warranty	•	•	•	•	•	•	•	•	
Door shelves (total)	6 (2 juice shelves)	5 (2 juice shelves)	5 (2 juice shelves)	6 (2 juice shelves)	5 (2 juice shelves)	5 (2 juice shelves)	5 (2 juice shelves)	3	
Defrost water drain				•	•	•	•		
Interior light	•	•	•	•	•	•			
Lock	•	•	•	•	•	•			
Cabinet shelves (total)	5 (3 Adj.)	4 (3 Adj.)	3 (2 Adj.)	5 (1 Adj.)	4 (1 Adj.)	4 (1 Adj.)	3	3	
Slide-out bulk storage basket	1	1	1	1	1	1			
Economical/Quiet									
Defrost	Frost-Free	Frost-Free	Frost-Free	Manual	Manual	Manual	Manual	Manual	
Magnetic door gasket	•	•	•	•	•	•	•	•	
Cabinet liner	Baked enamel-on- steel	Baked enamel-on- Polystyrene							
Wrap-around condenser	•	•	•	0.0001	•	•	•	Olystyrono	
Appearance									
Color available	White								
Door handle*	•	•	•	•	•	•	CM Recessed	CM Recessed	
Textured steel case/door	•	•	•	•	•	•	•	•	
Weights & Dimensions							•		
Height (in.) A	70	64-1/2	59	70	64-1/2	59	59	33	
Width (in.) B	32	32	28	32	32	28	28	21-1/8	
Depth (in.) C	28 - 1/2	26-1/2	28-1/2	28 - 1/2	26-1/2	28 - 1/2	28 - 1/2	23-1/8	
Depth with door open 90° (in.) D	59-1/8	57 -1/8	55-1/8	59-1/8	57-1/8	55 -1/8	55 -1/8	45-3/4	
Air Each side (in.)	3	3	3	3	3	3	3	3	
clearances Top (in.)	3	3	3	3	3	3	3	3	
Back (in.)	3	3	3	3	3	3	3	3	
Approx. shipping weight (lbs.)	235	213	186	224	200	177	177	82	

^{*}CM = Color-Matched.


Upright Freezers



Freezer **Specifications**

GE® Chest Freezers	FCM25RM	FCM20DM	FCM15DM	FCM15SM	FCM9DM	FCM7DN	FCM5DM	FCM5SM
Capacity								
Total volume (cu. ft.)	25.1	19.7	14.8	14.8	8.8	7.0	5.0	5.0
Features								
Manual defrost	•	•	•	•	•	•	•	•
Temperature control	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable
Power "ON" light						•	•	
Wrap-around condenser	•	•	•	•	•	•	•	•
Wrap-around evaporator	•	•	•	•	•	•	•	•
Limited food loss warranty	•	•	•	•	•	•		
Defrost water drain	•	•	•	•	•	•	•	•
Interior light	•	•	•		•			
Lock	•	•	•		•	•	•	
Lift-out and sliding bulk storage basket(s)	4	3	2	1	2	2	2	1
Fast Freeze							•	
Economical/Quiet		•	•		•	•	•	•
Insulation (cabinet and lid)-Foam	•	•	•	•	•	•	•	•
Cabinet liner	Steel Epoxy-Coated	Steel Epoxy-Coated	Steel Epoxy-Coated	Steel Epoxy-Coated	Steel Epoxy-Coated	Textured Aluminum	Textured Aluminum	Textured Aluminum
Appearance	Epony Coulou	7 11 11 11 11 11	7 11 11 11 11 11	710111110111				
Color available*	White	White	White	White	White	White	White	White
Handle	•	•	•	CM Recessed	•	CM Recessed	CM Recessed	CM Recessed
Textured steel case and lid	•	•	•	•	•			
Weights & Dimensions								
Height (in.) A	35	35	35	35	34-1/4	33-1/8	33	33
Width (in.) B	73-7/8	61-1/4	48	48	41	38	29-1/8	29-1/8
Depth (in.) C	28-3/4	29 -1/2	29-1/2	29 -1/2	23-1/4	22-3/8	22-3/16	22-3/16
Height with lid open (in.) D	59-3/4	60 -3/4	60-3/4	60-3/4	54-1/4	53-1/4	53-3/16	53-3/16
Air clearances Each side (in.)	3	3	3	3	3	3	3	3
Back (in.)	3	3	3	3	3	3	3	3
Approx. shipping weight (lbs.)	245	195	161	161	127	126	101	101

^{*}CM = Color-Matched.



Consumer Services

For now. For the long run.



LightTouch! dispenserTaller LightTouch! dispenser fills sport bottles, pitchers, even blenders! Delivers chilled, filtered water and ice.



FrostGuard™ technology
Defrosts only as needed, reducing freezer burn.



Upfront temperature controlsConvenient upfront temperature controls are easy to set and see.

Not all features available on all models. *See warranty for details.

Visit us at hotpoint.com



We're surfer-friendly!

Our comprehensive Web Site provides you with virtually everything you need to know about Hotpoint® appliances, parts, accessories and service. And, it's also surfer-friendly, so your searches won't be endless—they'll be effortless!



The GE Answer Center® Information Service 800.626.2000 (GEAppliances.com)

Questions? Call any time.

Before or after you buy any GE or Hotpoint product, ask us about the features, product comparisons, pricing and where to find it. Call us any time. We never close.

Industry-leading support—

GE Genuine Parts 800.626.2002

Enhance, upgrade or fix it. Check out our accessories!

Accessories can make great GE or Hotpoint products even better. Replacement parts for GE, Hotpoint and most other brands, too. Fast delivery, convenient, direct.

GE Appliance Service 800.432.2737 (800.GE.CARES) Same day or next day service.

If you ever need product service, we'll come where and when you want—at your convenience. We're the largest manufacturer-owned service organization in the appliance industry. Same or next day service in most cases.

