





GE Appliances

## JKP15WAWW - GE 27" Single Wall Oven

### Dimensions (in inches)



KW Rating	
240V	3.4
208V	2.6
Breaker Size	
20 Amps <sup>†</sup>	

<sup>†</sup>**Note:** Check local codes for required breaker size

**Installation Information:** Before installing, consult installation instructions [Pub. No. 31-10200] packed with product for current dimensional data.

**Note:** Cabinets installed adjacent to wall ovens must have an adhesion spec of at least 194°

For answers to your Monogram®,  
GE Profile Performance Series™,  
GE Profile™ or GE appliance questions, call  
GE Answer Center® service, 800.626.2000.



Listed by  
Underwriters  
Laboratories




GE Appliances

## JKP15WAWW - GE 27" Single Wall Oven

### Dimensions (in inches)

Locate thermal oven junction box either 5" MIN. below cutout floor or approximately 54" MIN. above cutout floor.

For Microwave:  
Locate 120V, 60 cycle grounded power receptacle within shaded area.



**Note:** Recommend approximately 1/4" gap between microwave trim and wall oven trim. (The 2-1/4" dimension should create a 1/4" gap.) Allow 1-1/2" for overlap of the Microwave Oven Kit Trim over all edges of the trim kit cutout.

**Installation Information:** Before installing, consult installation instructions packed with accessory trim kit, microwave oven and single oven for current dimensional data.

For answers to your Monogram®,  
GE Profile Performance Series™,  
GE Profile™ or GE appliance questions, call  
GE Answer Center® service, 800.626.2000.






GE Appliances

## JKP15WAWW - GE 27" Single Wall Oven

### Dimensions (in inches)

Gas or electric cooktops may be installed over this oven.  
See cooktop installation instructions for cutout size.  
See label on top of oven for approved cooktop models

**Gas and electrical connections for gas cooktop** must be located in an adjacent accessible location to the right



\*32" MIN. from top of countertop (1-1/2) to top of runners must be

**Note:** Oven is rated for use only under 30" gas (standard or sealed burner) and 30" electric (CleanDesign and Calrod®) cooktops. Excludes Induction Cooktops.

**Installation Information:** Before installing, consult installation instructions (Pub. No. 31-10200) packed with product for current dimensional data.

For answers to your Monogram®,  
GE Profile Performance Series™,  
GE Profile™ or GE appliance questions, call  
GE Answer Center® service, 800.626.2000.




Listed by  
Underwriters  
Laboratories




GE Appliances

## JKP15WAWW - GE 27" Single Wall Oven

### Sealed Burner Gas Cooktop Installation Dimensions (in inches)



### Standard Burner Gas Cooktop Installation Dimensions (in inches)



Specification Revised 6/99

**Note:** Oven is rated for use only under 30" gas (standard or sealed burner) and 30" electric (CleanDesign and Calrod®) cooktops. Excludes Induction Cooktops.

**Installation Information:** Before installing, consult installation instructions packed with wall oven and cooktop, or installation instructions [Pub. No. 31-10200] packed with product for current dimensional data.


For answers to your Monogram®,  
GE Profile Performance Series™,  
GE Profile™ or GE appliance questions, call  
GE Answer Center® service, 800.626.2000.





*GE Appliances*

## JKP15WAWW - GE 27" Single Wall Oven



### Features and Benefits

- TrueTemp™ System
- Large Capacity Self-Clean Oven with Automatic Oven Door Lock
- 2 Oven Racks / 4 Embossed Rack Positions
- SmartSet Electronic Oven Controls
- Electronic Clock and Kitchen Timer
- Delay Time Bake Option with Cook and Hold
- Auto Oven Shut-Off with Override
- Variable Broil
- Broiler Pan with Grid
- Interior Oven Light
- Frameless Glass Oven Door with Big View Window
- Sure Grip Designer-Style Handle
- 27" Oven Cabinet Width Required
- Undercounter Installation Option
- Model JKP15WAWW - White on white
- Model JKP15BABB - Black on black
- Model JKP15AAAA - Almond on almond