



nerous capacity • self-clean heavy-duty oven racks • **2003 specifications** • big clearview™ window • tri-ring element • precise

GE Profile[™] and GE[®] Free-Standing Electric Ranges

The maximum in cooking performance and versatility.

imagination at work



Breathe new life into electric cooking with GE ranges.

From top to bottom, GE electric ranges offer many versatile and convenient options. It begins with the

Precise Digital Control System™, providing accurate

temperature control. The impressively large,

self-clean oven allows you to cook more dishes at

once – and clean it with incredible ease! When it

comes to performance, look no further than the

Precise Air™ convection system. It achieves optimal

air and heat circulation for

superior baking and roasting.

And on the cooktop, you'll

discover the amazing tri-ring

element that gives you the

flexibility of a 5", 7" or 9"

heating element.



Precise Air convection system

Uses an innovative fan that reverses direction for optimal air and heat circulation. These ranges bake more evenly than any other convection free-standing range.*



Precise Digital Control System

Better than traditional cooktop controls, this system delivers accurate control on the cooktop, ensuring even heating, and less temperature variation.



Self-clean heavy-duty oven racks

Clean your oven and the racks! Made from the same material as the oven interior, these racks can remain in the oven during the self-clean mode.



Capacity

The super-large capacity oven, featuring six adjustable rack positions, gives you the flexibility to cook more at once.





Ceramic-glass cooktop.

Responsive.

GE electric ranges have convenient features to help you cook quickly and coordinate with ease. The warming zone adds a fifth element to the center of the cooktop, so you can keep foods warm and ready to serve. Add a tri-ring or bridge element and the dual 6"/9" element, and you have a cooktop rich in features made to fit your lifestyle.

Attractive and practical.

When it comes to impressive style and the ability to clean with ease, GE has it all. The control panel has a redesigned appearance that is elegant and attractive. It features smooth, glass-touch controls that are easy to wipe clean. You also have expanded color choices for the cooktop—a graceful touch to any kitchen.



The oven is self-cleaning, of course. But for most families, 80% of the cooking is done on the cooktop. You can see in a glance just how easy it is to wipe the smooth ceramic-glass cooktop clean.

Clean-Well™ cooktop

Easy to clean.

The Clean-Well cooktop is yet another GE innovation. It consists of two layers, including the cooking surface and a subtop. The surface is designed to contain most spills before they reach the subtop. High rims around the Calrod® elements catch spills, and the one-piece drip bowls are easily removed.

Sturdy and convenient.

The exterior cooktop is supported by a torsion bar and dual-support rods. To access the recessed subtop, all you have to do is lift and lock the cooktop into place. It's that simple.




The porcelain-enameled subtop is designed with special containment wells for easy cleanup. Wires have been thoughtfully positioned under the edge of the cooktop so they never interfere with cleaning.

A simple guide to free-standing electric cooktop colors


GE Cooktop Colors




True White




White



True Bisque



Bisque




Black/Stainless Steel

GE Profile Cooktop Colors



True White



True Bisque



Black/Stainless Steel

Note: Cooktop features vary by model.

A guide to GE's QuickSet oven controls



QuickSet III

- Dual element bake • Digital temperature display with recall • Oven preheat light
- Electronic digital clock • Electronic reminder timer, up to 12 hours • Audible preheat signal • 12-Hour automatic oven shut-off • Self-clean countdown digital display, including cool down • Auto self-clean



QuickSet IV

QuickSet III, plus:

- Delay bake • Delay self-clean
- Adjustable self-clean cycle time



QuickSet V

QuickSet IV, plus:

- Auto self-clean • Large digital temperature display
- Variable broil



QuickSet VI


QuickSet V, plus:

- Temperature probe • Extra-large graphics and touch pads • Digital glass touch pad control (0-9) entry • Oven function icons

CleanDesign: Convection

These models include • The most dependable ranges you can buy! • TrueTemp™ system • Dual element bake • Six-pass power bake element • SmartLogic™ electronic control • **Warm mode** • Certified Sabbath mode • Easy-view hot lights • One-piece upswept cooktop • Ceramic-glass cooktop • **Light self-clean option** • **Automatic self-clean oven latch** • **Automatic oven light/pad** • Frameless glass oven door • **Big ClearView™ window** • **Sculptured handle** • Removable full-width storage drawer • Audible preheat signal • **Control lock capability**

Note: bold = feature upgrade from previous model



Precise Air™ convection uses an innovative fan that reverses direction for optimal air and heat circulation.



Precise Digital Control System™ is better than traditional cooktop controls.



Tri-ring element offers a choice of a 5", 7", or 9" heating element.



Bakes more evenly than any other convection free-standing range.*



GE Profile™

30" Free-Standing CleanDesign Convection Range

JB988SH Stainless steel

- Extra-large 4.5 cu. ft. capacity self clean oven
- **Precise Digital Control System™** • **Tri-ring 5"/7"/9" heating element** • Precise Air™ convection system
- Single/multi-rack convection bake • Convection roast • Three self-clean heavy-duty oven racks
- Auto Recipe™ conversion • CleanDesign interior/hidden bake element • Proof mode
- **Range lockout** • Oven meat probe



GE Profile

30" Free-Standing CleanDesign Convection Range

JB988TH True white

JB988KH True bisque (not shown)

JB988BH Black on black (not shown)

*Among leading manufacturer's brands

Not all features available on all models.



GE Profile

30" Free-Standing CleanDesign Convection Range

JB968SH Stainless steel

• Extra-large 4.5 cu. ft. capacity self clean oven
• **Precise Air™ convection system** • **Single/multi-rack convection bake** • **Convection roast** • **QuickSet VI glass touch controls** • **Two 7" elements with connecting bridge element** • **Dual 6"/9" element** • **Warming zone** • **Three self-clean heavy-duty oven racks** • **Auto Recipe conversion** • **CleanDesign interior/hidden bake element** • **Proof mode** • **Oven meat probe**

JB968TH True white (not shown)

JB968KH True bisque (not shown)

JB968BH Black on black (not shown)



Self-clean heavy-duty oven racks are designed for hands-free cleaning.



CleanDesign oven interior with Hidden Bake element has a smooth seamless surface, making cleanup easier than ever.



GE Profile

30" Free-Standing CleanDesign Electric Range

JB905KH True bisque

• **Super-large 5.0 cu. ft. self-clean capacity oven**
• **QuickSet VI glass touch controls** • **Dual 6"/9" element** • **Warming zone** • **Two heavy-duty oven racks**

JB905SH Stainless steel (not shown)

JB905TH True white (not shown)

JB905BH Black on black (not shown)



Warming zone provides low heat capability for foods, making meal coordination simple.




Certified Sabbath mode allows cooked foods to be kept warm on the Jewish Sabbath, in accordance with Kosher law.

CleanDesign

These models include • The most dependable ranges you can buy! • TrueTemp™ system • Self-clean oven • **Warming zone** • Dual element bake • Six-pass power bake element • **SmartLogic™ electronic control** • Certified Sabbath mode • Easy-view hot lights • One-piece upswept cooktop • Ceramic-glass cooktop • Oven light • Big ClearView™ window • Storage drawer **Note: bold = feature upgrade from previous model**



True European convection delivers consistent heat, cooking foods to absolute perfection.



A simple switch bridges two elements into one large cooking surface.



This warming zone keeps foods warm and ready to serve.



TrueTemp system provides even heat distribution for maximum oven control.



GE® 30" Free-Standing Convection Range

JBP84SH Stainless Steel

- Extra-large 4.5 cu. ft. self-clean capacity oven
- **Convection bake** • **Convection roast** • Two 7" ribbon heating elements with connecting bridge element
- Dual 6"/9" heating element • **QuickSet V oven controls** • **Three oven racks** • Stainless steel oven door
- Control lock capability



GE 30" Free-Standing Convection Range

JBP84TH True white

- Frameless glass oven door with designer-style handle

JBP84BH Black on black (not shown)

JBP84WH White on white (not shown)

JBP84KH True bisque (not shown)

JBP84CH Bisque on bisque (not shown)



GE
30" Free-Standing Electric Range

JBP82BH Black on black
 • Super-large 5.0 cu. ft. capacity oven • **Two 7" ribbon heating elements with connecting bridge element**
 • Dual 6"/9" heating element • QuickSet IV oven controls
 • **Control lock capability** • Frameless glass oven door with designer-style handle

JBP82TH True white (not shown)

JBP82WH White on white (not shown)

JBP82KH True bisque (not shown)

JBP82CH Bisque on bisque (not shown)

JBP82SH Stainless steel (not shown)

• Stainless steel oven door



The Big ClearView window helps you see cooking food clearly and easily.



Dual element offers a choice of 6" or 9" element.



GE
30" Free-Standing Electric Range

JBP80CH Bisque on bisque
 • Super-large 5.0 cu. ft. capacity oven • Dual 6"/9" ribbon heating element • QuickSet IV oven controls
 • Frameless glass oven door with designer-style handle

JBP80SH Stainless steel (not shown)

• **Stainless steel oven door**

JBP80TH True white (not shown)

JBP80WH White on white (not shown)

JBP80KH True bisque (not shown)

JBP80BH Black on black (not shown)



More cooking capacity gives you the ability to cook more at once.



Certified Sabbath mode allows cooked foods to be kept warm on the Jewish Sabbath, in accordance with Kosher law.

CleanDesign

These models include • The most dependable ranges you can buy! • Super-large 5.0 cu. ft. capacity oven • Self-clean oven • Dual element bake • **One-piece upswept cooktop** • **Patterned ceramic-glass cooktop** • **Easy-view hot lights** • Frameless glass oven door with designer-style handle • Storage drawer • Certified Sabbath mode • **Audible preheat signal** Note: bold = feature upgrade from previous model



More cooking capacity gives you the ability to cook more at once.



TrueTemp™ system provides even heat distribution and maximum oven control.



Six-pass power bake provides more power, total coverage and even cooking.



GE®

Showcase/Contract Sales Exclusive
30" Free-Standing Electric Range

JBP69SH Stainless steel

• **One 6"/9" dual, one 8" and two 6" ribbon heating elements** • TrueTemp™ system • QuickSet IV oven controls • Six-pass power bake element • Big ClearView™ window • Oven light

JBP69WH White on white (not shown)

JBP69CH Bisque on bisque (not shown)

JBP69BH Black on black (not shown)



GE

30" Free-Standing Electric Range

JBP66WH White on white

• **TrueTemp system** • **QuickSet IV oven controls** • Two 8" and two 6" ribbon heating elements • **Six-pass power bake element** • **Big ClearView window** • Oven light

JBP66SH Stainless Steel (not shown)

JBP66CH Bisque on bisque (not shown)

JBP66BH White or Bisque (not shown)



GE
30" Free-Standing Electric Range
JBP64WH White on white
• QuickSet III oven controls
• Two 8" and two 6" ribbon heating elements • **ClearView window** • **Oven light**
JBP64SH Stainless steel (not shown)
JBP64BH White or Bisque (not shown)



Dual element bake for even baking and roasting.



Self-clean oven cleans the oven cavity without the need for scrubbing.



GE
30" Free-Standing Electric Range
JBP60BH White
• QuickSet III oven controls • Two 8" and two 6" ribbon heating elements



Certified Sabbath mode allows cooked foods to be kept warm on the Jewish Sabbath, in accordance with Kosher law.

Accessory Information

For easy cleaning of the cooktop, GE provides one cleaning pad and one 2.5-oz. bottle of cleaning creme with each range. For additional supply, call toll-free 1-800-626-2002.

QuickClean™ Self-Clean

These models include • The most dependable ranges you can buy! • Super-large 5.0 cu. ft. capacity oven • **Self-clean oven** • **Dual element bake** • Frameless glass oven door • CleanWell™ cooktop system • Lift-up cooktop • Plug-in Calrod® heating elements, two 8" and two 6" • Heating element "ON" indicator lights • **Auto oven shut-off with override** • Removable full-width storage drawer • Removable one-piece drip bowls • **Certified Sabbath mode**

Note: bold = feature upgrade from previous model



More cooking capacity gives you the ability to cook more at once.



TrueTemp system provides even heat distribution and maximum oven control.



Six-pass power bake provides more power, total coverage and even cooking.



Clean-Well cooktop system contains spills so cleanup is simple.



GE Profile™ 30" Free-Standing Electric Range

JBP48BH Black on black

• TrueTemp™ system • **QuickSet V oven controls** • **Right rear 6" element with warming zone** • New appearance • SmartLogic™ electronic controls • Six-pass power bake element • **Big ClearView™ window** • **Sculptured handle** • **Automatic interior oven light** • Control lock capability

JBP48WH White on white (not shown)

JBP48CH Bisque on bisque (not shown)



GE® 30" Free-Standing Electric Range

JBP35WH White on white

• TrueTemp system • SmartLogic electronic controls • Six-pass power bake element • **Big ClearView window** • **QuickSet IV oven controls** • Interior oven light

JBP35SH Stainless steel (not shown)

JBP35CH Bisque on bisque (not shown)

JBP35EH Black on black (not shown)

JBP35BH White or Bisque (not shown)



GE
Contract Sales Exclusive model
30" Free-Standing Electric Range

JBP26WH White on white
• TrueTemp system • SmartLogic electronic controls • Six-pass power bake element
• ClearView window • QuickSet III oven controls • Interior oven light

JBP26CH Bisque on bisque (not shown)

JBP26BH Black on black (not shown)



Calrod heating elements provide even heat distribution.



Lift-up cooktop locks into place for easy cleaning.



GE
30" Free-Standing Electric Range

JBP24BH White or Bisque
• ClearView window • QuickSet III oven controls
• Interior oven light

JBP24WH White on white (not shown)



GE
Contract Sales Exclusive model
30" Free-Standing Electric Range

JBP21WH White on white
• QuickSet III oven controls

JBP21BH White or Bisque (not shown)



Certified Sabbath mode allows cooked foods to be kept warm on the Jewish Sabbath, in accordance with Kosher law.

QuickClean™ Standard-Clean

These models include • The most dependable ranges you can buy! • Super-large 5.0 cu. ft. oven capacity • Dual element bake
• Clean-Well™ cooktop system • Heating element “ON” indicator light • Removable full-width storage drawer • Removable one-piece drip bowls
• Standard-clean oven **Note: bold = feature upgrade from previous model**



Lift-up cooktop locks into place for easy cleaning.



Clean-Well cooktop system contains spills so cleanup is simple.



Calrod heating elements provide even heat distribution.



GE®
30" Free-Standing Electric Range

JBS27SH Stainless steel
• Lift-up cooktop • **Plug-in Calrod®** heating elements, two 8" and two 6" • **Electronic digital clock and minute timer** • **Frameless glass oven door with ClearView window** • Interior oven light

JBS27BH Black on black (not shown)

JBS27WH White on white (not shown)

JBS27CH Bisque on bisque (not shown)



GE
30" Free-Standing Electric Range

JBS07H White on white or Bisque on bisque
• **Lift up cooktop** • Plug-in Calrod heating elements, one 8" and three 6" • Color-matched porcelain oven door with window • Interior oven light



GE
30" Free-Standing Electric Range
JBS15H White on white or Bisque on bisque
• **Upfront controls** • Plug-in heating elements, one 8" and three 6" • **Color-matched porcelain oven door with ClearView window** • **Interior oven light**
(Does not have Clean-Well cooktop system)



GE
30" Free-Standing Electric Range
JBS03BH White or Bisque
• Plug-in Calrod heating elements, one 8" and three 6" • **Frameless solid black glass oven door** • **Designer-style handle**
JBS03H White or Bisque (not shown)
• Color-matched porcelain oven door • Chrome visor handle



More cooking capacity gives you the ability to cook more at once.

40" Self-Clean & Standard-Clean

Note: bold = feature upgrade from previous model



Easy-to-use electronic controls provide cooking convenience.



GE
40" Free-Standing Electric Range
JCP67F White on white
• **Self-clean master oven** • **Standard-clean companion oven** • Electronic clock and automatic master oven timer • Storage drawer • Porcelain oven door with window • Interior oven light • Two 6" and two 8" heating elements
JCS57F White on white (not shown)
• Standard-clean oven • Companion storage compartment with shelf
• Electronic clock and timer

Not all features available on all models.

30" Free-Standing CleanDesign Electric Ranges


	GE Profile™			GE®						
	JBP988SH JBP988TH JBP988KH JBP988BH	JBP968SH JBP968TH JBP968KH JBP968BH	JBP905SH JBP905TH JBP905KH JBP905BH	JBP84SH JBP84TH JBP84WH JBP84KH JBP84CH JBP84BH	JBP82SH JBP82TH JBP82WH JBP82KH JBP82CH JBP82BH	JBP80SH JBP80TH JBP80WH JBP80KH JBP80CH JBP80BH	JBP69SH JBP69WH JBP69CH JBP69BH	JBP66SH JBP66WH JBP66CH JBP66BH	JBP64SH JBP64WH JBP64BH	JBP60BH
Features										
Self-clean oven	Convection	Convection	●	Convection	●	●	●	●	●	●
Self-clean latch	Auto	Auto	Auto	Auto	Auto	●	●	●	●	●
Oven capacity (cu. ft.)	4.5	4.5	5.0	4.5	5.0	5.0	5.0	5.0	5.0	5.0
CleanDesign w/hidden bake element	●	●	●	●	●	●	●	●	●	●
Oven racks	3 Heavy-duty	3 Heavy-duty	2 Heavy-duty	3	2	2	2	2	2	2
Self-clean oven racks	●	●	●	●	●	●	●	●	●	●
Ceramic-glass cooktop	Black True white True bisque Black	Black True white True bisque Black	Black True white True bisque Black	Black True white Patterned white True bisque Patterned bisque Black	Black True white Patterned white True bisque Patterned bisque Black	Black True white Patterned white True bisque Patterned bisque Black	Black Patterned white Patterned bisque Black	Black Patterned white Patterned bisque Black	Black Patterned white Black	Patterned White
One-piece upswept cooktop	●	●	●	●	●	●	●	●	●	●
Tri 5 7/8" Ribbon heating element	1 (2500W)									
Dual 6 9/8" Ribbon heating element		1 (1000/2500W)	1 (1000/2500W)	1 (1000/2500W)	1 (1000/2500W)	1 (1000/2500W)	1 (1000/2500W)			
8" Ribbon heating element	1 (2000W)		1 (2000W)			1 (2000W)	1 (2000W)	2 (2000W)	2 (2000W)	2 (2000W)
7" Ribbon heating element		2 (1800W)		2 (1800W)	2 (1800W)					
Bridge element/Total wattage		1 (800W)/ 4400		1 (800W)/ 4400	1 (800W)/ 4400					
6" Ribbon heating element	3 (1500W)	1 (1500W)	2 (1500W)	1 (1500W)	1 (1500W)	2 (1500W)	2 (1500W)	2 (1500W)	2 (1500W)	2 (1500W)
6" Warming zone	4 cook/warm (1) 8" and (3) 6"	1 (120W)	1 (120W)	1 (120W)	1 (120W)	1 (120W)				
Infinite heat controls	●	●	●	●	●	●	●	●	●	●
TrueTemp™ system	●	●	●	●	●	●	●	●	●	●
Six-pass power bake element	●	●	●	●	●	●	●	●	●	●
True European convection	Precise Air™	Precise Air™		●	●	●	●	●	●	●
Convection bake	Multi-/Single-rack	Multi-/Single-rack		●	●	●	●	●	●	●
Convection roast	●	●	●	●	●	●	●	●	●	●
Surface unit controls	Digital glass touch	Knob	Knob	Knob	Knob	Knob	Knob	Knob	Knob	Knob
QuickSet oven controls	Precise Digital Control System™	QuickSet VI glass touch	QuickSet VI glass touch	QuickSet V	QuickSet IV	QuickSet IV	QuickSet IV	QuickSet IV	QuickSet III	QuickSet III
Proof mode/Warm mode	●/●	●/●	—/●							
Digital temperature display	●	●	●	●	●	●	●	●	●	●
Oven function icons	●	●	●	●	●	●	●	●	●	●
Digipad numeric entry	●	●	●	●	●	●	●	●	●	●
Delay bake	●	●	●	●	●	●	●	●	●	●
Oven light pad	●	●	●	●	●	●	●	●	●	●
Control lock capability	Oven/Cooktop	Oven	Oven	Oven	Oven	●	●	●	●	●
Self-clean cool-down time display	●	●	●	●	●	●	●	●	●	●
Light self-clean option	●	●	●	●	●	●	●	●	●	●
Delay clean option	●	●	●	●	●	●	●	●	●	●
Auto oven shut-off	w/override	w/override	w/override	w/override	w/override	w/override	w/override	w/override	w/override	w/override
Certified Sabbath mode	●	●	●	●	●	●	●	●	●	●
Audible preheat signal	●	●	●	●	●	●	●	●	●	●
Dual element bake	●	●	●	●	●	●	●	●	●	●
Oven meat probe	●	●	●	●	●	●	●	●	●	●
Hot surface lights	Cooktop	Cooktop	Cooktop	●	●	●	●	●	●	●
Oven "ON" light	●	●	●	●	●	●	●	●	●	●
Self-clean cycle light	●	●	●	●	●	●	●	●	●	●
Interior oven light	Auto/Pad	Auto/Pad	Auto/Pad	Pad	Pad	Pad	Pad	Pad	Pad	Pad
Storage drawer	Stainless steel White Bisque Black	Stainless steel White Bisque Black	Stainless steel White Bisque Black	Stainless steel White White Bisque Bisque Black	Stainless steel White White Bisque Bisque Black	Stainless steel White White Bisque Bisque Black	Stainless steel White Bisque Black	Stainless steel White Bisque CM*	Stainless steel White CM*	White
Broiler pan	●	●	●	●	●	●	●	●	●	●
Roasting rack	●	●	●	●	●	●	●	●	●	●
Convection cookbook	●	●	●	●	●	●	●	●	●	●
Appearance										
Color appearance*	SS WW CC BB	SS WW CC BB	SS WW CC BB	SS WW WW CC CC BB	SS WW WW CC CC BB	SS WW WW CC CC BB	SS WW CC BB	SS WW CC WH/CT	SS WW WH/CT	WH
Frameless glass oven door	Stainless steel White Bisque Black	Stainless steel White Bisque Black	Stainless steel White Bisque Black	Stainless steel White White Bisque Bisque Black	Stainless steel White White Bisque Bisque Black	Stainless steel White White Bisque Bisque Black	Stainless steel White Bisque Black	Stainless steel White Bisque Black	Stainless steel White Black	Black
Oven door with window	Big ClearView™	Big ClearView	Big ClearView	Big ClearView	Big ClearView	Big ClearView	Big ClearView	Big ClearView	ClearView	●
Designer-style handle	Sculptured	Sculptured	Sculptured	●	●	●	●	●	●	●
Weights & Dimensions										
Overall oven interior dimensions (WxHxD in inches)	24-1/4 x 19 x 17			24-1/4 x 19 x 19						23-3/4 x 19 x 18-1/2
Approx. shipping weight (lbs.)	215	210	205	205	198	198	175	175	174	165
Power/Ratings										
KW rating @ 240V	13.0	12.4	11.6	12.4	11.0	11.0	10.5	10.5	10.5	10.5
208V	10.9	10.6	9.8	9.3	8.3	8.3	7.9	7.9	7.9	7.9
Amp rating @ 240V / 208V	40	40	40	40	40	40	40	40	40	40

*SS = Stainless steel with black accents, WW = White with white glass door, CC = Bisque with bisque glass door, BB = Black with black glass door, WH = White with black glass door, CT = Bisque with black glass door, CM = Color-Matched indicates color of drawer matches range cooktop (either white or bisque).

All ranges are shipped with cooktop cleaning creme & pad.

Installation/Specifications for 30" Free-Standing CleanDesign Electric Ranges

Dimensions and Installation Information (in inches)



Cabinet Dimensions (in inches)


Model	A	B	C*	D
JB988	29-7/8	46-1/2	25-3/8	47-5/8
JB968	29-7/8	46-1/2	25-3/8	47-5/8
JB905	29-7/8	46-1/2	25-3/8	47-5/8
JBP84	29-7/8	46-7/8	25-3/8	47-5/8
JBP82	29-7/8	46-7/8	25-3/8	47-5/8
JBP80	29-7/8	46-7/8	25-3/8	47-5/8
JBP69	29-7/8	46-7/8	25-3/8	47-5/8
JBP66	29-7/8	46-7/8	25-3/8	47-5/8
JBP64	29-7/8	46-7/8	25-3/8	47-5/8

*Dimension from wall to front of closed oven door handle is 27-3/8" on models JB988, 968, 905 and JBP84, 82, 80; and 27-3/4" on models JBP69/68/66/64.

Note: Conforms to U.L. requirements for 0" spacing for adjacent walls below countertops. To reduce possibility of scorching of walls, it is recommended a minimum of 1-1/2" spacing be allowed from adjacent side walls to allow for possible extended, high-heat, no-load heating element operation.

Receptacle Locations: For 30" Free-Standing Ranges locally approved flexible service cord or conduit must be used because terminals are not accessible after range installation. See shaded area drawing for location of electrical outlet box. Recommended outlet locations allow range to be installed directly against wall.

Dimensions and Installation Information (in inches) for Models JBP60 only



*Dimension from wall to front of closed oven door handle is 27-1/2".

†The range may be placed with a 0" clearance (flush) at the back wall and side walls if the range side trims extend beyond the cabinet fronts at least 1/4". Self-clean models only.

Installation Information: Before installing, consult installation instructions packed with range for current dimensional data.



Listed by
Underwriters
Laboratories



All GE ranges are equipped with an Anti-Tip device. The installation of this device is an important, required step in the installation of the range.

**Electric Free-Standing Range
Anti-Tip Bracket (Part No. 164D3799P002)**

JB988/968/905, JBP84/82/80/69/66/64/48/35/26/24/21, JBS15

Anti-Tip Bracket (Part No. 183D6270P001)
JBS27/26/07/03

30" Free-Standing QuickClean™ Electric Ranges


	GE Profile™	GE®							
	JBP48WH JBP48CH JBP48BH	JBP35SH JBP35WH JBP35CH JBP35EH JBP35BH	JBP26WH JBP26CH JBP26BH	JBP24WH JBP24BH	JBP21WH JBP21BH	JBS27SH JBS27WH JBS27CH JBS27BH	JBS07H	JBS15H	JBS03BH JBS03H
Features									
Oven cleaning	Self-Clean	Self-Clean	Self-Clean	Self-Clean	Self-Clean	Standard	Standard	Standard	Standard
Oven capacity (cu. ft.)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Oven racks	2	2	2	2	2	2	2	2	2
Upswept porcelain-enameled cooktop	●	●	●	●	●	●	●		●
Clean-Well™ cooktop system	●	●	●	●	●	●	●		●
Lift-up cooktop w/dual support rods	●	●	●	●	●	●	●		●
8" heating elements	2 (6 turns)	2 (6 turns)	2 (5 turns)	2 (5 turns)	2 (5 turns)	2 (5 turns)	1 (5 turns)	1 (5 turns)	1 (5 turns)
6" heating elements	2 (5 turns)	2 (5 turns)	2 (4 turns)	2 (4 turns)	2 (4 turns)	2 (4 turns)	3 (4 turns)	3 (4 turns)	3 (4 turns)
Warming option	●								
Infinite heat controls	●	●	●	●	●	●	●	●	●
Plug-in Calrod® heating elements	●	●	●	●	●	●	●		●
Removable 1-piece drip bowls	Grey Black Black	Black Grey Black Black Black	Chrome	Chrome	Chrome	Black Chrome Chrome Black	Chrome	Chrome	Chrome
TrueTemp™ system	●	●	●						
SmartLogic™ controls	●	●	●						
Six-pass power bake element	●	●	●						
Convenience controls	●	●	●	●	●				
QuickSet oven controls	QuickSet V	QuickSet IV	QuickSet IV	QuickSet III	QuickSet III				
Digital temperature display	●	●	●	●	●				
Electronic oven controls	●								
Auto oven shut-off	w/override	w/override	w/override	w/override	w/override				
Delay bake		●	●						
Control lock capability	●								
Oven light pad		●	●	●					
Start pad	●								
Delay clean option	●	●	●						
Auto self-clean	●	●	●	●	●				
Self-clean cool down display	●	●	●	●	●				
Audible preheat signal	●	●	●	●	●				
Certified Sabbath mode	●	●	●	●	●				
Clock and minute timer	●	●	●	●	●	●			
Dual element bake	●	●	●	●	●	●	●	●	●
Heating element "ON" indicator light	●	●	●		●		●	●	●
Interior oven light	Auto/Switch	Pad	Pad	Pad		Switch	Switch	Switch	
Preheated oven light	Display	●	●	●	●				
Removable full-width storage drawer	White Bisque Black	Stainless steel CM* CM* CM* CM*	White Bisque Black	White CM*	White CM*	Stainless steel CM* CM* CM*	White / Bisque	CM*	CM*
Broiler pan	●	●	●	●	●	●	●	●	●
Appearance									
Color appearance*	WW CC BB	SS WW CC BB WH/CT	WW CC BB	WW WH/CT	WW WH/CT	SS WW CC BB	WW/CC	WW/CC	WH/CT WH/CT
Frameless glass oven door*	White Bisque Black	Stainless steel White Bisque Black Black	White Bisque Black	White Black	White Black	Stainless steel White Bisque Black	Porcelain CM*	Porcelain CM*	Black Glass Porcelain CM*
Oven door with window	Big ClearView	Big ClearView	ClearView	ClearView		ClearView	ClearView	ClearView	
Removable oven door	●	●	●	●	●	●	●	●	●
Designer-style handle	Sculptured	●	●	●	●	●	●	●	Visor
Textured steel side panels	●	●	●	●	●	●	●	●	●
Weights & Dimensions									
Overall oven interior dimensions (WxHxD in inches)	24-1/4 x 19 x 19				23-3/4 x 19 x 18-1/2			22-3/4 x 15-3/4 x 17	23-3/4 x 19 x 18-1/2
Approx. shipping weight (lbs.)	176	173	172	170	144	158	141	157	154
Power/Ratings									
KW rating @ 240V	11.7	11.7	11.7	11.7	11.7	12.6	11.5	11.2	11.4
208V	8.8	8.8	8.8	8.8	8.1	9.9	9.1	6.9	9.0
Amp rating @ 240V / 208V	40	40	40	40	40	40	40	40	40

*WW = White with white door, CC = Bisque with bisque door, BB = Black with black door, WH = White with black door, CT = Bisque with black door, CM = Color-Matched indicates color of oven door or storage drawer matches range cooktop (either white, black, bisque or almond).



30" Free-Standing QuickClean Electric Ranges (continued)

Dimensions and Installation Information (in inches) for Models JBP48/35/26/24




Note: 30" ranges conform to U.L. requirements for 0" spacing from adjacent walls below countertops. To reduce possible scorching of walls, engineering recommends a minimum of 1-1/2" spacing to allow for possible extended, high heat, no-load heating element operation.


Receptacle Locations:

Locally approved flexible service cord or conduit must be used because terminals are not accessible after range installation. See shaded area in drawing for location of electrical outlet box. Recommended outlet locations allow range to be installed directly against wall.

Dimensions and Installation Information (in inches) for Models JBP21 and JBS27/07/03




Dimensions and Installation Information (in inches) for Model JBS15



Cabinet Dimensions (in inches)

Model	A	B	C*	D
JBP21	29-7/8	46-7/8	26-3/8	46-3/8
JBS27	29-7/8	46-7/8	26-1/4	46-1/4
JBS07	29-7/8	46-7/8	26-1/4	46-1/4
JBS15	29-7/8	46-7/8	26-1/4	46-1/4
JBS03BH	29-7/8	46-7/8	26-3/8	46-3/8
JBS03H	29-7/8	46-7/8	26-1/4	46-1/4

*Dimension from wall to front of closed oven door handle is 28-1/2" on model JBS27/03BH; 28-3/8" on JBS07; 28" on JBS03H; 27-1/8" on JBS15H.




40" Electric Ranges


	GE	
	JCP67F	JCS57F
Features		
Oven cleaning	Master Oven—Self-Clean Companion Oven—Standard	Standard
Oven racks	Master Oven—2 Companion Oven—1	Master Oven—2
8" heating elements	2	2
6" heating elements	2	2
Removable drip bowls	One-Piece Chrome	One-Piece Chrome
Clock and minute timer	Electronic	Electronic
Automatic oven timer	Master	
Heating element "ON" indicator light	●	●
Interior oven light	●	●
Oven cycling light	2	●
Storage drawer	●	●
Broiler pan	Master Oven—1 Companion Oven—1	Master Oven—1
Appearance		
Color appearance*	WW	WW
Oven door with window	Master Oven	●
Weights & Dimensions		
Overall oven interior dimensions (WxHxD in inches)	Master Oven— 22-5/8 x 15-7/8 x 18-1/8 Companion Oven— 9-9/16 x 16 x 19-1/2	22-5/8 x 15-7/8 x 18-1/8
Approx. shipping weight (lbs.)	224	197
Power/Ratings		
KW rating @ 240V	14.2	12.6
208V	10.7	9.5
Amp rating 240V / 208V	40	40

*WW = White on white.

40" Range Dimensions and Installation Information (in inches)



*Dimension from wall to front of closed oven door handle.
**Includes required 4" door swing allowance for side-hinged oven or storage compartment door.



Receptacle Locations: For all 40" Free-Standing Ranges locally approved flexible service cord or conduit must be used because terminals are not accessible after range installation. See shaded area in drawing for location of electrical outlet box. Recommended outlet locations allow range to be installed directly against rear wall.

Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.



All GE ranges are equipped with an Anti-Tip device. The installation of this device is an important, required step in the installation of the range.

Electric Free-Standing Range

Anti-Tip Bracket (Part No. 164D3799P002)

JB988/968/905, JBP84/82/80/69/66/64/48/35/26/24/21, JBS15

Anti-Tip Bracket (Part No. 183D6270P001)

JBS27/26/07/03

Answers that click!
GE puts everything you need at your fingertips.



GE Appliances web site — 16 million visitors a year!
Visit us at GEAppliances.com

Everything you need to know about GE products is here. Access up-to-date information, find out “what’s new,” obtain dimensions, get installation tips and more. Extremely user-friendly, this one-stop site lets you research by brand, category or model number and even buy online through a local GE dealer.

GE Answer Center® saves you time.
800.626.2000

This 24-hour-a-day, 7-day-a-week service provides answers on product features, installation, service and more.



A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.



GE Appliances

GE Consumer Products
General Electric Company
Louisville, Kentucky 40225
GEAppliances.com

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2003 General Electric Company
Pub. No. 3-S123 PC35331