

SPACE MAKER® & WALL OVEN MICROWAVES

*Bigger, Better, Brighter*



*We bring good things to life.*

# The Original Spacemaker®



Since its introduction in 1979, the GE Spacemaker award-winning microwave oven has been an indispensable part of the American kitchen. Today, its role is bigger than ever. Completely redesigned with ROOMY interiors, our Spacemaker microwaves hold up to six full-sized plates of food. They're not only larger — they're better. Quick Defrost and convection capabilities make Spacemaker microwaves ideal second ovens. And our new XL1800 microwaves feature improved built-in vortex venting, as well as brighter halogen interior and halogen cooktop lighting.

### Quick Defrost

Quick Defrost lets you thaw a pound of ground beef up to 50% faster than our previous models. What used to take 6-1/2 minutes now defrosts in just 3 minutes.



### Six-Plate Capacity

With its two baking racks and recessed turntable, the Spacemaker microwave oven (JVM1860) holds up to six dinner plates or three 9 x13 casserole dishes.



### GE Innovation, Space-Saving Design

With so many features and over 20 years experience it is easy to see why people are making GE Spacemaker their microwave of choice. Ideal as a second oven, these microwaves complete your cooking center.





*Models shown: JVM1860BD Spacemaker microwave oven  
and JBP79BB CleanDesign range*

# GE Profile Spacemaker® Ovens with Convection/Microwave Cooking

**These models include** • Combination Microwave/Convection Cooking • Sensor Cooking (Chicken, Fish, Potato) • One Touch Sensor Cooking Controls for Popcorn, Beverage, Reheat • Multiple Combination Cooking Levels • Stainless Steel Interior • Auto and Time Defrost • Convection Rack • Programmable Nite Light **Note: bold = feature upgrade from previous model**



The JVM1490 preheats faster than ever before with advanced cooking technology.



Convection cooking combined with microwave power, for cooking results 25% faster than conventional ovens.



Convection Cooking provides a browned crisp exterior and moist interior.



## GE Profile™ Spacemaker Oven

**JVM1490SD** Stainless steel

- 1.4 cu. ft. cavity • 900 Watts\* • Fast Bake • Bake • Fast Defrost • Halogen Interior Lighting
- Halogen Cooktop Lighting • Two-Line Scrolling Display • Turntable • Powerful Two-Speed 300 CFM Venting • Bilingual Display



- JVM1490WD** White on white (not shown)
- JVM1490CD** Bisque (not shown)
- JVM1490BD** Black on black (not shown)

Available June 2001



## GE Profile™ Spacemaker Oven

**JVM1190WY** White on white

- 1.1 cu. ft. cavity • 825 Watts\* • Combination Bake Hi/Lo
- Convection Broil • SmartControl System with Interactive Display



- JVM1190SY** Stainless steel (not shown)
- JVM1190BY** Black on black (not shown)

\*IEC-705 Test Procedure

## GE Profile 36" Spacemaker® Microwave Oven with Sensor Cooking

**This model includes** • 1.8 cu. ft. cavity • 1000 Watts\* • 36" Width Application • One Touch Sensor Controls for Popcorn, Beverage, Vegetables, Potato, Ground Meat, Fish, Chicken Pieces and Reheat • Hidden Vent for Sleek Appearance • Large 14-1/4" Recessed Turntable • Turntable On/Off • Help Pad • Timer On/Off • Bright View Interior with Halogen Lamp • Halogen Cooktop Lighting • Auto Nite Light • Time Cook I & II • Auto, Time and Quick Defrost • Add 30 Seconds • Instant On Controls • Beeper Volume Control • Bilingual Display • Two-Line Scrolling Display • Child Lock-Out • Powerful Three-Speed plus Boost 300 CFM 36" Vortex Venting • Removable Cooking Rack • Easy Mount Installation



One Touch Sensor Controls automatically eliminate guesswork.



**GE Profile™**  
**36" Spacemaker**  
**JVM3660SD**  
 Stainless steel  
**JVM3660BD**  
 Black on black  
 (control panel shown)  
**JVM3660WD**  
 White on white  
 (not shown)  
**JVM3660CD**  
 Bisque (not shown)

Available June 2001

## GE Profile™ Wall Oven with Convection/Microwave Cooking

**This model includes** • 1.0 cu. ft. cavity • 800 Watts\* • Convection Cooking • Combination Roast (probe) • Combination Cooking • Sensor Cooking Controls for Popcorn, Reheat, Beverage and Cook Pads • Express Cook



Convection cooking produces golden brown exteriors and moist interiors.



Shown in 30" width

**GE Profile™**  
**30" or 27" Convection Microwave**  
**Wall Oven**  
**JEB1095SB** Stainless steel  
**JEB1095WB** White on white (not shown)  
**JEB1095CB** Bisque Available June 2001  
**JEB1095BB** Black on black (not shown)



Sensor Controls take the guesswork out of cooking.

Convection/Microwave Wall Ovens provide a true built-in appearance. JEB1095 will fit a 27" or 30" cutout. A trim kit (included with all models) enables the unit to be adapted to a 30" width. Available in stainless steel, classic white and black.

\*IEC-705 Test Procedure

# GE Profile™ and GE Spacemaker® XL1800 Microwave Ovens with Sensor Cooking

**These models include** • One Touch Sensor Cooking Controls • Large 14-1/4" Recessed Turntable • Turntable On/Off • Help Pad • Timer On/Off • Bright View Interior with Halogen Lamp • Auto Nite Light • Time Cook I & II • Express Cook • Auto, Time and Quick Defrost • Add 30 Seconds • Instant On Controls • Beeper Volume Control • Bilingual Display • Two-Line Scrolling Display • Child Lock-Out • Powerful Three-Speed plus Boost 300 CFM Vortex Venting • Easy Mount Installation **Note: bold = feature upgrade from previous model**



Six Plate Capacity with two baking racks and recessed turntable, holds up to six dinner plates or three 9 x 13 casserole dishes.



One Touch Sensor Controls automatically eliminate guesswork.



Quick Defrost lets you thaw a pound of ground beef up to 50% faster than our previous models.



This powerful 300 CFM-rated vortex venting system will remove smoke and steam from your cooktop.



## GE Profile™ Spacemaker XL1800

**JVM1860BD** Black on black

• 1.8 cu. ft. cavity • 1000 Watts\* • **Hidden Vent for sleek appearance** • One Touch Sensor Controls for Popcorn, Beverage, Vegetables, Potato, **Ground Meat, Fish, Chicken Pieces** and Reheat • **Halogen Cooktop Lighting** • **Two racks – 6 dinner plate capacity**



**JVM1860WD**

White on white  
(control panel shown)

**JVM1860SD**

Stainless steel  
(not shown)

**JVM1860CD**

Bisque (not shown)

Available May 2001



## GE Spacemaker XL1800

**JVM1850WD** White on white

• 1.8 cu. ft. cavity • 1000 Watts\* • One Touch Sensor Controls for Popcorn, Beverage, Vegetables, **Potato** and Reheat • **Removable Cooking Rack, 2 positions**



**JVM1850BD**

Black on black  
(control panel shown)

**JVM1851BD**

Black on black  
(not shown)

• Non-vented model

**JVM1851WD**

White on white  
(not shown)

• Non-vented model

**JVM1850CD**

Bisque (not shown)

**JVM1851CD**

Bisque (not shown)

• Non-vented model

Available May 2001

\*IEC-705 Test Procedure

## GE Spacemaker® XL1800 Microwave Oven with Convenience Cooking

Note: bold = feature upgrade from previous model



Quick Defrost lets you thaw a pound of ground beef up to 50% faster than our previous models.



Convenience Cooking Controls allow you to defrost, cook or reheat at the touch of a pad.



GE  
Spacemaker XL1800

**JVM1840BD** Black on black

- 1.8 cu. ft. cavity • 1000 Watts\* • Time Cook I & II • Delay Start • Reminder • Auto, Time and Quick Defrost • Express Cook • 10 power levels • Instant On Controls • Timer On/Off • Child Lock-Out
- Cooking Complete Reminder • **Powerful Three-Speed plus Boost Vortex Venting** • **Two-Line Scrolling Display** • **Large 14-1/4" Recessed Turntable** • **Big View Window** • Full-View Cooktop Lighting • Convenience Cooking Controls for Popcorn, Beverage, Reheat, **Snacks**, Vegetable and Cook • Removable Cooking Rack
- **Bilingual Display** • Easy Mount Installation



**JVM1840WD**  
White on white  
(control panel shown)  
**JVM1840CD**  
Bisque (not shown)

## GE Profile Spacemaker® Microwave Oven with Sensor Cooking



Message Center allows you to leave audio messages for your family.

**JVM1660** Rated #1  
two years in a row by a leading consumer magazine in the category of over-the-range microwave ovens.



GE Profile™  
Spacemaker

**JVM1660SB** Stainless steel

- 1.6 cu. ft. cavity • 1000 Watts\* • One Touch Sensor Controls for Popcorn, Beverage, Vegetables, Potato Chicken Pieces, Ground Meats, Fish Fillet and Reheat • Message Center • Appointment Scheduler
- Turntable On/Off • SmartControl System with Interactive Display • Express Cook • Time Cook I & II
- Auto and Time Defrost • Help Pad • Add 30 Seconds • Instant On Controls • **Two racks – 5 plate capacity**
- Powerful 300 CFM Venting



**JVM1660WB**  
White on white  
(not shown)  
**JVM1660CB**  
Bisque (not shown)  
**JVM1660AB**  
Almond on almond  
(not shown)  
**JVM1660BB**  
Black on black  
(not shown)

Available through June 2001

# GE Spacemaker® Microwave Ovens with Sensor/Convenience Cooking

**These models include** • SmartControl System with Interactive Display • Turntable On/Off • Help Pad • Timer On/Off • Time Cook I & II • Express Cook • Auto/Time Defrost • Instant On Controls • Child Lockout • Removable Cooking Rack • Powerful 300 CFM Exhaust Fan • Easy Mount Installation **Note: bold = feature upgrade from previous model**



Auto and Time Defrost options automatically set time and power levels for fast defrosting.



**JVM1650BB**  
Black on black  
(not shown)

## GE Spacemaker® Oven with Sensor/Convenience Cooking

**JVM1650WB** Stainless steel  
• 1.6 cu. ft. cavity • 1000 Watts\* • **One Touch Sensor Cooking Controls for Popcorn, Reheat, Beverage, Potato and Vegetables** • Convenience Cooking Controls for Cook and Snacks • Add 30 Seconds • Full-View Cooktop Lighting • Beeper Volume Controls



Convenience Cooking Controls allow you to defrost, cook or reheat at the touch of a pad.



**JVM1640BB**  
Black on black  
(not shown)  
**JVM1640AB**  
Almond on almond  
(not shown)



Add 30 Seconds extends cooking time without the hassle of reprogramming.

## GE Spacemaker with Convenience Cooking

**JVM1640WB** White on white  
• 1.6 cu. ft. oven cavity • 1000 Watts\* • Convenience Cooking Controls for Popcorn, Beverage, Cook and Reheat • **CircuWave™ 1000 Cooking System** • **Beeper Volume Control** • Delay Start • Reminder • Cooking Complete Reminder



This powerful 300 CFM rated venting system will remove smoke and steam from your cooktop.



**JVM1440BD**  
Black on black  
(not shown)  
Also available:  
**JVM1410BC**  
Black on black  
(not shown)  
• Turntable On only, without Cooking Rack  
**JVM1410WC**  
White on white  
(not shown)  
• Turntable On only, without Cooking Rack

## GE Spacemaker with Convenience Cooking

**JVM1440WD** White on white  
• 1.4 cu. ft. oven cavity • 950 Watts\* • Convenience Cooking Controls for Popcorn, Beverage and Reheat • **CircuWave™ Plus Cooking System** • **Add 30 Seconds** • Delay Start • Reminder • Cooking Complete Reminder

Models JVM1410BC and JVM1410WC available through June 2001


\*IEC-705 Test Procedure

# Spacemaker® Convection/Microwave Ovens

	GE Profile™	
	JVM1490SD JVM1490WD JVM1490CD JVM1490BD	JVM1190SY JVM1190WY JVM1190DY JVM1190BY
<b>Capacity</b>		
Oven cavity (cu. ft.)	1.4	1.1
<b>Features</b>		
Watts (IEC-705 Test Procedure)	900	825
Controls	Membrane/Dial	Electronic Touch
SmartControl System w/Interactive Display	●	●
Electronic scrolling digital display w/Clock and AM/PM	2 lines	1 line
Variable Scroll Speed	●	●
Help Pad	●	●
Concurrent programming	●	●
Display On/Off / Bilingual	●/●	●/-
Cavity Lighting	Halogen	Incandescent
Cooktop Lighting	Halogen	Incandescent
Sensor Controls		
Cook	Chicken, Fish, Potato	
Beverage	●	●
Popcorn	●	●
Reheat	●	●
Vegetables (Canned/Fresh/Frozen)	●	●
Convection Controls	●	●
Convection Broil		Hi/Lo
Convection Bake/Fast Bake	●/●	●/-
Combination Roast		●
Sensor Combination		Chicken, Fish, Potato
Combination Bake		Hi/Lo
Express Cook (1-6 minutes)	●	●
Instant On Controls	●	●
Time Cook	I & II	I & II
Add 30 Seconds	●	●
Temp Cook	●	●
Auto/Time/Quick Defrost	●/●/●	●/●/-
Power levels	10	10
Delay Start		●
Night Light	●	●
Programmable Night Light	●	●
Timer On/Off	●	●
Reminder	●	●
Variable Beeper Volume Control	●	●
Cooking Complete Reminder	●	●
Child Lock Out	●	●
Two-speed venting	●	●
<b>Appearance</b>		
	SS WW CC BB	SS WW BB
Color appearance*		
Case color	Stainless Steel White on white Bisque Black on black	Stainless Steel White on white Black on black
Door color	Stainless Steel White on white Bisque Black on black	Stainless Steel White on white Black on black
Designer-style handle	●	●
<b>Weights &amp; Dimensions</b>		
Approx. shipping weight (lbs.)	98	98
WxHxD- <b>JVM1490</b>	Cavity	20-25/32 x 8-7/32 x 13-13/16
(in inches)	Exterior	29-7/8 x 16-7/32 x 15-21/32
WxHxD- <b>JVM1190</b>	Cavity	18 x 8-1/16 x 12-1/2
(in inches)	Exterior	29-15/16 x 15-1/2 x 14-1/4
<b>Power/Ratings</b>		
2450 Frequency (MHz)	●	●
Electrical input @ 120V	Watts	1800
	Amperage	15
		1300
		12.5
<b>Accessories</b>		
Convection Rack/Broil Pan	●/-	●/●
<b>Warranty</b>		
Full One-Year In Home Warranty**	●	●
Limited Nine-Year Magnetron Warranty** (10 years total)	●	●

\*SS = Stainless steel, WW = White on white, CC = Bisque, BB = Black on black.

\*\*See written warranty for details.



Model	D	H	H (rear)
JVM1490	16-7/32	16-19/32	15-21/32
JVM1190	14-1/4	15-1/8	15-1/2

### Ventilation Options

The Spacemaker convection/microwave and Spacemaker microwave ovens are designed for adaptation to the following three types of ventilation:

**Outside Exhaust** (Vertical—as shown above)

**Outside Exhaust** (Horizontal)

**Recirculating** (Non-vented ductless—see Filter Kit Drawing, order JX81, JX81A or JX81B)

Requires 120V grounded outlet. Electrical receptacle must be located in cabinet above Spacemaker microwave/convection and Spacemaker microwave ovens. No additional wiring, venting or cabinet rebuilding necessary in many cases. Complete detailed, easy-to-follow installation instructions and convenient full-size templates are packed with product.


**Important:** When installing these ovens over a range, allow minimum of 2" from bottom of microwave oven to top of range backguard to allow for removal of light covers.

### Optional Accessories (Available at additional cost)

#### Filler Panel Kit

See below for part numbers.

When replacing a 36" or 42" range hood, this kit fills in the additional width to provide a custom built-in appearance. For installation between cabinets only; not for end-of-cabinet installation. Each kit contains two 3"-wide filler panels. Two kits are needed for a 42" opening.




#### Recirculating Charcoal Filter Kit

See below for part numbers.

To be used when the Spacemaker microwave oven cannot be vented to the outside. (Included with non-vented models.)

Model	Recirculating Charcoal Filter Kit	Filler Panel Kit	Decorative Panel Kit
JVM1190SY	JX81	JX41	JX22SS
JVM1190WY	JX81	JX40WH	JX22SS
JVM1190BY	JX81	JX41	JX22SS
JVM1490SD	JX81A	JX41	JX22SS
JVM1490WD	JX81A	JX40WH	JX22SS
JVM1490CD	JX81A	JX40CT	JX22SS
JVM1490BD	JX81A	JX41	JX22SS
JVM1440WD	JX81A	JX46WH	JX22SS
JVM1440BD	JX81A	JX46BL	JX22SS
JVM1640WB	JX81A	JX48WH	JX22SS
JVM1640AB	JX81A	JX48AL	JX22SS
JVM1640BB	JX81A	JX48BL	JX22SS
JVM1650WB	JX81A	JX48WH	JX22SS
JVM1650CB	JX81A	JX48CT	JX22SS
JVM1650AB	JX81A	JX48AL	JX22SS
JVM1650BB	JX81A	JX48BL	JX22SS
JVM1660SB	JX81A	JX48BL	JX22SS
JVM1660WB	JX81A	JX48WH	JX22SS
JVM1660CB	JX81A	JX48CT	JX22SS
JVM1660AB	JX81A	JX48AL	JX22SS
JVM1660BB	JX81A	JX48BL	JX22SS
JVM1840WD	JX81B	JX52WH	JX22SS
JVM1840CD	JX81B	JX52CT	JX22SS
JVM1840BD	JX81B	JX52BL	JX22SS
JVM1850WD	JX81B	JX52WH	JX22SS
JVM1850CD	JX81B	JX52CT	JX22SS
JVM1850BD	JX81B	JX52BL	JX22SS
JVM1860SD	JX81B	JX52BL	JX22SS
JVM1860WD	JX81B	JX52WH	JX22SS
JVM1860CD	JX81B	JX52CT	JX22SS
JVM1860BD	JX81B	JX52BL	JX22SS



#### JX22SS—Stainless Steel Decorative Panel Kit

When replacing a Hi/Low range with a Spacemaker microwave/convection oven or Spacemaker over a range model, this panel kit fills in the area between the microwave and range left by the Hi/Low model.



Listed by Underwriters Laboratories

This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

# Spacemaker® Microwave Ovens with Sensor Cooking

	GE Profile™		GE		GE Profile™		GE
	JVM3660SD JVM3660WD JVM3660CD JVM3660BD	JVM1860SD JVM1860WD JVM1860CD JVM1860BD	JVM1850WD JVM1851WD*	JVM1850CD JVM1851CD* JVM1850BD JVM1851BD*	JVM1660SB JVM1660WB JVM1660CB	JVM1660AB JVM1660BB	JVM1650WB JVM1650BB
<b>Capacity</b>	1.8		1.8		1.6		1.6
Oven cavity (cu. ft.)	1.8		1.8		1.6		1.6
<b>Features</b>							
Watts (IEC-705 Test Procedure)	1000		1000		1000		1000
Electronic touch controls	●		●		●		●
SmartControl System w/Interactive Display	●		●		●		●
VDF scrolling	2 lines		2 lines		1 line		1 line
Demo Mode	●		●		●		●
Clock and AM/PM Pad	●		●		●		●
Clock Saver	●		●		●		●
Variable Scroll Speed	●		●		●		●
Help Pad	●		●		●		●
Concurrent programming	●		●		●		●
Display On/Off / Bilingual	●/●		●/●		●/-		●/-
Cavity Lighting	Halogen		Halogen		Incandescent		Incandescent
Sensor Controls							
Beverage	●		●		●		●
Chicken	●		●		●		●
Fish	●		●		●		●
Meats	●		●		●		●
Popcorn	●		●		●		●
Potatoes	●		●		●		●
Reheat	●		●		●		●
Vegetables	●		●		●		●
Convenience Controls							
Cook Snacks	●		●		●		●
Appointment Scheduler Pad	●		●		●		●
Custom Pads	●		●		●		●
Message Center	●		●		●		●
Express Cook (1-6 min.)	●		●		●		●
Instant On Controls	●		●		●		●
Time Cook	I & II		I & II		I & II		I & II
Add 30 Seconds	●		●		●		●
Temp. Cook/Roast (Probe)	●		●		●		●
Auto /Time/Quick Defrost	●/●/●		●/●/●		●/●/-		●/●/-
Power levels	10		10		10		10
Delay Start	●		●		●		●
Reminder	●		●		●		●
CircuWave™ Plus Cooking System	●		●		●		●
Cooking Rack(s)	1		1		2		1
Dual Rack Capability	●		●		●		●
Turntable On/Off	●		●		●		●
Full-View cooktop lighting	Halogen		Halogen		Incandescent		Incandescent
Night light	●		●		●		●
Programmable nite light	●		●		●		●
Timer On/Off	●		●		●		●
Beeper sound level control	●		●		●		●
Cooking Complete Reminder	●		●		●		●
Child lock out	●		●		●		●
Two Speed exhaust fan	300 CFM & Boost		300 CFM & Boost		300 CFM		300 CFM
Easy Mount Installation	●		●		●		●
<b>Appearance</b>							
Color appearance**	SS/WW/CC/BB		WW		SS/WW/CC		WW/BB
Case color	Stainless/White/Bisque/Black		White		Stainless/White/Bisque		White/Black
Designer-style handle	●		●		●		●
Big View window	●		●		●		●
<b>Weights &amp; Dimensions</b>							
Approx. shipping weight (lbs.)	69		68		67		67
WxHxD Cavity	21-29/32 x 9-1/2 x 14-19/32		21-29/32 x 9-1/2 x 14-19/32		20-1/4 x 9-9/32 x 14-13/32		20-1/4 x 9-9/32 x 14-13/32
(inches) Exterior †	35-7/8 x 16-13/32 (r) x 15		29-7/8 x 16-13-32 (rear) x 15		29-7/8 x 16-15/32 (rear) x 15-1/16		29-7/8 x 16-15/32 (rear) x 15-1/16
<b>Power/Ratings</b>							
2450 Frequency (MHz)	●		●		●		●
Electrical input Watts	1480		1480		1480		1480
@ 120V Amperage	15		15		15		15
<b>Accessories</b>							
Cookbook	●		●		●		●
<b>Warranty</b>							
Full One-Year In-Home Warranty‡	●		●		●		●
Limited Nine-Year Magnetron Warranty‡ (10 years total)	●		●		●		●

\*Non-vented model.

\*\*SS = Stainless steel, WW = White on white, CC = Bisque, AA = Almond on almond, BB = Black on black.


†Exterior dimensions: depth excludes handle.

‡See warranty for details.


**NOTE:** Convenience Popcorn Pad designed for use with 3 packages sizes — 3.5, 3.0 and 1.75 oz.

This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

## Dimensions (in inches)



## Dimensions JVM3660 (in inches)



# Spacemaker® Microwave Ovens with Convenience Cooking



# Microwave/Convection Wall Ovens

	GE				
	JVM1840WD JVM1840CD	JVM1840BD	JVM1640WB JVM1640AB JVM1640BB	JVM1440WC JVM1440BC	JVM1410WB JVM1410BB
<b>Capacity</b>					
Oven cavity (cu. ft.)	1.8	1.8	1.6	1.4	1.4
<b>Features</b>					
Watts (IEC-705 Test Procedure)	1000	1000	1000	950	950
Electronic touch controls	●	●	●	●	●
SmartControl System w/Interactive Display	●	●	●	●	●
VDF scrolling	2 lines	2 lines	1 line	1 line	1 line
Demo Mode	●	●	●	●	●
Clock and AM/PM Pad	●	●	●	●	●
Clock Saver	●	●	●	●	●
Variable Scroll Speed	●	●	●	●	●
Help Pad	●	●	●	●	●
Concurrent programming	●	●	●	●	●
Display On/Off / Bilingual	●/●	●/●	●/-	●/-	●/-
Sensor Controls					
Popcorn	●	●	●	●	●
Reheat	●	●	●	●	●
Beverage	●	●	●	●	●
Vegetables	●	●	●	●	●
Potato	●	●	●	●	●
Custom Pads (2)	●	●	●	●	●
Convenience Controls					
Beverage Pad	●	●	●	●	●
Cook Pad	●	●	●	●	●
Popcorn Pad	●	●	●	●	●
Reheat Pad	●	●	●	●	●
Snacks Pad	●	●	●	●	●
Vegetable Pad	●	●	●	●	●
Express Cook (1-6 min.)	●	●	●	●	●
Instant On Controls	●	●	●	●	●
Time Cook	I & II	I & II	I & II	I & II	I & II
Add 30 Seconds	●	●	●	●	●
Auto /Time/Quick Defrost	●/●/●	●/●/●	●/●/-	●/●/-	●/●/-
Power levels	10	10	10	10	10
Delay Start	●	●	●	●	●
Reminder	●	●	●	●	●
CircuWave™ Plus Cooking System	●	●	●	●	●
Cooking Rack(s)	1	1	1	●	●
Dual Rack	●	●	●	●	●
Turntable On/Off	●	●	●	●	●
Full-View cooktop lighting	●	●	●	●	●
Night light	●	●	●	●	●
Timer On/Off	●	●	●	●	●
Beeper sound level control	●	●	●	●	●
Cooking Complete Reminder	●	●	●	●	●
Child lock out	●	●	●	●	●
300 CFM Venting	Hi/Med/Lo/Boost	Hi/Med/Lo/Boost	●	●	●
Easy Mount Installation	●	●	●	●	●
<b>Appearance</b>					
Color appearance**	WW/CC	BB	WW/AA/BB	WW/BB	WW/BB
Case color	White/Bisque	Black	White/Almond/Black	White/Black	White/Black
Designer-style handle	●	●	●	●	●
Big View window	●	●	●	●	●
<b>Weights &amp; Dimensions</b>					
Approx. shipping weight (lbs.)	68	68	67	67	67
WxHxD (in inches)	21-29-32 x 9-1/5 x 14-19/32	21-29-32 x 9-1/5 x 14-19/32	21-29-32 x 9-1/5 x 14-19/32	21-29-32 x 9-1/5 x 14-19/32	21-29-32 x 9-1/5 x 14-19/32
Exterior***	29-7/8 x 16-13/32 (rear) x 15	29-7/8 x 16-13/32 (rear) x 15	29-7/8 x 16-13/32 (rear) x 15	29-7/8 x 16-13/32 (rear) x 15	29-7/8 x 16-13/32 (rear) x 15
<b>Power/Ratings</b>					
2450 Frequency (MHz)	●	●	●	●	●
Electrical input @ 120V	1480 Watts 15 Amperage	1480 Watts 15 Amperage	1480 Watts 15 Amperage	1480 Watts 15 Amperage	1480 Watts 15 Amperage
<b>Warranty</b>					
Full One-Year In-Home Warranty†	●	●	●	●	●
Limited Nine-Year Magnetron Warranty‡ (10 years total)	●	●	●	●	●

	GE Profile™	
	JEB1095SB JEB1095WB JEB1095BB	
<b>Capacity</b>		
Oven cavity (cu. ft.)	1.0	
<b>Features</b>		
Watts (IEC-705 Test Procedure)	800	
Electronic Touch Controls	●	
Electronic digital display w/clock	●	
Beverage	Sensor	
Cook	Sensor	
Popcorn	Sensor	
Reheat	Sensor	
Convection Cook	●	
Combination Cook	●	
Combination Roast (Probe)	●	
Express Cook	●	
Instant On Controls	●	
Time Cook	I & II	
Add 30 Seconds	●	
Temp Cook/Hold (Probe)	●	
Auto Defrost/Time Defrost	●	
Power levels	10	
Delay/Start Reminder	●	
Minute Pad	●	
Program cooking	5 Stage	
Kitchen timer	99-M/99-S. Digital	
Variable Beeper Volume	●	
Cooking Complete Reminder	●	
<b>Appearance</b>		
Color appearance*	SS/WW/BB	
Designer-style handle	●	
<b>Weights &amp; Dimensions</b>		
Approx. shipping wt. (lbs.)	84	
WxHxD (in inches)	Cavity	18x8-3/16x11-1/2
	Exterior†	26-3/4x18-5/8 x16-3/8
<b>Power/Ratings</b>		
2450 Frequency (MHz)	●	
Electrical input @ 120V	Watts	1450
	Amperage	13.0
<b>Accessory</b>		
Deluxe cookbook	●	
Wire oven rack	●	
30" trim kit (included)	●	
<b>Warranty</b>		
Full One-Year In-Home Warranty**	●	
Limited Nine-Year Magnetron Warranty*** (10 years total)	●	

\*SS = Stainless steel, WW = White on white, BB = Black on black.  
 \*\*See written warranty for details.  
 †Exterior dimensions: depth excludes handle.

## Cut-Out/Dimensional Information (in inches)



**NOTE:** Convenience Popcorn Pad designed for use with 3 packages sizes — 3.5, 3.0 and 1.75 oz.



This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data.

GE has a microwave for every kitchen.



**GE Profile™ Convection/  
Microwave Wall Ovens**

Offering a true built-in look, these ovens bring added space and visual appeal to the kitchen. Our wall oven is designed to fit 27" or 30" installations. Available now in stainless steel and, in June 2001, new bisque!



**Spacemaker® Over-The-Range  
Microwave Ovens**

These ovens complete the cooking center and make the most of consumers' time and kitchen space. Powerful venting and lighting systems are integrated into the base of each oven, eliminating the need for a range hood.



**Countertop Microwave Ovens**

These ovens offer tremendous flexibility, with a variety of color, size and feature options. There's a GE countertop microwave for every kitchen: Build them into a wall, hang them from a cabinet or set them on a shelf.

Industry leading service support from—



America's  
**#1**  
Preferred  
Appliance  
Brand

GE is the appliance brand most often mentioned among the brands rated as offering the best products and services in America.\*

\*Source: Louis Harris Poll – 2000

GE Appliances on the Web  
[www.GEAppliances.com](http://www.GEAppliances.com)

Everything you want to know about GE appliances.

The GE Answer Center®  
800.626.2000

Questions? Call anytime.

GE Genuine Parts  
800.626.2002

Accessories to enhance, upgrade or fix it.

GE Appliance Service  
800.432.2737  
(800.GE.CARES)

Product service at your convenience.



**GE Appliances**

General Electric Company  
Louisville, Kentucky 40225  
[www.GEAppliances.com](http://www.GEAppliances.com)

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2001 General Electric Company  
Pub. No. 4-S001 PC23625