



# dishwashers

Retail Sales

New product introductions — July 2005

GE® tall tub built-in dishwashers





## GE® dishwasher quick pitch

High-performance and convenience with a fresh new style.



### Stylish appearance

A **full-length door**, **easy-to-read, angled control panel**, and bright white racks with **silver touchpoints** create a modern look.



### High-performance

New **BrilliantClean™ towerless wash system** with **CleanSensor™** directs water where it belongs—on the dishes. With BrilliantClean, nothing gets in the way of cleaning.



### Peacefully quiet

**GE QuietPower™ motor** and BrilliantClean wash system work together to reduce noise.



### Convenient flexibility

A **giant tub** with maximum capacity **Duron™ racks**, **three-digit countdown display**, and **SpeedCycle™** make this dishwasher flexible even when you can't be!

## What's new: GE® tall tub built-in dishwashers



### BrilliantClean™ wash system

- Sprays powerful jets of water focused directly on dishes, not on the dishwasher door or tub, so dishes get very clean, very quietly.
- Virtually eliminates time-consuming chores such as prerinsing, soaking and scrubbing.
- Reduces water, energy and sound by directing water precisely onto the dishes where it's needed.



### Towerless wash design

- Removes obstructive wash towers from the racks for fast, simple loading.
- Allows loading of platters, pots and pans in both the top and bottom racks at once.



### Stylish appearance

- Offers the clean lines of a full-length, flat door.
- Features a redesigned, angled control panel that is easy to read and easy to use.
- A squeeze latch opens the dishwasher door with ease.
- GE badge promises consumers the quality they expect from products manufactured by GE.



### Light-touch electronic controls

- Provide a smooth, sleek surface and require only a light touch to operate.
- A three-digit countdown display signals remaining cycle time.
- The 1-9-hour Delay Start feature makes it easy to wash dishes at any hour, taking advantage of reduced energy rates or washing the dishes even while the family is asleep.

*(Available on GLD6000L series models.)*



### SpeedCycle™

- Saves time by washing and drying dishes in 45 minutes or less, about half the time of a normal cycle.

*(Available on GLD6000L series models.)*



### QuietPower™ sound packages

- Quieter than ever!
- Reduce noises, rather than hide them.
- Available with QuietPower 1, 2 and 3 levels of sound reduction.



### Duron™ racks

- Bright white racks hold up to heavy use, featuring a special protective coating that's extra durable.
- 5-year limited warranty (see written warranty for details)

*(Available on GLD6000L series models.)*




### Electronic controls

- Provide a smooth, easy-to-use, easy-to-clean surface.


*(Available on GLD5000L and GLD4000L series models.)*

# Feature gallery: GE® tall tub built-in dishwashers GLD6000L series




## Light-touch electronic controls

Require only gentle pressure to start your preferred cycle. Wipes clean easily.



## CleanSensor™

Continually monitors the temperature and soil level in every cycle, adjusting for the optimal clean.



## 3-digit countdown display with 1-9-hour Delay Start

Signals remaining cycle time at a glance and makes it easier than ever to wash dishes at any hour.



## SpeedCycle™

Cuts the length of the normal cycle in half, effectively washing and drying lightly soiled dishes in 45 minutes or less.



## Maximum capacity Duron™ racking with StemSafe™

Washes even the largest cookware in durable racks guaranteed to hold up to heavy use with a 5-yr. limited warranty.



## Maximum capacity 3-pc. silverware basket with 3 silver cell covers and ExtraBasket™

Provides the ultimate flexibility, keeping silverware and small items separate and secure while allowing the baskets to be placed in either the upper or lower rack.

# Feature gallery: GE tall tub built-in dishwashers GLD5000L series



GE model GLD5800L



**Electronic controls**  
Provide a smooth, easy-to-use, easy-to-clean surface.



**SaniSensor™**  
NSF-certified to continually measure water temperature to assure dishes are sanitized.




**2/4/8-hour Delay Start**  
Makes it easier than ever to wash dishes at any hour.



**SaniWash cycle**  
Will reduce bacteria found on dishes by 99.999%.




**Super capacity racking with 2 silver utility shelves in upper rack**  
Washes up to 15 place settings at once, with room for cookie sheets, platters and other tall items.



**Super capacity 1-pc. silverware basket with 3 silver cell covers**  
Provides extra room for washing silverware, measuring spoons and other utensils.

## Feature gallery: GE® tall tub built-in dishwashers GLD4000L series



### Electronic controls

Easy-to-clean surface makes it easy to select from a wide range of cycles.



### 2/4-hour Delay Start\*

Makes it easier than ever to wash dishes at any hour.

\*2/4/8-hour Delay Start on GLD4300L series



### China/Crystal cycle

Protects delicate glassware and dishes by lowering the water temperature during the cycle.



### Deluxe silverware basket with silver cell cover

Provides convenient space and capacity to clean silverware efficiently and effectively.



### Deluxe capacity racking

Washes up to 14 place settings at once.

## Feature gallery: GE tall tub built-in dishwashers

Features available on all GLD6000L, GLD5000L and GLD4000L series models



### Full-length flat door

Blends almost seamlessly with adjacent cabinetry.



### Angled control panel

Angled, modern design makes it easy to read and select cycles.



### Giant tub

Holds tall and oversized dishware, with plenty of room to wash large items in both the top and bottom racks.



### Squeeze latch

Opens and closes the door with a light touch.



### ENERGY STAR®-qualified

Can reduce utility bill by using less energy to get dishes clean.



### Last Cycle Memory

Recalls last cycle run with the touch of a button for a quick and easy start.



### Wood panel capabilities

Accepts custom wood panels for a complete designer look. Requires trim kit.



### Low profile installation

Easy to install, even with built-up flooring.

## The inside story.

### BrilliantClean™ wash system. It's all about clean dishes.

What a brilliant idea - directing water onto dishes from every spray arm to get the entire load incredibly clean. This powerful wash action provides better cleaning performance, while the towerless design assures nothing gets in the way of simply spotless dishes.



#### 6-level towerless wash system

Quietly powers dishes clean with six wash levels and three wash arms washing every dish precisely.

*(GLD6000L and GLD5000L series models.)*



#### 4-level towerless wash system

Four wash levels and two wash arms direct water onto dishes for an efficient and quiet clean.

*(GLD4000L series models.)*



#### 100% triple filtration

Water stays clean, so just-washed dishes do, too.



**Multi-wattage Calrod® heater**

Quickly heats water to dissolve detergent and clean dishes, then cools down to dry dishes gently.



**Piranha™ hard food disposer**

Grinds leftover food into small particles that are easily washed away.



**HotStart™**

Preheats water and dishes before the main wash cycle for dependable performance every time.




**Improved pump**

Uses only 15 gallons of water per minute. The result is cleaner dishes using 30% less water.



**GE QuietPower™ motor**

Runs quietly and efficiently to keep the kitchen peaceful.



**Dual pumps and motors**

Provide excellent wash performance by circulating water throughout the wash system and removing food soils during drain.

**GE tall tub dishwashers—sound packages**

	QuietPower <sup>1</sup>	QuietPower <sup>2</sup>	QuietPower <sup>3</sup>
BrilliantClean™ wash system	•	•	•
GE QuietPower™ motor	•	•	•
Quiet drain pump	•	•	•
Toe kick insulation	•	•	•
Tub blanket	•	•	•
Door mastic	•	•	•
Door insulation		•	
Door insulation with soundcoat			•
Quiet water valve			•

# Dare to compare

## Appearance



**GE® GLD6500LBB**



**Whirlpool**

Consumers preferred GE's appearance over similarly priced Maytag and Whirlpool models\*.

- Angled control panel has been redesigned with a larger, easier-to-read display.
- Sleek lines make the vent a design element, as fashionable as it is functional.
- Individual cycle controls provide versatility and are easy to use.
- Full-length flat door enhances any kitchen.
- All GLD6000L, GLD5000L and GLD4000L series models accept custom panels.

*\*Research by The Stevenson Company.*

- Controls are relegated to one corner of the control panel.
- Control panel is larger and bulkier.

## Competitive comparison

	Appearance
<b>GE</b>	<b>Preferred in research by 63% of respondents</b>
Maytag	20%
Whirlpool	17%

# Dare to compare

## Capacity



**GE GLD6000L series**

- GLD6000L series holds up to 16 place settings



**Frigidaire**

- Holds up to 14 place settings — 14% less than GE's GLD6000L series.


## Competitive comparison

	Capacity place settings*
<b>GE GLD6000L series</b>	<b>16</b>
Whirlpool	14
Frigidaire	14
Maytag	14

\*As shown in competitive literature

# Dare to compare

## Sensor



- GE's CleanSensor™ senses throughout the entire cycle.



Cycle	GE CleanSensor	Maytag PrecisionClean Sensor
Pots & Pans	Sensor	Timed only
Normal	Sensor	Sensor
Light Wash	Sensor	Timed only
Rinse Only	Sensor	Timed only

## Displays



Dishwasher  
two-over-two display  
82"H x 57-7/8"W x 30"D  
Pub. No. 5-D259



Dishwasher  
one-over-one display  
82"H x 33-7/8"W x 30-3/4"D  
Pub. No. 5-D261



Dishwasher  
single unit display  
61-59/64"H x 26"W x 23-3/8"D  
Pub. No. 5-D269

P.O.P.

P.O.P.



GLD6000L series  
Plan to sell P.O.P.  
Pub. No. 5-D175



GLD5000L series  
Plan to sell P.O.P.  
Pub. No. 5-D165



GLD4000L series  
Plan to sell P.O.P.  
Pub. No. 5-D155




GLD6000L series  
Quiet/Cycles P.O.P.  
Pub. No. 5-D225



GLD5000L series  
Quiet/Cycles P.O.P.  
Pub. No. 5-D195



GLD4000L series  
Quiet/Cycles P.O.P.  
Pub. No. 5-D185



GLD6000L series  
Duron™ rack P.O.P.  
Pub. No. 5-D245

GLD4000L series  
Tall tub P.O.P.  
Pub. No. 5-D235

Control panel demo kit



Pub. No. 5-D543

## GE® tall tub built-in dishwashers

Available new models



### GE tall tub built-in dishwasher—GLD6500L

- Giant tub with maximum capacity Duron™ racking
- **4 silver utility shelves** in tiered upper rack with StemSafe™
- 6-level BrilliantClean™ towerless wash system with CleanSensor™
- Light-touch electronic controls with 6 cycles/**4 options**
- Countdown display with 1–9-hour Delay Start
- QuietPower™<sup>3</sup> sound package
- **PreScrub option**
- Available in stainless steel, white on white, bisque on bisque and black on black

### GE tall tub built-in dishwasher—GLD6360L

- Giant tub with maximum capacity Duron racking
- 2 silver utility shelves in tiered upper rack with **StemSafe**
- Maximum capacity 3-piece silverware basket with 3 cell covers and **ExtraBasket™**
- 6-level BrilliantClean towerless wash system with CleanSensor
- Light-touch electronic controls with 6 cycles/3 options
- Countdown display with 1–9-hour Delay Start
- SpeedCycle™
- Available in stainless steel, white on white, bisque on bisque and black on black
- Showcase model



GE tall tub built-in dishwasher—GLD6200L

- Giant tub with **maximum capacity Duron racking**
- 6-level BrilliantClean™ towerless wash system with **CleanSensor™**
- **Light-touch** electronic controls with 6 cycles/3 options
- **Countdown display** with **1-9-hour Delay Start**
- **SpeedCycle™**
- **QuietPower<sup>3</sup> sound package**
- 100% triple water filtration
- Available in stainless steel, white on white, bisque on bisque and black on black



## GE® tall tub built-in dishwashers

Available new models



### GE tall tub built-in dishwasher—GLD5860L

- Giant tub with super capacity racking
- Electronic controls with **6 cycles/4 options**
- 6-level BrilliantClean™ towerless wash system
- SaniSensor™
- 2 silver utility shelves in upper rack
- QuietPower™2 sound package
- 2/4/8-hour Delay Start
- Available in stainless steel, **CleanSteel™**, white on white, bisque on bisque and black on black



### GE tall tub built-in dishwasher—GLD5500L

- Giant tub with **super capacity** racking
- Electronic controls with **5 cycles/4 options**
- **6-level** BrilliantClean towerless wash system
- **SaniSensor**
- **2 silver utility shelves in upper rack**
- **QuietPower<sup>2</sup> sound package**
- 2/4/8-hour Delay Start
- Available in stainless steel, white on white, bisque on bisque and black on black
- Showcase model



#### GE tall tub built-in dishwasher—GLD4300L

- Giant tub with deluxe capacity racking
- **Pots & Pans cycle**
- **2/4/8-hour Delay Start**
- 100% triple water filtration
- QuietPower<sup>1</sup> sound package
- **Child lock pad**
- Available in stainless steel, white on white, bisque on bisque and black on black



#### GE tall tub built-in dishwasher—GLD4150L

- CleanSteel full-length flat door
- Electronic controls with 4 cycles/4 options
- Giant tub with deluxe capacity racking
- 4-level BrilliantClean towerless wash system
- 100% triple water filtration
- QuietPower<sup>1</sup> sound package
- 2/4-hour Delay Start
- Available in stainless steel, CleanSteel, white on white, bisque on bisque and black on black



# GE Profile™ stainless interior dishwashers with hidden controls

	GE Profile		
	ENERGY STAR® PDW9880JSS PDW9800JWW PDW9800JCC PDW9800JBB	ENERGY STAR  PDW9700JII	ENERGY STAR PDW9280JSS PDW9200JWW PDW9200JCC PDW9200JBB
<b>Features</b>			
Tub and door liner	Stainless steel	Stainless steel	Stainless steel
Giant tub	●	●	●
Front appearance	Contour door	Panel-ready door	Contour door
Upscale flush design	●	●	●
Full-length door design	Fully integrated	●	Fully integrated
Wash system	Towerless	Towerless	Towerless
Wash arms	3 direct-feed	3 direct-feed	3 direct-feed
Wash levels	6	6	6
Water filtration	100% triple with ExtraFine™ filter	100% triple with ExtraFine filter	100% triple with ExtraFine filter
Dual pumps and motors	●	●	●
Hard food disposer	Piranha™	Piranha	Piranha
Sensor	CleanSensor™	CleanSensor	CleanSensor
Automatic temperature control	●	●	●
Calrod® heater	Multi-wattage	Multi-wattage	Multi-wattage
Rinse aid dispenser	w/Indicator and adjustment	w/Indicator and adjustment	w/Indicator and adjustment
Electronic controls	Light-touch, hidden controls	Light-touch, hidden controls	Light-touch, hidden controls
Cycle progress indicators	Countdown display with 6 status lights	Countdown display with 6 status lights	1 "Clean" light, 1 "Sanitized" light
Touchpads	Top controls	Top controls	Top controls
Selections/Enhancements	Variable*	Variable*	Variable*
Last cycle memory	●	●	●
Audible end-of-cycle signal	●	●	●
Selections			
Anti-bacterial (NSF**)	●	●	●
Cookware	●	●	●
Normal Wash	●	●	●
China/Crystal	●	●	●
Glasses	●	●	
Plastics Cycle	●	●	
SpeedCycle™ (wash & dry)	●	●	
Rinse Only	●	●	●
Enhancements			
Delay Start	1-24-hour	1-24-hour	2/4/8-hour
Hi-Temp Wash	Added heat	Added heat	Added heat
Hi-Temp Rinse	Auto w/added heat	Auto w/added heat	Auto w/added heat
PreWash	●	●	
Heated Dry	●	●	●
HotStart™	Automatic	Automatic	Automatic
Child lock	●	●	●
Racking			
Maximum capacity nylon racking	Pearlescent™	Pearlescent	Color-matched
Adjustable upper rack with CleanTip tines	4-position	4-position	
Removable upper rack†	Nylon deep-tiered	Nylon deep-tiered	Nylon deep-tiered
Upper rack handle	●	●	
Fold-down tine flexibility	4 sets with 2 multi-position, upper; 100% and adaptable bowl tines, lower	4 sets with 2 multi-position, upper; 100% and adaptable bowl tines, lower	2 lower
Utility shelves	3 Pearlescent metal StemSafe™ upper	3 Pearlescent metal StemSafe upper	2 upper
Silverware basket	Maximum capacity 3-pc. with ExtraBasket™	Maximum capacity 3-pc. with ExtraBasket	1-pc. Super capacity
Cutlery tray	●	●	
Hard countertop installation	Included	Included	Included
Door handle	Sculptured	Sculptured	Sculptured
<b>Quiet</b>			
Sound insulation package	QuietPower6	QuietPower6	QuietPower6
Tub insulation	Thinstall™ with heat-bonded bitumen	Thinstall with heat-bonded bitumen	Thinstall with heat-bonded bitumen
Door insulation	With bitumen	With bitumen	With bitumen
QuietPower™ motor	●	●	●
ActiveVent system	Concealed w/fan-assist dry	Concealed w/fan-assist dry	Concealed w/fan-assist dry
Tub collar trim	●	●	●
Electronic control system	●	●	●
Quiet water valve	●	●	●
<b>Appearance</b>			
Colors available***	SS, WW, CC, BB	Panel required	SS, WW, CC, BB
<b>Weights and Dimensions</b>			
Height w/legs retracted (in.)	34	34	34
Height w/legs removed (in.)	33-13/16	33-13/16	33-13/16
Overall width (in.)	24	24	24
Overall depth (in.)	24-3/4††	24††	24-3/4††
Approx. shipping weight (lbs.)	105	105	105
<b>Accessories</b>			
Requires kit for 1/4" panel capability with trim	N/A	N/A	N/A
Requires kit for trimless 3/4" panel capability	N/A	Panel ready‡	N/A

\*Sensor controlled.

\*\*Certified by National Sanitation Foundation.

\*\*\*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

†For best results, use shower nozzle attachment when upper rack is removed.

††Add 1/2" for deepest part of contour door. Allow an additional 2 inches for the handle.

†††Add 3/4" for custom panel and additional room for custom handle.

‡The most common panel dimensions are 30-1/4"H x 23-3/4"W. See template Pub. No. 5-X063 supplied with dishwasher for details on other custom sizes.

# GE Profile stainless interior dishwashers

	GE Profile			
	ENERGY STAR PDW8880JSS PDW8800JWW PDW8800JCC PDW8800JBB	ENERGY STAR PDW8700JWW PDW8700JCC PDW8700JBB	ENERGY STAR PDW8480JSS PDW8400JWW PDW8400JCC PDW8400JBB	ENERGY STAR PDW8280JSS PDW8200JWW PDW8200JCC PDW8200JBB
<b>Features</b>				
Tube and door liner	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Giant tub	●	●	●	●
Front appearance	Contour door	Flat door	Contour door	Contour door
Upscale flush design	●	●	●	●
Full-length door design	One-piece color wrap	●	One-piece color wrap	One-piece color wrap
Wash system	Towerless	Towerless	Towerless	Towerless
Wash arms	3 direct-feed	3 direct-feed	3 direct-feed	3 direct-feed
Wash levels	6	6	6	6
Water filtration	100% triple with ExtraFine filter	100% triple with ExtraFine filter	100% triple with ExtraFine filter	100% triple with ExtraFine filter
Dual pumps and motors	●	●	●	●
Hard food disposer	Piranha	Piranha	Piranha	Piranha
Sensor	CleanSensor	CleanSensor	CleanSensor	CleanSensor
Automatic temperature control	●	●	●	●
Calrod heater	Multi-wattage	Multi-wattage	Multi-wattage	Multi-wattage
Rinse aid dispenser	w/Indicator & adjustment	w/Indicator & adjustment	w/Indicator & adjustment	w/Indicator & adjustment
Electronic controls	Light-touch	Light-touch	Light-touch	Light-touch
Cycle progress indicators	Countdown display with 6 status lights	Countdown display with 6 status lights	Countdown display with 6 status lights	1 "Clean" light, 1 "Sanitized" light
Touchpads	12	12	11	9
Selections/Enhancements	Variable*	Variable*	Variable*	Variable*
Last cycle memory	●	●	●	●
Selections				
Anti-bacterial (NSF**)	●	●	●	●
Cookware	●	●	●	●
Normal Wash	●	●	●	●
China/Crystal	●	●	●	●
Glasses Cycle	●	●	●	●
Plastics Cycle	●	●	●	●
SpeedCycle (wash & dry)	●	●	●	●
Rinse Only	●	●	●	●
Enhancements				
Delay Start	1-24-hour	1-24-hour	1-9-hour	2/4/8-hour
Hi-Temp Wash	Added heat	Added heat	Added heat	Added heat
Hi-Temp Rinse	Auto w/added heat	Auto w/added heat	Auto w/added heat	Auto w/added heat
PreWash	●	●	●	●
Heated Dry	●	●	●	●
HotStart	Automatic	Automatic	Automatic	Automatic
Child lock	●	●	●	●
Racking				
Maximum capacity nylon racking	Pearlescent	Pearlescent	Pearlescent	Color-matched
Adjustable upper rack with CleanTip tines	4-position	4-position	4-position	
Removable upper rack†	Nylon deep-tiered	Nylon deep-tiered	Nylon deep-tiered	Nylon deep-tiered
Upper rack handle	●	●		
Fold-down tine flexibility	4 sets w/2 multi-position, upper; 100% and adaptable bowl tines, lower	4 sets w/2 multi-position upper; 100% and adaptable bowl tines, lower	2 sets w/1 multi-position, upper; 2 lower	2 lower
Utility shelves	3 Pearlescent metal StemSafe upper	3 Pearlescent metal StemSafe upper	2 w/StemSafe upper	2 upper
Silverware basket	Maximum capacity 3-pc. with ExtraBasket	Maximum capacity 3-pc. with ExtraBasket	Maximum capacity 3-pc.	1-pc. Super capacity
Cutlery tray	●	●		
Hard countertop installation	Included	Included	Included	Included
Latch	Squeeze	Squeeze	Squeeze	Squeeze
<b>Quiet</b>				
Sound insulation package	QuietPower5	QuietPower5	QuietPower5	QuietPower5
Tube insulation	Thinstall with heat-bonded bitumen	Thinstall with heat-bonded bitumen	Thinstall with heat-bonded bitumen	Thinstall with heat-bonded bitumen
Door insulation	With bitumen	With bitumen	With bitumen	With bitumen
QuietPower motor	●	●	●	●
ActiveVent system	●	●	●	●
Tub collar trim	●	●	●	●
Electronic control system	●	●	●	●
Quiet water valve	●	●	●	●
<b>Appearance</b>				
Colors available***	SS, WW, CC, BB	WW, CC, BB	SS, WW, CC, BB	SS, WW, CC, BB
<b>Weights &amp; Dimensions</b>				
Height w/legs retracted (in.)	34	34	34	34
Height w/legs removed (in.)	33-13/16	33-13/16	33-13/16	33-13/16
Overall width (in.)	24	24	24	24
Overall depth (in.)	24-3/4††	24-3/4	24-3/4††	24-3/4††
Approx. shipping weight (lbs.)	105	105	105	105
<b>Accessories</b>				
Requires kit for 1/4" panel capability w/trim	N/A	GPF825W/C/B	N/A	N/A
Requires kit for trimless 3/4" panel capability	N/A	GPF875W/C/B	N/A	N/A

\*Sensor controlled.  
 \*\*Certified by National Sanitation Foundation.  
 \*\*\*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.  
 †For best results, use shower nozzle attachment when upper rack is removed.  
 ††Add 1/2" for deepest part of contour door.



# GE tall tub built-in dishwashers

GE	ENERGY STAR	ENERGY STAR	ENERGY STAR	ENERGY STAR
	GLD5860LSS GLD5850LCS GLD5800LWW GLD5800LCC GLD5800LBB	GLD5560LSS GLD5500LWW GLD5500LCC GLD5500LBB	GLD4360LSS GLD4300LWW GLD4300LCC GLD4300LBB	GLD4160LSS GLD4150LCS GLD4100LWW GLD4100LCC GLD4100LBB
<b>Features</b>				
Tub and door liner	PermaTuf	PermaTuf	PermaTuf	PermaTuf
Giant tub	●	●	●	●
Front appearance	Flat door	Flat door	Flat door	Flat door
Full-length door design	●	●	●	●
Wash system	Towerless	Towerless	Towerless	Towerless
Wash arms	3 direct-feed	3 direct-feed	2 direct-feed	2 direct-feed
Wash levels	6	6	4	4
Water filtration	100% triple w/ExtraFine™ filter	100% triple w/ExtraFine filter	100% triple w/ExtraFine filter	100% triple w/ExtraFine filter
Dual pumps and motors	●	●	●	●
Hard food disposer	Piranha	Piranha	Piranha	Piranha
Sensor	SaniSensor™	SaniSensor		
Calrod heater	Multi-wattage	Multi-wattage	Multi-wattage	Multi-wattage
Rinse aid dispenser	w/indicator and adjustment	w/indicator and adjustment	w/indicator and adjustment	●
Control type	Electronic	Electronic	Electronic	Electronic
Cycle progress indicators	1 "Clean" and 1 "Sanitized"	1 "Clean" and 1 "Sanitized"	1 "Clean"	1 "Clean"
Touchpads	11	10	9	9
Cycles/Options	6/4	5/4	4/4	4/4
Last cycle memory	●	●	●	●
<b>Cycles</b>				
SaniWash (NSF*)	●	●		
Pots & Pans	●	●	●	
Heavy Wash				●
Normal Wash	●	●	●	●
Light Wash	●			●
China/Crystal	●	●	●	
Rinse Only	●	●	●	●
<b>Options</b>				
Delay Start	2/4/8-hour	2/4/8-hour	2/4/8-hour	2/4-hour
Heated Dry	●	●	●	●
HotStart	●	●	●	●
Child lock	●	●	●	
<b>Racking</b>				
Racking	Super capacity	Super capacity	Deluxe capacity	Deluxe capacity
Upper rack	Super	Super	Deluxe	Deluxe
Lower rack	Super	Super	Deluxe	Deluxe
Utility shelves	2	2		
Silverware basket	Super capacity 1-pc. w/3 silver cell covers	Super capacity 1-pc. w/3 silver cell covers	Deluxe with silver cell cover	Deluxe with silver cell cover
Hard countertop installation	GPF65	GPF65	GPF65	GPF65
Low profile installation	●	●	●	●
Latch	Squeeze	Squeeze	Squeeze	Squeeze
<b>Quiet</b>				
Sound insulation package	QuietPower <sup>2</sup>	QuietPower <sup>2</sup>	QuietPower <sup>1</sup>	QuietPower <sup>1</sup>
Tub insulation	Full wrap blanket	Full wrap blanket	U-shaped blanket	U-shaped blanket
Door insulation	with mastic and insulation	with mastic and insulation	with mastic	with mastic
QuietPower motor	●	●	●	●
Electronic control system	●	●	●	●
<b>Appearance</b>				
Colors available**	SS, CS, WW, CC, BB	SS, WW, CC, BB	SS, WW, CC, BB	SS, CS, WW, CC, BB
<b>Weights &amp; Dimensions</b>				
Height w/legs retracted (in.)	34	34	34	34
Height w/legs removed (in.)	33-5/16	33-5/16	33-5/16	33-5/16
Overall width (in.)	24	24	24	24
Overall depth (in.)	25 max.	25 max.	25 max.	25 max.
Approx. shipping weight (lbs.)	90	90	90	90
<b>Accessories</b>				
1/4" panel kit	GPF525W/C/B	GPF525W/C/B	GPF525W/C/B	GPF525W/C/B
3/4" panel kit	GPF575	GPF575	GPF575	GPF575

All GE dishwashers are equipped with the following: 120°F inlet water capacity, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.

\*Certified by National Sanitation Foundation.

\*\*SS = Stainless steel, CS = CleanSteel™, WW = White on white, CC = Bisque on bisque, BB = Black on black.

## GE Nautilus™ built-in dishwashers

Features	GE®			
	ENERGY STAR® GSD3960LSS GSD3900LWW GSD3900LCC GSD3900LBB	GSD3460GSS GSD3400GWW GSD3400GCC GSD3400GBB	ENERGY STAR GSD2600GWW GSD2600GCC GSD2600GBB	GSD1000GWW
Wash system	PowerScrub™	PowerScrub	Standard	Standard
Wash levels	5	5	2	2
Water filtration	Dual	Dual		
Hard food disposer	Piranha™	Piranha	●	
Rinse aid dispenser	w/indicator	●		●
Control type	Electronic	TouchTap™	Turn-to-start	Turn-to-start
Cycle progress indicator(s)	1 "Clean"	1 "Cycle On"	Dial	Dial
Touchpads	11	7		
Pushbuttons			6	
Cycles/Options	5/4	6/4	5/3	4/2
Cycles				
Pots & Pans	●	●		
Heavy Wash			●	Dial
Normal Wash	●	●	●	Dial
Light Wash	●	●	Dial	
Short Wash		Dial		
Plate Warmer		Dial	Dial	Dial
Rinse Only	●	Dial	Dial	Dial
Options				
Delay Start	2/4/8-hour	1-6-hour		
Heated Dry	●	●	●	●
Hi-Temp Wash	●	●	●	
Hi-Temp Rinse	●			
HotStart™		●	Dial	Dial
Child lock	●			
Racking				
Upper rack	Deluxe Plus	Deluxe	Standard	Standard
Lower rack	Deluxe	Deluxe	Deluxe	Deluxe
Utility shelves	2			
Silverware basket	Deluxe	Deluxe	Deluxe	Deluxe
Hard countertop installation	GPF65	GPF65	GPF65	GPF65
Optional heavy door spring	GPF100	GPF100	GPF100	GPF100
Latch	●	●	●	●
Quiet				
Sound insulation package	QuietPower	QuietDesign™	QuietDesign	Standard
PermaTuf® tub and door liner	●	●	●	●
QuietPower™ motor	●	●	●	
Appearance				
Colors available*	SS, WW, CC, BB	SS, WW, CC, BB	WW, CC, BB	WW
Color panels—door & access	Trimless	Trimless	Trimless	Trimless
Weights & Dimensions				
Height w/legs retracted (in.)	34	34	34	34
Height w/legs removed (in.)	33-13/16	33-13/16	33-13/16	33-13/16
Overall width (in.)	24	24	24	24
Overall depth (in.)	25-3/4	25-3/4	25-3/4	25-3/4
Approx. shipping weight (lbs.)	80	80	80	100
Accessories				
Requires kit for 1/4" panel capability with trim	GPF425W/C/B	GPF425W/C/B	GPF325W/C/B	GPF325W
Requires kit for trimless 3/4" panel capability	GPF475	GPF475		

All GE dishwashers are equipped with the following: 120°F inlet water capacity, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.

\*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

## GE Nautilus convertible dishwashers

Features	GE	
	ENERGY STAR GSC3400JWW GSC3400JBB	ENERGY STAR GSC3200JWW GSC3200JBB
Wash system	PowerScrub	PowerScrub
Wash levels	5	2
Water filtration	Dual	Dual
Hard food disposer	Piranha	Piranha
Rinse aid dispenser	w/indicator	●
Cycles	7	5
Pots & Pans	●	●
Heavy Wash	●	
Normal Wash	●	●
China/Crystal	●	
Short Wash	Dial	Dial
Plate Warmer	Dial	Dial
Rinse Only	Dial	Dial
Options	4	3
Delay Start	1-6-hour	
Heated Dry	●	●
Energy Saver	●	
Hi-Temp Wash	●	●
HotStart	●	Dial
Racking (upper/lower)	Super/Deluxe	Super/Deluxe
Silverware basket	Deluxe split w/2 cell covers	Deluxe
Cycle progress indicator(s)	1 "Cycle On"	Dial
TouchTap controls	8	
Pushbuttons		6
Hard countertop installation	GPF65	GPF65
Center throw door latch	●	●
Quiet		
Sound insulation package	QuietDesign™	QuietDesign
PermaTuf tub and door liner	●	●
QuietPower motor	●	●
Sealed toe kick	●	●
Appearance		
Colors available*	WW, BB	WW, BB
Color panels—door & access	Trimless	Trimless
Decorative wood laminate top	Woodgrain	Woodgrain
Weights & Dimensions		
Overall height w/legs extended (in.)	36-3/8	36-3/8
Overall width (in.)	24-7/8	24-7/8
Overall depth (in.)	27	27
Approx. shipping weight (lbs.)	130	130
Accessories		
Requires kit for 1/4" panel capability with trim	GPF425W/B	GPF325W/B
Requires kit for trimless 3/4" panel capability	GPF475	

\*WW = White on white, BB = Black on black (with bisque side panels).

## GE Spacemaker® built-in 18" dishwasher

GE	
ENERGY STAR	
GSM1860JSS GSM1800JWW GSM1800JBB	
<b>Features</b>	
Tub and door liner	Stainless steel
Wash levels	2
Rinse aid dispenser	w/adjustment
Cycles	7
Pots & Pans	Dial
Heavy Wash	Dial
Normal Wash	Dial
Light Wash	Dial
China/Crystal	Dial
Plate Warmer	Dial
Rinse Only	Dial
Options	1
Heated Dry	Rocker
Racking (upper/lower)	Nylon
Removable upper rack	●
Utility shelves	●
Silverware basket	Standard
Control type	Turn-to-start
Cycle progress indicator(s)	Dial
Hard countertop installation	N/A
120°F inlet water capability	●
Leveling screws	●
<b>Quiet</b>	
Tub insulation	Standard
<b>Appearance</b>	
Colors available*	SS, WW, BB
<b>Weights &amp; Dimensions</b>	
Height w/legs retracted (in.)	32-1/2
Overall width (in.)	18
Overall depth (in.)	22-1/2
Approx. shipping weight (lbs.)	100
<b>Accessories</b>	
Requires kit for 1/4" panel capability with trim	GPF18B

\*SS = Stainless steel, WW = White on white, BB = Black on black.

## GE Spacemaker under-the-sink dishwashers

GE	
ENERGY STAR	
GSM2100GWW GSM2100GCC GSM2100GBB	
<b>Features</b>	
Wash levels	2
Food disposer	●
Cycles	5
Pots & Pans	●
Normal Wash	●
Short Wash	Dial
Plate Warmer	Dial
Rinse Only	Dial
Options	2
Heated Dry	●
HotStart™	Dial
Racking, shelf & basket	●
Upper rack	Spacemaker
Lower rack	Deluxe
Silverware basket	Deluxe
Control type	Turn-to-start
Cycle progress indicator	Dial
Pushbuttons	4
Hard countertop installation	GPF65
Optional heavy door spring	GPF100
Rinse aid dispenser	●
Steel door	●
Center throw door latch	●
<b>Quiet</b>	
PermaTuf tub and door liner	●
QuietPower motor	●
<b>Appearance</b>	
Colors available*	WW, CC, BB
Color panels—door & access	Trimless
<b>Weights &amp; Dimensions</b>	
Height w/legs retracted (in.)	34
Overall width (in.)	24
Overall depth (in.)	25-3/4
Approx. shipping weight (lbs.)	72
<b>Accessories</b>	
Requires kit for 1/4" panel capability with trim	GPF325W/C/B

\*WW = White on white, CC = Bisque on bisque, BB = Black on black.

**Note:** Under-the-sink dishwashers can be installed under GE cooktop models JP201C and JP202D. Refer to cooktop installation instructions.

# GE Disposall®—food waste disposer

Features	GE® continuous feed								Batch feed
	GFC1020F	GFC720F	GFC530F	GFC535F	GFC520F	GFC525F	GFC320F	GFC325F	GFB760F
Motor horsepower	1	3/4	1/2	1/2	1/2	1/2	1/3	1/3	3/4
Control method	Wall switch	Stopper							
Feed type	Continuous	Batch							
Power connection	Direct wire	Direct wire	Direct wire	Line cord	Direct wire	Line cord	Direct wire	Line cord	Direct wire
Impellers									
Dual-swivel	●	●	●	●	●	●	●	●	●
Jam resistant	●	●	●	●	●	●	●	●	●
Stainless steel	●	●	●	●	●	●	●	●	●
Armature shaft material	Cold-rolled carbon steel								
Grinding speed (RPMs)	2,800	2,700	2,600	2,600	2,600	2,600	1,900	1,900	2,700
Capacity	Super	Super	Extra-large	Extra-large	Large	Large	Large	Large	Super
Mounting type	EZ-Mount								
Turntable material	Stainless	Stainless	Stainless	Stainless	Galv. steel	Galv. steel	Galv. steel	Galv. steel	Stainless
Two-level precutler	●	●	●	●	●	●	●	●	●
Stainless steel sink flange	●	●	●	●	●	●	●	●	●
Manual reset overload protector	●	●	●	●	●	●	●	●	●
Splash guard	●	●	●	●	●	●	●	●	●
Sink stopper	●	●	●	●	●	●	●	●	●
Dishwasher drain connector	●	●	●	●	●	●	●	●	●
Drain elbow	●	●	●	●	●	●	●	●	●
<b>Quiet</b>									
Sound insulation package	QuietPower™ <sup>3</sup>	QuietPower <sup>2</sup>	QuietPower <sup>1</sup>	QuietPower <sup>1</sup>	Standard	Standard	Standard	Standard	QuietPower <sup>2</sup>
<b>Weights &amp; Dimensions</b>									
Approx. shipping weight (lbs.)	14.9	12.45	9.6	9.9	8.8	9.1	8.4	8.7	13.75
Net weight (lbs.)	13.2	10.7	8.05	8.35	7.8	8.1	7.4	7.7	11
Dishwasher inlet diameter (in.)	1	1	1	1	1	1	1	1	1
Drain outlet diameter (in.)	1-1/2	1-1/2	1-1/2	1-1/2	1-1/2	1-1/2	1-1/2	1-1/2	1-1/2
<b>Power Ratings</b>									
Volts, Hertz, Amps	120; 60; 7.0	120; 60; 6.0	120; 60; 4.5	120; 60; 4.5	120; 60; 4.5	120; 60; 4.5	120; 60; 4.0	120; 60; 4.0	120; 60; 6.0
<b>Warranty*</b>									
One-year full replacement							●	●	
One-year full replacement plus One-year limited replacement					●	●			
One-year full replacement plus Two-year limited replacement			●	●					
One-year full replacement plus Four-year limited replacement		●							●
One-year full replacement plus Six-year limited replacement	●								

\*See written warranty for details.


## Built-in compactors

Features	GE Profile™
	GCG1540FSS GCG1530FWW GCG1550FCC GCG1520FBB
Cycle time	27 seconds max., 14 seconds min.
Drive system	2-Point
Motor horsepower	1/3
Compression ratio (average)	75% reduction of volume
Ram force (lb.) (max.)	2,300
Front level legs and rear wheels	●
Capacity	1.4 cu. ft.
Side release bin	●
Toe/foot pedal drawer opener	●
Lock/start control w/removable key	●
Automatic anti-jam	●
Slide-out drawer	●
<b>Appearance</b>	
Color appearance*	SS, WW, CC, BB
Color-matched	●
Heavy-gauge steel construction	●
1/4" panel capability	●
<b>Weights &amp; Dimensions</b>	
Total shipping weight (lbs.)	152
Total appliance weight (lbs.)	141
Overall height (in.)	34-1/8 to 34-1/2
Overall width (in.)	15
Overall depth (in.)	24-1/4
Cutout dimensions H x W x D (in.)	34-1/4 x 15-1/8 x 24-3/4
Clearance for drop-down drawer side	6" or more on right side
Drawer extension for removal	23" or more in front of appliance
Custom panel size H x W (in.)	23-15/16 x 14-5/8
<b>Accessories</b>	
Compactor bags (5 included)	WC60X5017
<b>Warranty</b>	
Full one-year warranty**	●

\* SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

\*\*See written warranty for details.

# Dishwasher nomenclature





### Stylish appearance

A **full-length door**, **easy-to-read, angled control panel**, and bright white racks with **silver touchpoints** create a modern look.



### High performance

New **BrilliantClean™ towerless wash system** with **CleanSensor™** directs water where it belongs—on the dishes. With BrilliantClean, nothing gets in the way of cleaning.



### Convenient flexibility

A **giant tub** with maximum capacity **Duron™ racks**, **three-digit countdown display**, and **SpeedCycle™** make this dishwasher flexible even when you can't be!



### A century of quality and innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.