


## GE Profile<sup>™</sup> and GE<sup>®</sup> Advantium<sup>®</sup> and Spacemaker<sup>®</sup> Ovens

Bold appearance. Powerful technology. Exceptional results.





#### What's new for 2004.

GE Spacemaker® ovens make a stunning debut in stainless steel.



#### JVM2050



- New stainless-finish model makes a bold, kitchen-enhancing statement with stainless-finish door, handle, grille and control panel
- Available July 2004



#### JVM1640



- New stainless-finish model features a sleekly styled stainless-finish door and control panel
- Also introducing new bisque on bisque model
- Available May 2004

### Dramatic new appearance, same great performance

- All-new stainless steel models expand GE's already extensive line of stainless over-the-range ovens, making it GE's most comprehensive offering ever!
- GE Spacemaker ovens offer a stainless steel model for every homeowner
  - -Good: JVM1640 offers a stainless-finish door and control panel
  - -Better: JVM1650 adds a stainless tubular handle
  - **-Best:** JVM2050 completes the stainless step-up with a stainless steel vent grille and stainless wrapped door and control panel
- Stainless steel appearance is now available on virtually all models from JVM1440 to Advantium® wall ovens

## Stylish stainless steel line-up.

GE Profile Advantium® and Spacemaker® ovens offer the ultimate in cooking style.

## **Speedcook Ovens**



#### SCA2001FSS

- Stainless sculptured handle
- Stainless door and control panel



#### SCA1001SH JVM1490SH

- Stainless sculptured handle
- Stainless door and control panel
- New control panel graphics
- Stainless vent grille



JVM1490SH



SCA2001FSS shown with JS968SFSS



SCA1001SH shown with JBP968SHSS

## **Profile Spacemaker Microwave Ovens**



#### **JVM2070SH**

- Stainless sculptured handle
- Stainless wrap door and control panel
- Full-length stainless hidden vent



#### JVM1870SF/JVM1871SH\*

- Stainless sculptured handle
- Stainless door and control panel
- Stainless hidden vent



JVM2070SH shown with JGB915SEFSS



JVM1870SF shown with J2B915SEHSS

## New stainless steel line-up.

GE Profile™ and GE Spacemaker® ovens make a striking statement in any kitchen.

## GE Profile 36" Spacemaker Oven



#### **JVM3670SF**

- Full 36"-width stainless appearance
- Stainless sculptured handle
- Stainless door an control panel
- Stainless hidden vent



JVM3670SF shown with JGP963SECSS

## **GE Spacemaker Ovens**



## JVM2050SJ New! JVM1850SH/JVM1851SH\*

- Stainless tubular handle
- Stainless wrap door and control panel
- Stainless steel vent grille



JVM2050SJ shown with JBP84SHSS



### **JVM1650SH**

- Stainless tubular handle
- Stainless door and control panel
- New control panel graphics



JVM1640SJ New! JVM1440SH/JVM1441SH\*

- Stainless door and control panel
- New control panel graphics



JVM1650SH shown with JGBP85SHSS



JVM1640SJ shown with JBP66SHSS



## Spend less time preparing meals.

GE Profile Advantium® 120 oven delivers oven-quality food, fast!



#### **Consumers love Advantium!**

- Approximately 80% of Advantium oven owners are either very satisfied or extremely satisfied with their oven.
- Owners indicated that they use their conventional oven less since buying an Advantium oven.
- Advantium oven buyers reported spending less time preparing meals since their purchase.
- Advantium ovens are used more than 3 times a day.
- Many owners said they prepare foods like chicken, potatoes and steak more often now, compared to before they started cooking with Advantium.

Source: Stevenson Company Survey, October 2002



#### Four ovens in one!

- **Speedcook oven** delivers oven-quality food up to four times faster than a traditional oven.
- **Traditional oven** mode bakes food at a set temperature between 250° and 450°, just like your everyday oven.
- Microwave oven uses sensor-cooking controls to ensure consistent results every time.
- Warming oven keeps prepared foods warm and fresh, with just the right amount of moistness or crispness.




## Amazingly fast and convenient speedcook technology

- Award-winning technology combines power from upper and lower halogen lamps to deliver fast, flavorful results—with no preheating.
- Bright, durable stainless steel interior reflects heat to increase cooking speed and ensure even results.
- More than 100 dishes are preprogrammed into the oven for quick, one-touch cooking convenience
- Conversion guide allows you to easily create your own Speedcook recipes and save it for easy future access.
- Create and store 30 custom recipes of your own.

## Dare to compare—GE Profile Advantium® 120 oven

GE Profile Advantium 120 Speedcook oven compared to Whirlpool® G2 top-browning ovens.\*

### Advantium 120 Speedcook Technology



**Lower Halogen Lamps** 

- Speedcook technology cooks oven-quality foods up to four times faster than a conventional oven.
- Upper and lower halogen lamps produce heat instantaneously, eliminating the need for preheating.
- Durable, easy-to-clean stainless steel interior reflects heat to ensure fast, even results.
- Upper and lower lamps maximize cooking capacity and flexibility by cooking both sides at once.

## Competitors' Top-Browning System



- Heat is supplied mainly from the top of the oven, and preheating is required on most recipes.
- Coated interior does not reflect microwaves as easily as a stainless steel interior.
- Microwave energy is primary source of speed and halogen/ceramic lamps are used to brown.
- Top-browning system limits capacity and flexibility by only allowing you to cook one side at a time and requires special tools.

Competitive comparison						
	1/2" Ribeye	1" Tuna Steak	Bone-In Chicken	2 Pork Chops		
GE Profile—SCA1000/1	11 min.	12 min.	14 min.	14 min.		
Whirlpool—GH9177XL	18 min.	15 min.	23 min.	19 min.		

### **Advantium 120 Cooking Flexibility**



- Advantium 120 combines four versatile ovens in one!
  - **-Speedcook** technology allows you to cook a rib-eye steak to juicy, delicious perfection—in as little as 11 minutes!
  - **-Traditional oven** mode bakes food at a temperature between 250° and 450°, just like your everyday oven.
  - -Microwave oven uses sensor-cooking controls to ensure consistent results every time.
  - **-Warming oven** keeps prepared foods warm and fresh until serving.
- Food is heated from top and bottom allowing you to cook more than one steak at a time.
- Simply turn food to sear both sides of food while grilling.

#### Competitor's Flexibility



- Cooking modes are preprogrammed according to food type, so you don't have the option of selecting or changing modes.
- Grilling requires that food be raised on a tall rack, so you can top-brown **only one 1/2" steak at a time.**
- Grill assembly must be removed to turn food and requires use of special tools.

## **Competitive comparison**

	Maximum Number of Filets	Maximum Thickness of Filets	Total Cook Time of 4 Filets	Dinner Rolls
GE Profile—SCA1000/1	4	1-1/2"	26 min.	No preheating
				Requires 3 min.
Whirlpool—GH9177XL	1	1/2"	72 min.	preheat

## Dare to Compare—GE Profile Advantium® 120 Oven

GE Profile Advantium 120 Speedcook oven compared to Whirlpool® G2 top-browning ovens.\*

#### Advantium 120 Ease of use



- Speedcook does not require preheating
- Straightforward controls, LED readout and preprogrammed menu settings simplify the speedcooking process.
  - -More than 100 preprogrammed recipe settings are offered for quick, one-touch recall.
  - –LED readout makes oven program information clearly visible and coordinates with other GE Profile™ appliances.
- Thermal/voltage compensation automatically adjusts cooking time according to oven temperatures and voltage levels, ensuring consistent results.

### Competitors' usability



- Most speedcook functions require preheating, which adds time to the cooking process.
- Menu-driven touchscreen is complicated, requiring multiple steps for oven programming and activation.
- Display is difficult to read from a distance and at angles.
- No thermal/voltage compensation, so foods are often over- or undercooked when preprogrammed settings are used, resulting in inconsistent results.

## Competitive comparison

	# Recipes	Preheat	Voltage Compensation	Thermal Compensation
GE Profile—SCA1000/1	More than 100	No	Yes	Yes
Whirlpool—GH9177XL	43	Yes	No	No

#### Show and tell.


GE Profile Advantium 120 Speedcook oven.

## Advantium 120 Speedcook capability

■ **Show** your customers how the easy-to-use controls and LED readout guides you through the Speedcooking process.



- **Tell** your customers how easy the system is to use.
  - -Select Speedcook
  - -Select food Type MEATS
  - -Select Type of meat Filet Mignon
  - -Select Quantity 3-4 filets
  - -Select Size 1-1/2" THICK
  - -Turn at 14 minutes to sear opposite side of steak
  - -Total cook time for four 1-1/2" steaks is 26 minutes



- **Explain** how the Whirlpool® G2 controls are more time-consuming and offer fewer cooking options.
  - -Program grill
  - -Program up to ONE 1/2" thick steak
  - -Place steak on grill rack
  - -Place grill rack on sizzle pan
  - -Insert the three piece assembly carefully into the oven
  - -At the appointed time, remove assembly
  - -Turn steak
  - -Replace the assembly in the oven
  - -Repeat 3 times for four 1/2" steaks
  - -Total cook time for four 1/2" steaks is 72 minutes.

For added impact, use steaks to demonstrate the speed and versatility of the GE Profile Advantium 120 oven.



## Bold appearance. Powerful technology. Exceptional results.

GE Profile™ and GE Spacemaker® 2.0 microwave ovens—Reinventing the original.



## Innovative technology makes microwave cooking more convenient than ever.

- **Dual-distribution cooking system** features 1100 watts, a rotating turntable, along with a top and second side stirrer.
- **EasyGuide™ menu system** automatically guides users through each step of the selection process.
- New convenience features allow users to quickly soften or melt foods like butter, ice cream, chocolate and cheese.
- 1-lb. Quick Defrost evenly defrosts meat, poultry or fish in a fraction of the usual time, without precooking or turning the food.



## Clean lines and bold curves offer a dramatic, kitchen-enhancing look.

- The surface is curved and beveled for a truly dramatic look, and the **hidden vent** offers added distinction.
- The LCD-illuminated menu vanishes when it's not in use, maintaining the overall clean appearance of the oven.
- Sculptured handle and arced window frame **coordinate with other GE Profile appliances** for an overall harmonious effect.



## The GE Profile and GE Spacemaker 2.0 offer the industry's largest usable capacity.\*

- The 14-1/4" recessed turntable is the largest in the industry.\*
- Two oven racks make it possible to heat up to six dinner plates or three 9" x 13" casserole dishes at once, with consistent results.
- GE's exclusive cooking system delivers **exceptional reheating** and **defrosting** of food.

<sup>\*</sup>Among over-the-range microwave ovens.



### Powerful venting system quickly clears the air.

- Offers three quiet speeds, plus a high-powered boost option.
- Exhausts air at a rate of 315 cubic feet per minute (CFM) to help keep the kitchen free of smoke, odors and fumes.

#### GE Profile Advantium® Wall Ovens

	GE Profile™
	SCB2001FSS
	SCB2000FWW
	SCB2000FCC
	SCB2000FBB
Features	0022000.22
Stainless steel oven interior	•
Family-size oven	
Oven controls	
Electronic scrolling display	•
Over 100 preprogrammed	_ •
menu items	•
Repeat last	•
Help pad	•
Demo mode	•
Interior oven light	•
Beeper sound level control	•
Variable scroll speed	•
Custom recipe saver	•
Cooking complete reminder	•
Child lockout	•
Frameless glass oven door w/window	•
Microwave oven features	
Sensor	•
Defrost - Auto/Time	•
Microwave power output watts	950
Appearance	
	Stainless steel
	White on white Bisque on bisque
Color appearance	Black on black
New Profile sculptured handle	Black of black
Weights & Dimensions	
Overall oven interior	
dimensions (in inches)	
Height	8-13/32
Width	18-29/32
Depth	13-19/32
Overall dimensions (in inches)	
Exterior height	21-7/8
Exterior width	29-25/32
Exterior depth (not including handle)	15-27/32
Oven cabinet width required (in inches)	30
Cutout height	21
Cutout width	28-1/2
Cutout depth	19
Approx. shipping weight (lbs.)	101
Power/Ratings	
Amps @ 240V/208V	30
· · · · · · · · · · · · · · · · · · ·	
Accessories	
	•
Accessories Cookbook Cooking guide	•
Accessories Cookbook Cooking guide Grill tray	
Accessories Cookbook Cooking guide Grill tray Cooking tray	•
Accessories Cookbook Cooking guide Grill tray	•
Accessories Cookbook Cooking guide Grill tray Cooking tray	SC20BB—Black
Accessories Cookbook Cooking guide Grill tray Cooking tray	SC20BB—Black SC20WW—White
Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray	SC20BB—Black SC20WW—White SC20CC—Bisque
Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray  Trim kits (optional)	SC20BB—Black SC20WW—White
Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray  Trim kits (optional)  Warranty	SC20BB—Black SC20WW—White SC20CC—Bisque SC20BB—Black
Accessories  Cookbook Cooking guide Grill tray Cooking tray White ceramic tray  Trim kits (optional)  Warranty  Full one-year in-home warranty*	SC20BB—Black SC20WW—White SC20CC—Bisque SC20BB—Black
Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray  Trim kits (optional)  Warranty	SC20BB—Black SC20WW—White SC20CC—Bisque SC20BB—Black

#### GE Profile Advantium Above-the-Cooktop Ovens

•	
	GE Profile
	1 1
	SCA2001FSS
	SCA2000FWW
	SCA2000FCC
	SCA2000FBB
Features	
Stainless steel oven interior	•
Family-size oven	•
Oven controls	
Electronic scrolling display	
Over 100 preprogrammed	<u> </u>
menu items	
Repeat last	•
Help pad	•
Demo mode	<u> </u>
Interior oven light	•
Beeper sound level control	•
Variable scroll speed	•
-	
Custom recipe saver	•
Cooking complete reminder	•
Child lockout	•
Two-speed high-capacity exhaust fan	•
Full-view cooktop lighting	•
Programmable night light	•
Frameless glass oven door w/window	•
Microwave oven features	
Sensor	•
Defrost - Auto/Time	•
Microwave power output watts	950
Appearance	
The second secon	Stainless steel
	White on white
	Bisque on bisque
Color appearance	Black on black
New Profile sculptured handle	•
Weights & Dimensions	
Overall oven interior	
dimensions (in inches)	
Height	8-13/32
Width	
· · · · · · · · · · · · · · · · · · ·	18-29/32
Denth	18-29/32 13-19/32
Overall dimensions (in inches)	18-29/32 13-19/32
Overall dimensions (in inches)	13-19/32
Overall dimensions (in inches)  Exterior height (front)	13-19/32 15-19/32
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)	13-19/32 15-19/32 16-3/32
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)  Exterior width	13-19/32 15-19/32 16-3/32 29-7/8
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle)	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.)	13-19/32 15-19/32 16-3/32 29-7/8
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)  Exterior width  Exterior depth (not including handle)  Approx. shipping weight (lbs.)  Power/Ratings	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.)	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)  Exterior width  Exterior depth (not including handle)  Approx. shipping weight (lbs.)  Power/Ratings	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)  Exterior width  Exterior depth (not including handle)  Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches)  Exterior height (front) Exterior height (rear) Exterior width  Exterior depth (not including handle) Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories Cookbook	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)  Exterior width  Exterior depth (not including handle)  Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories  Cookbook  Cooking guide  Grill tray  Cooking tray	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches)  Exterior height (front) Exterior height (rear) Exterior width  Exterior depth (not including handle) Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories Cookbook Cooking guide Grill tray Cooking tray  White ceramic tray	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
Overall dimensions (in inches)  Exterior height (front) Exterior height (rear) Exterior width  Exterior depth (not including handle) Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories Cookbook Cooking guide Grill tray Cooking tray  White ceramic tray	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
Overall dimensions (in inches)  Exterior height (front)  Exterior height (rear)  Exterior width  Exterior depth (not including handle)  Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories  Cookbook  Cooking guide  Grill tray  Cooking tray  White ceramic tray  Recirculating charcoal filter kit (optional)  Filter panel kits (optional)	13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
Overall dimensions (in inches)  Exterior height (front) Exterior height (rear) Exterior width  Exterior depth (not including handle) Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional)  Filter panel kits (optional)	13-19/32  15-19/32  16-3/32  29-7/8  14-13/16  101  30   JX81A  JX40WH—White/ JX41—Black
Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional) Filter panel kits (optional) Warranty Full one-year in-home warranty*	13-19/32  15-19/32  16-3/32  29-7/8  14-13/16  101  30   JX81A  JX40WH—White/ JX41—Black
Overall dimensions (in inches)  Exterior height (front) Exterior height (rear) Exterior width  Exterior depth (not including handle) Approx. shipping weight (lbs.)  Power/Ratings  Amps @ 240V/208V  Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional)  Filter panel kits (optional)	13-19/32  15-19/32  16-3/32  29-7/8  14-13/16  101  30   JX81A  JX40WH—White/ JX41—Black

<sup>\*</sup>See written warranty for details.

#### GE Profile Advantium 120 Above-the-Cooktop Ovens

	GE Profile
	SCA1001HSS
	SCA1000HWW
	SCA1000HCC
	SCA1000HBB
eatures	
Stainless steel oven interior	•
Family-size oven	•
Cooking modes	_
Speedcook	•
Traditional oven	•
Microwave oven	•
Warming	•
E-Z installation	•
Oven controls	
Electronic scrolling display	1 .
Over 100 preprogrammed	†
menu items	
Repeat last	•
Help pad	•
Demo mode	•
	<del></del>
Interior oven light	•
Beeper sound level control	•
Variable scroll speed	•
Custom recipe saver	•
Cooking complete reminder	•
Child lockout	•
Two-speed high-capacity exhaust fan	•
Intake air/grease filter	•
Full-view cooktop lighting	•
Programmable night light	•
Frameless glass oven door w/window	•
Microwave oven features	
Sensor	1
Defrost - Auto/Time	<u> </u>
	900
Microwave power output watts	300
ppearance	0.11
	Stainless steel
	White on white Bisque on bisque
Color appearance	Black on black
	DIACK OII DIACK
leights & Dimensions	
Overall oven interior	
dimensions (in inches)	_
Height	8-7/32
Width	21-3/32
Depth	14-3/32
Overall dimensions (in inches)	
Exterior height (front)	15-21/32
Exterior height (rear)	16-19/32
Exterior width	29-7/8
Exterior depth (not including handle	
Approx. shipping weight (lbs.)	95
ower/Ratings	30
	100/00
Input volt/hertz	120/60
Input amps/watts (max)	15/1800
ccessories	
Cookbook	•
Cooking guide	•
Cooking tray	•
Recirculating charcoal	<del>                                     </del>
filter kit (optional)	JX81A
into Ait (optional)	JX40WH—White/
Filter panel kits (optional)	JX40WH-Wille/ JX41-Black
	UNTI-DIAUN
/arranty	
Full one-year in-home warranty*	•
	1 -
Full three-year lamp warranty* Limited ten-year magnetron warranty	•

<sup>\*</sup>See written warranty for details.

## GE Profile Spacemaker® Convection/Microwave Ovens

#### **GE Profile** JVM1490WH <u>JVM1490CH</u> JVM1490BH JVM1490SH Capacity Oven cavity (cu. ft.) 1.4 1.4 Features Watts (IEC-705 Test Procedure) 900 900 Membrane/Dial Controls Membrane/Dial SmartControl system w/interactive display Electronic scrolling digital display w/clock and AM/PM 2-Line 2-Line Variable scroll speed • • Help pad • • Concurrent programming • • Display On/Off • Bilingual display (English/Spanish) Cavity lighting Halogen Halogen Cooktop lighting Halogen Halogen Chicken, Chicken, Sensor controls Fish, Potato Fish, Potato Cook Beverage Popcorn • • Reheat Vegetables (canned/fresh/frozen) Convection controls Convection bake • Fast Bake • • Express Cook (1-6 minutes) • • Instant On controls • • Time Cook 181 1 & 11 Add 30 seconds Temp cook Auto/Time defrost •/• •/• Fast defrost Power levels 10 10 Programmable night light • • Timer On/Off • • Variable beeper volume control • • Cooking complete reminder Child lockout Two-speed venting Appearance White on white Bisque on bisque Color appearance Stainless steel Black on black White **Bisque** Case color Black Black Designer-style handle Weights & Dimensions WxHxD 21-3/32 x 8-7/32 x 14-3/32 (in inches) Exterior 29-7/8 x 16-13/32 (rear) x 15-3/8 Approx. shipping weight (lbs.) 98 98 Power/Ratings 2450 Frequency (MHz) 1800 1800 Watts Electrical input @ 120V 15 15 Accessories Convection rack Cooking guide • Cookbook Recirculating charcoal filter kit (optional) JX18A JX18A Filler panel kit (optional) JX46BL JX46BL/WH Warranty Full one-year in home warranty\* • Limited nine-year magnetron warranty\* (10 years total)

#### GE Profile Convection/ Microwave Wall Ovens

		GE Profile		
		JEB1095\$B	<u>JEB1095WB</u> <u>JEB1095CB</u> JEB1095BB	
Capacity		OED 10000D	025100055	
Oven cavity (cu. ft	.)	1.0	1.0	
	)	1.0	1.0	
Features	at Dua sa duus)	000	000	
Watts (IEC-705 Te Electronic touch c		800	800	
Electronic touch c		•	•	
Sensor controls	lispiay w/ciock	•	•	
Beverage				
Cook		•	•	
Popcorn		•	•	
Reheat		•	•	
Convection cook		•		
Combination cook		•		
Combination roas		•	•	
Express Cook	(probb)	•	•	
Instant On control	s	•	•	
Time Cook	0	1811	1811	
Add 30 seconds		•	Ι α ΙΙ	
Temp cook/Hold (	probe)	•	•	
Auto defrost	p /	•	•	
Time defrost		•	•	
Power levels		10	10	
Delay/Start remino	der	•	•	
Minute pad		•	•	
Program cooking		5-Stage	5-Stage	
Kitchen timer		99-M./99-S. Digital	99-M./99-S. Digital	
Variable beeper vo	lume	•	•	
Cooking complete	reminder	•	•	
Appearance				
Color appearance	*	SS	WW/CC/BB	
Case color		Black	White/Bisque/Black	
Designer-style har	ndle	•	•	
Weights & Dimer				
weights & Diffici	Cavity	18 v 8-3/1	6x11-1/2	
WxHxD (in inches			5/8x16-3/8	
Approx. shipping		84	84	
Power/Ratings		ű.	Ů.	
2450 Frequency (I	MH2)	•	•	
Electrical input	Watts	1450	1450	
@ 120V	Amperage	13.0	13.0	
Accessories	Amporago	10.0	10.0	
Deluxe cookbook				
Wire oven rack		•	•	
Broil pan		•	•	
30" trim kit (includ	lad)	•	•	
,	icu)	-		
Warranty				
Full one-year in-ho		•	•	
Limited nine-year warranty** (10 ye				
wairaniy (10 ye	ais iulai)	•	•	

<sup>\*</sup>SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

<sup>\*</sup>See written warranty for details.

<sup>\*\*</sup>See written warranty for details.

<sup>†</sup>Exterior dimensions: depth excludes handle.

## GE Profile Spacemaker® 2.0 Microwave Oven

## GE Profile Spacemaker Microwave Ovens

	GE Profile™	
	JVM2070SH	JVM2070WH JVM2070CH JVM2070BH
Capacity		
Oven cavity (cu. ft.)	2.0	2.0
Features		
Watts (IEC-705 Test Procedure)	1100	1100
EasyGuide™ menu system	•	•
Sensor controls Power levels	10	10
Dual-distribution cooking system	•	•
Kitchen timer	•	•
Michell times	Lo/mid/high/off	Lo/mid/high/off
315-CFM vent fan	plus boost	plus boost
Halogen cooktop lighting	•	•
Recessed turntable	•	•
Turntable on/off	•	•
Easy-mount installation	•	•
COOK Touch Control Features	Instant-on 30 sec	Instant-on 30 sec
Express Cook	& 1–6 minutes	& 1–6 minutes
Time Cook and Time Cook I & II	•	•
Add 30 Seconds	•	•
Select food Select beverage		•
Soften		•
Melt	•	•
Delay Start	•	•
REHEAT Touch Control Features	<b>─</b>	
Select food/beverage		•
DEFROST Touch Control Features		
Select time	•	•
Select weight	•	•
Select food	•	•
1-lb. Quick Defrost	•	•
Soften	•	•
Melt	•	•
Delay	•	•
CUSTOM 1 and 2 Touch Controls	•	•
OPTIONS Touch Control Features Reminder (24 hr.)	١ .	
Beeper volume	-	
Filter reminder	•	•
Clock w/clock saver	•	•
Child lockout	•	•
Cooking complete reminder	•	•
Display On/Off	Auto sleep mode	Auto sleep mode
Help key	•	•
Sleep mode/Wake-up touch	•	•
Auto night light	•	•
Interactive demo mode	•	•
Appearance		
Color appearance*	SS	WW/CC/BB
Case color	Black	White/Bisque/Black
	with tactile	with tactile
LED, LCD display control panel	vent/light buttons	vent/light buttons
Sculptured handle	•	•
Weights & Dimensions		
WxHxD Cavity		0-9/16 x 14-13/16
(in inches) Exterior **		-11/32 x 15-7/16
Approx. shipping weight (lbs.)	72	72
Power/Ratings	100/00	100/00
Input Volt/Hertz	120/60	120/60
Input Amps/Watts (max)	15/1480	15/1480
Accessories	0.(0.===10:===)	0.00
Oven rack(s)	2 (2 positions)	2 (2 positions)
Recirculating charcoal filter kit (optional)	JX18H	JX18H
Filler panel kit (optional)	JX52BL	JX52BL/WH
Warranty	5,.3EBE	5,15255 1111
Full one-year in-home warranty†	•	•
Limited nine-year	<b>_</b>	
magnetron warranty†	I .	1

	GE Profile			
	JVM3670SF	JVM3670WF JVM3670CF JVM3670BF	<u>JVM1870SF</u> JVM1871SH*	JVM1870WF JVM1870CF JVM1870BF
Capacity				
Oven cavity (cu. ft.)	1.8	1.8	1.8	1.8
Features				
Watts (IEC-705 Test Procedure)	1100	1100	1100	1100
Electronic touch controls	•	•	•	•
SmartControl system				
w/interactive display	•	•	•	•
Scrolling display	2-Line	2-Line	2-Line	2-Line
Clock and AM/PM pad	•	•	•	•
Variable scroll speed	•	•	•	•
Help pad	•	•	•	•
Concurrent programming	•	•	•	•
Bilingual display (English/Spanish) Sensor controls Beverage	•	•	•	•
	•	•	•	•
Chicken/Fish	•	•	•	•
Popcorn Potatoes	•	•	•	•
Reheat	•	•	•	•
Custom pads Vegetables	•	•	•	•
Express Cook (1–6 min.)	•	•	•	•
Instant On controls	•	•	•	•
Time cook	1 & 11	1 & 11	1 & 11	1 & 11
Add 30 Seconds	•	•	•	•
Auto/Time/1-lb. Quick Defrost	•/•/•	•/•/•	•/•/•	•/•/•
Power levels	10	10	10	10
Delay Start/Reminder	•	•	•	•
CircuWave™ 1100 cooking system	•	•	•	•
Recessed turntable	•	•	•	•
Turntable On/Off	•	•	•	•
Halogen interior/cooktop lighting	•	•	•	•
Programmable night light	•	•	•	•
Timer On/Off	•	•	•	•
Cooking complete reminder	•	•	•	•
Child lockout	•	•	•	•
300-CFM exhaust fan	3-Speed plus boost	3-Speed plus boost	3-Speed plus boost	3-Speed plus boost
Appearance				
Color appearance**	SS	WW/CC/BB	SS	WW/CC/BB
Case color	Black	White/Bisque/Black	Black	White/Bisque/Black
Sculptured handle	•	•	•	•
Big view window	Bright view	Bright view	Bright view	Bright view
Weights & Dimensions				
36" width application	•	•		
Cavity	21-29/32 x 9-	1/2 x 14-19/32	21-29/32 x 9-1	1/2 x 14-19/32
WxHxD (in inches) Exterior†	35-7/8 x 16-13	3/32 (rear) x 15	29-7/8 x 16-13	/32 (rear) x 15
Approx. shipping weight (lbs.)	69	69	67	67
Power/Ratings				
2450 Frequency (MHz)	•	•	•	•
Electrical input Watts	1480	1480	1480	1480
@ 120V Amperage	15	15	15	15
Accessories				
Cooking guide label	•	•	•	•
Cookbook	•	•	•	•
Oven rack(s)	1	1	2	2
Recirculating charcoal	17/4 0.0	174.00	11/405	17/405
filter kit (optional) Filler panel kit (optional)	JX18B	JX18B	JX18B	JX18B
Warranty			JX52BL	JX52BL/WH
	_			
Full one-year in-home warranty††	•	•	•	•
Limited nine-year magnetron	1			

BB = Black on black.

\*\*Exterior dimensions: depth excludes handle.
†See warranty for details.

Limited nine-year magnetron
warranty†† (10 years total)

\*Non-vented model.

\*\*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.
†Exterior dimensions: depth excludes handle.
†See warranty for details.

## GE® Spacemaker Microwave Ovens

		GE						
Capacity		JVM2050SJ JVM2050WH JVM2050CH JVM2050BH	JVM1850SH JVM1851SH* JVM1850WH JVM1850WH JVM1850CH JVM1851CH* JVM1850BH JVM1851BH*	JVM1650SH JVM1650WH JVM1650CH JVM1650BH	JVM1640SJ JVM1640WJ JVM1640CJ JVM1640BJ	JVM1630WJ JVM1631WJ* JVM1630CJ JVM1631CJ* JVM1630BJ JVM1631BJ*	JVM1440SH JVM1441SH* JVM1440WH JVM1441WH* JVM1440BH JVM1441BH*	<u>JVM1430WD</u> JVM1430BD
Oven cavity (cu. ft.)		2.0	1.8	1.6	1.6	1.6	1.4	1.4
Features								
Watts (IEC-705 Test		1100	1100	1000	1000	1000	950	950
Electronic touch con		•	•	•	•	•	•	•
Scrolling display	w/interactive display	2-Line	• 2-Line	● 1-Line	1-Line	● 1-Line	1-Line	•
Clock and AM/PM	pad	Z-Lille	2-Lille	•	•	I-LIII€	1-Lille	•
Variable scroll spe		•	•	•	•	•	•	
Help pad		•	•	•	•		•	•
Concurrent progra		•	•	•	•	•	•	•
Bilingual display (En			•					
Sensor controls	Beverage Popcorn	•	•	•				
	Potatoes	•	•	•				
	Reheat	•	•	•				
	Vegetables	•	•	•				
Convenience	Beverage			•	•	•	•	•
controls	Cook			•	•			
	Popcorn Reheat			•	•	•	•	•
	Snacks			•	•	•	•	•
Express Cook (1–6 r		•	•	•	•	•	•	•
Instant On controls		•	•	•	•	•	•	•
Time Cook		•	1 & 11	1 & 11	1 & 11	I & II	1 & 11	1 & 11
Add 30 Seconds		•	•	•	•	•	•	•
Auto/Time Defrost 1-lb. Quick Defrost		•/•	•/•	•/•	•/•	•/•	•/•	•/•
Power levels		10	10	10	10	10	10	10
Delay Start/Reminde	r	•	•	•	•	•	•/-	•
Cooking system		Dual distribution	CircuWave™ 1100	CircuWave	CircuWave	CircuWave	CircuWave	CircuWave
Turntable		Recessed	Recessed	•	•	•	•	•
Turntable On/Off		- Halana	•	•	•		•	
Interior lighting Full-view cooktop lig	hting	Halogen Halogen	•	•	•	•	•	•
Night light	iiiiig	• Italogen	•	•	•		•	
Programmable night	light	•	•	•	-		_	
Timer On/Off		•	•	•	•	•	•	•
Cooking complete re	minder	•	•	•	•	•	•	•
Child lockout		315-CFM	•	•	•	•	•	•
300-CFM exhaust fai	1	3-Speed plus Boost	3-Speed plus Boost	2-Speed	2-Speed	•	2-Speed	2-Speed
Appearance					·			
Color appearance**		SS/WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	WW/CC/BB	SS/WW/BB	WW/BB
Case color		Black/White/Bisque/Black		Black/White/Bisque/Black		White/Bisque/Black	Black/White/Black	White/Black
Big view window			•	•	•	•	•	•
Weights & Dimensi	ons	01.0/16.v	01.00/20.7	20.1/4 ×	00.01/00.4	00.01/00.v	10 10/16 v	10 10/16 v
	Cavity	21-9/16 x 10-9/16 x 14-13/16	21-29/32 x 9-1/2 x 14-19/32	20-1/4 x 9-1/4 x 14-13/32	20-31/32 x 9-3/8 x 14-3/16	20-31/32 x 9-3/8 x 14-3/16	18-13/16 x 9-1/4 x 14-13/32	18-13/16 x 9-1/4 x 14-13/32
	Exterior†	29-7/8 x	29-7/8 x	29-7/8 x	29-7/8 x	29-7/8 x	29-7/8 x	29-7/8 x
WxH(rear)xD (in incl		16-13/32 x 15-7/16	16-13/32 x 15-1/4	16-13/32 x 15-1/4	16-3/16 x 15-5/32	16-3/16 x 15-5/32	16-13/32 x 15-1/4	16-13/32 x 15-1/4
Approx. shipping we Power/Ratings	ignt (ids.)	72	68	67	67	67	67	67
2450 Frequency (MF	I <sub>7</sub> \	•	•	•	•	•	•	•
Electrical input	Watts	1480	1480	1480	1600	1600	1480	1480
@ 120V	Amperage	15	15	15	15	15	15	15
Accessories								
Cooking guide label			•	•	•	•	•	•
Oven rack(s)	1.60 127 2 2	1 (2-position)	1 (2-position)	1 (2-position)	1	11/0/2	1	11/6:11
Recirculating charcos		JX81H	JX81B	JX81A	JX81D	JX81D	JX81A	JX81A
Filler panel kit (option Warranty	iidi)	JX52BL/WH	JX52BL/WH	JX48BL/WH	JX48BL/WH	JX48BL/WH	JX46BL/WH	JX46BL/WH
Full one-year in-hom	e warranty++	•	•	•	•	•	•	•
Limited nine-year ma		<del>                                     </del>				<u> </u>	_	
warranty†† (10 years		•	•	•	•	•	•	•
*Non-vented model.								

<sup>\*</sup>Non-vented model.

\*\*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.
†Exterior dimensions: depth excludes handle.
†See warranty for details.

# Bold appearance. Powerful technology. Exceptional results.



## Bold stainless steel appearance

- High-end, high-quality stainless finish is now available on more products than ever.
- GE Spacemaker JVM2050 and JVM1640 round out the bold stainless steel oven lineup—GE's largest, ever!
- GE Profile™ and GE® models are designed to complement other cooking products for a coordinated overall look.



## Powerful speedcook technology

- GE Profile Advantium® 120 oven delivers oven-quality food up to four times faster than a conventional oven.
- Upper and lower halogen lamps provide intense, instantaneous heat—eliminating the need for preheating.
- Simple controls, easy-to-read display and preprogrammed menu settings offer added cooking convenience and time savings.



#### **Exceptional cooking results**

- GE's dual-distribution cooking system delivers exceptional reheating and defrosting results.
- Innovative convenience features allow users to quickly soften or melt foods.
- Two rack, 2.0 cu ft. interior offers cooking flexibility allowing reheating of up to six dinner plates at a time.



## A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance.

Today, the GE tradition of quality and innovation continues.



GE Appliances

PC37477

GE Consumer & Industrial