


GE Profile[™] and GE[®] Advantium[®] and Spacemaker[®] Ovens

Bold appearance. Powerful technology. Exceptional results.





Bold appearance. Powerful technology. Exceptional results.

GE Profile™ and **GE®** over-the-range ovens offer the ultimate in cooking style.



GE Profile over-the-range ovens—dramatic new appearance, same great performance

Advantium® 120 Speedcook and Spacemaker® convection/microwave ovens



- -Make a dramatic, kitchen-enhancing statement with bold curves and clean lines.
- -Offer unique design touches like sculptured handles and arced window frame.
- -Coordinate beautifully with other GE Profile cooking products.

Dynamic 15

■ GE Profile Spacemaker 2.0 oven (JVM2070)

- -Offers a sleek, integrated appearance with a hidden, full-length vent.
- -Features an LCD-illuminated menu that vanishes when not in use, maintaining the overall clean look of the oven.
- -Also distinguished by a Profile sculptured handle and arced window frame.




GE Spacemaker ovens premium look for every homebuyer

All-new stainless steel appearance throughout the GE line



- –JVM1440 with new control panel graphics and stainless-finish door and control panel.
- –JVM1650 with new control panel graphics and stainless-finish handle to complement stainless steel door and control panel.
- –JVM1850 with new control panel graphics, as well as stainless-finish door, handle and grille.





- –Includes models JVM2050, JVM1850, JVM1650 and JVM1440.
- -Feature stylish, new tubular handle and control-panel graphics.
- -Offer a sleek, modern design that complements any kitchen décor.



Bold appearance—GE Profile Advantium® and Spacem

Stainless steel design makes a bold statement in any kitchen.



SCA1001SH

- Stainless sculptured handle
- Stainless door and control panel
- New control panel graphics
- Stainless vent grille



SCA1001SH shown with JBP968SHSS



JVM1490SH

- Stainless sculptured handle
- Stainless door and control panel
- New control panel graphics
- Stainless vent grille



JVM1490SH shown with JBP968SHSS

^{*}Non-vented model

aker® microwave ovens.



JVM2070SH

- Stainless sculptured handle
- Stainless wrap door and control panel
- Full-length stainless hidden vent



JVM1870SF/JVM1871SH*

- Stainless sculptured handle
- Stainless door and control panel
- Stainless hidden vent



JVM2070SH shown with JGB915SEFSS



JVM1870SF shown with J2B915SEHSS

Bold appearance—GE Spacemaker® microwave ovens.

High-end, high-quality stainless finish is now available on more products than ever.



JVM1850SH/JVM1851SH*

- Stainless tubular handle
- Stainless door and control panel
- New control panel graphics
- Stainless steel vent grille



JVM1650SH

- Stainless tubular handle
- Stainless door and control panel
- New control panel graphics
- Black vent grille



JVM1850SH shown with JBP84SHSS



JVM1650SH shown with JGBP85SHSS

^{*}Non-vented model.




JVM1440SH/JVM1441SH*

- Black tubular handle
- Stainless door and control panel
- New control panel graphics
- Black vent grille



JVM1440SH shown with JBP66SHSS



Consumers love Advantium ovens!

- Approximately 80% of Advantium oven owners are either very satisfied or *extremely* satisfied with their oven.
- Owners indicated that they use their conventional oven less since buying an Advantium oven.
- Advantium oven buyers reported spending less time preparing meals since their purchase.
- Advantium ovens are used more than 3 times a day.
- Many owners cited preparing chicken, potatoes and steak more frequently now that they own an Advantium oven.

Source: Stevenson Company Survey, October 2002

Bold appearance. *Powerful technology*. Exceptional results.

GE Profile Advantium® and Spacemaker® convection ovens deliver oven-quality food, fast!



Ultimate Advantium oven—up to eight times faster

- Delivers **oven-quality food up to eight times faster** than a conventional oven.
- Preprogrammed to cook more than **100 dishes**.
- A perfect second oven—bakes, broils, browns, roasts and even grills food, with no preheating.
- Converts to a full-featured microwave oven at the touch of a button.
- Available in **30" wall oven or over-the-range configuration** for greater installation flexibility.



Advantium 120 oven—up to four times faster

- Delivers **oven-quality food up to four times faster** than a conventional oven.
- Four ovens in one!
 - Speedcook oven
 - Traditional oven
 - Microwave oven
 - Warming oven
- Installs easily over a counter, range or cooktop and plugs into any standard 120-volt/15 amp power outlet.
- Styled with a dramatic, **new appearance** that coordinates beautifully with other GE Profile[™] appliances.



GE Profile Spacemaker oven with convection/microwave cooking

- Combines convection and microwave technology to produce delicious results **up to 25% faster** than conventional ovens.
- Great for baking, roasting, reheating and defrosting.
- **Quick preheating** capability shortens the cooking process—oven heats up in minutes.
- Makes microwave cooking as easy as 1-2-3:
 - -Set temperature and time.
 - -Press "Bake" or "Fast Bake."
 - -Press "Start."

Leature gallery—Advantium 120 and JVM1490.

Oven quality food, fast!



Advantium 120



New appearance

Makes a dramatic, kitchenenhancing statement with sculptured handle, arced viewing window and stainless vent grille.



Four ovens in one

Combines the functions of four ovens in one for the ultimate in cooking versatility:

- -Speedcook oven
- -Traditional oven
- -Microwave oven
- -Warming oven

Easy to use

Preprogrammed with more than 100 popular recipes for added speedcooking convenience. Simply turn the dial control to the desired recipe, and push to select.





New appearance

Makes a dramatic, kitchenenhancing statement with sculptured handle, arced viewing window and stainless vent grille.



Cooking options

Offers three modes to suit a variety of cooking needs: combined convection/microwave (Fast Bake), traditional oven (Bake) and multilevel baking.



Easy to use

Makes oven programming simple with electronic touchpads, easy-turn dial and digital display. Simply select a cooking function, use the control dial to enter time and press "Start."



Bold appearance. Powerful technology. *Exceptional results*.

GE Profile™ and GE Spacemaker® 2.0 microwave ovens—Reinventing the original.



Innovative technology makes microwave cooking more convenient than ever.

- **Dual-distribution cooking system** features 1100 watts, a rotating turntable, along with a top and second side stirrer.
- **EasyGuide™ menu system** automatically guides users through each step of the selection process.
- New convenience features allow users to quickly soften or melt foods like butter, ice cream, chocolate and cheese.
- 1-lb. Quick Defrost evenly defrosts meat, poultry or fish in a fraction of the usual time, without precooking or turning the food.



Clean lines and bold curves offer a dramatic, kitchen-enhancing look.

- The surface is curved and beveled for a truly dramatic look, and the **hidden vent** offers added distinction.
- The LCD-illuminated menu vanishes when it's not in use, maintaining the overall clean appearance of the oven.
- Sculptured handle and arced window frame **coordinate with other GE Profile appliances** for an overall harmonious effect.



The GE Profile and GE Spacemaker 2.0 offer the industry's largest usable capacity.*

- The 14-1/4" recessed turntable is the largest in the industry.*
- Two oven racks make it possible to heat up to six dinner plates or three 9" x 13" casserole dishes at once, with consistent results.
- GE's exclusive cooking system delivers **exceptional reheating** and defrosting of food.



Powerful venting system quickly clears the air.

- Offers three quiet speeds, plus a high-powered boost option.
- Exhausts air at a rate of 315 cubic feet per minute (CFM) to help keep the kitchen free of smoke, odors and fumes.

^{*}Among over-the-range microwave ovens.

Feature gallery—JVM2070.

Reinventing the original.





Bold appearance

Coordinates beautifully with other GE Profile[™] appliances for an overall harmonious look.

Hidden vent

Offers an integrated, streamlined appearance.



Halogen cooktop lighting

Illuminates every inch of the cooking surface.

Powerful, 315-CFM venting system

Offers three quiet speeds, plus a high-powered Boost option, so you can adjust ventilation levels according to your needs.



Help function

Offers onscreen cooking and troubleshooting tips at the press of a button.



EasyGuide™ menu system

Easy-to-use touchscreen system automatically leads you through each step of the cooking process.





Dual-distribution cooking system


Exclusive new system features 1100 watts of cooking power, a rotating turntable, along with a top and a second side stirrer for exceptionally even heating and defrosting of food.





Industry's largest turntable*

14-1/4" recessed glass turntable easily handles 5-quart casserole dishes and can be easily removed for cleaning.



Two oven racks and turntable on/off function make room for up to six plates or three 9" x 13" casserole dishes.



Melt

A quick, easy way to melt foods like butter, caramel, chocolate and cheese.



Soften

Perfect for heavy foods like butter and cream cheese, as well as frozen ice cream.



1-lb. Quick Defrost

Evenly defrosts a pound of meat, poultry or fish in a fraction of the usual time, without precooking or turning the food.

*Among over-the-range ovens

Dare to compare—JVM2070.

GE Profile Spacemaker® 2.0 microwave ovens.

Industry's largest useable capacity*



- Two oven racks let you reheat up to six plates or three casserole dishes at once.
- 14-1/4" recessed turntable is large enough to handle 5-qt. casserole dishes.
- *Among over-the-range ovens.

Competitors' capacity



Competitive comparison Capacity Turntable Size Rack Positions GE Profile—JVM2070 2.0 14-1/4" 2 Whirlpool—GH9185 1.8 12-3/4" 1 Sharp—R-1750 1.6 13" 1 Kenmore Elite—63689 2.0 No Turntable 1

The maximum in microwave cooking capacity.

GE's dual-distribution cooking system



- Uses 1100 watts of cooking power, a turntable and two stirrers
- Top stirrer and a second side stirrer circulate microwaves throughout the oven for even heating and defrosting of food.



Competitors' cooking system




Competitive comparison				
	Microwave Stirrers			
GE Profile—JVM2070	2			
Whirlpool—GH9185	1			
Sharp—R-1750	1			
Kenmore Elite—63689	1			

The maximum in microwave cooking performance and flexibility.

Dare to compare—JVM2070.

GE Profile Spacemaker® 2.0 microwave ovens.





EasyGuide™ menu system

- Conveniently groups microwave functions into five simple categories:
 - -Cook -Reheat -Defrost
 - -Options -Custom Settings
- Automatically guides you through each step of the cooking process.
- Gives you more cooking options and control, with less guesswork.
- Allows you to customize and save your own settings, such as "latte" or "soup," for one-touch recall.

Standard touchpad system

- Includes as many as 30 touchpads on the main control panel, making oven programming complicated and time-consuming.
- Does not have any interactive menus or prompts to help users with oven operation.

Competitive comparison					
	Interactive Touchscreen	Cooking Options			
GE Profile—JVM2070	Yes	92			
Whirlpool—GH9185	No	73			
Sharp—R-1750	Yes	72			
Kenmore Elite—6656	No	72			


EasyGuide[™] menu system offers the ultimate in user-friendly operation.

315-CFM venting plus boost



Offers three quiet speeds, plus a highpowered boost option, so you can adjust ventilation levels according to your needs.

Vent noise




The GE 315-CFM venting system at "high" setting, compared to competitors' systems at same setting.



- Exhausts air at a rate of 315-CFM to help keep the kitchen free of smoke, odors and fumes.
- GE offers enhanced venting on "boost" and captures almost 90%, a feature not offered on Whirlpool and Kenmore.

Vent capture



The GE 315-CFM venting system at "boost" settings, compared to competitors' "high" setting.

The GE Profile[™] venting system offers a higher level of performance^{*} and lower level of sound.

Show and tell.

GE Profile Spacemaker® 2.0 microwave ovens.

2.0-cu. ft., two-rack interior with recessed turntable

Show your customers how the unique interior design increases cooking flexibility and room:



Show your customers the large 14-1/4" turntable:

- Point out the turntable is recessed into the floor of the oven to maximize usable oven space.
- Use the EasyGuide™ menu system to demonstrate how turntable rotation can be stopped to make room for large dishes.



Show your customers how the oven racks can be adjusted to meet their cooking needs:

- Demonstrate how the two oven racks make it possible to heat up to six dinner plates or three 9" x 13" casserole dishes at once.
- Remove the racks and point out that there's enough room for a 5-quart casserole dish or large chicken.




Tell your customers that the GE Profile and GE Spacemaker 2.0 microwave ovens offer the industry's largest usable capacity.*

^{*}Among over-the-range ovens

EasyGuide™ menu system

Show your customers how the innovative touchscreen system increases their cooking options:



Home screen



Help function

Demonstrate how you can use the "Help" function at any point in the cooking process for quick, useful tips.

Five, easy cooking options



1. By function

Show your customers how they can cook, reheat and defrost at the touch of a pad. Point out that new "Soften" and "Melt" functions are available for foods like butter and chocolate.



3. By weight

Touch "Cook" or "Defrost," then the "By Weight" option. Enter a weight between one and six pounds by touching the appropriate number.





2. By food type

Ask your customers to name a food they frequently cook in the microwave and then find the matching pad on the menu screen.



4. By time

Show your customers how they can bypass the preprogrammed settings and cook foods for a specified amount of time.

5. Custom options

Show your customers how they can enter and store settings for everyday items like coffee or popcorn for quick, one-touch recall.

Tell your customers how easy the system is to use. Remind them that all they have to do is touch a pad, any pad, select an option and press "Enter."

Show and tell.

GE Profile Advantium® and GE Spacemaker® 2.0 microwave ovens.

Promote and sell pairs.


Present an Advantium or Spacemaker oven when you sell a range to:



Optimize opportunity—GE Profile[™] and GE ranges and over-the-range ovens are sold in pairs more than any other brand. Almost 60 percent of buyers buy the same brand when there is a pair sale. Of those buyers, GE is by far the leading choice.


■ **Optimize profitability**—Over-the-range ovens displayed with a range increases over-the-range oven sales on average by 20 percent.

Pair sales: GE vs. Competition



*Source: TraQline 2002

Sales growth opportunity



*Source: TraQline 2002

GE Profile one-day kitchen renovation.

The maximum in cooking performance and versatility.





Out with the old, in with the new.

Now consumers can quickly and easily transform their kitchens by replacing their old freestanding range and hood with a GE Profile slide-in range and Spacemaker 2.0 microwave oven.

- Offers an **updated built-in look** without the inconvenience and expense of major renovation.
- Provides **tremendous cooking convenience** with a variety of high-performance features.
- **Saves space,** eliminating the need for a countertop microwave oven.

GE Profile Advantium® Wall Ovens

	GE Profile™
	SCB2001FSS SCB2000FWW SCB2000FCC SCB2000FBB
Features	
Stainless steel oven interior	•
Family-size oven	•
Oven controls	
Electronic scrolling display	•
Over 100 preprogrammed menu items	
Repeat last	•
Help pad	•
Demo mode	•
Interior oven light	•
Beeper sound level control	•
Variable scroll speed	•
Custom recipe saver	•
Cooking complete reminder	•
Child lockout	•
Frameless glass oven door w/window	•
Microwave oven features	
Sensor	•
Defrost - Auto/Time	050
Microwave power output watts	950
Appearance	Stainless steel
Color appearance	White on white Bisque on bisque Black on black
New Profile sculptured handle	•
Weights & Dimensions	
Overall oven interior	
dimensions (in inches)	0.40/00
Height Width	8-13/32 18-29/32
Depth	13-19/32
Overall dimensions (in inches)	10-13/02
Exterior height	21-7/8
Exterior width	29-25/32
Exterior depth (not including handle)	15-27/32
Oven cabinet width required (in inches)	30
Cutout height	21
Cutout width	28-1/2
Cutout depth	19
Approx. shipping weight (lbs.)	101
Power/Ratings	
Amps @ 240V/208V	30
Accessories	
Cookbook	•
Cooking guide	•
	•
Grill tray	
Cooking tray	•
Cooking tray White ceramic tray	•
Cooking tray White ceramic tray Warranty	
Cooking tray White ceramic tray Warranty Full one-year in-home warranty*	•
Cooking tray White ceramic tray Warranty	•

Wall oven trim kits SC20WW-White SC20CC-Bisque SC20BB-Black

GE Profile Advantium Above-the-Cooktop Ovens

	GE Profile
	SCA2001FSS SCA2000FWW SCA2000FCC SCA2000FBB
Features	
Stainless steel oven interior	•
Family-size oven	•
Oven controls	
Electronic scrolling display Over 100 preprogrammed	•
menu items	•
Repeat last	•
Help pad	•
Demo mode	•
Interior oven light	•
Beeper sound level control	•
Variable scroll speed	•
Custom recipe saver	•
Cooking complete reminder	•
Child lockout	•
Two-speed high-capacity exhaust fan	•
Full-view cooktop lighting Programmable night light	•
Frameless glass oven door w/window	•
Microwave oven features	_
Sensor	
Defrost - Auto/Time	•
Microwave power output watts	950
Appearance	
	Stainless steel
	Stainless steel White on white
	White on white Bisque on bisque
Color appearance	<u>White on white</u> <u>Bisque on bisque</u> Black on black
New Profile sculptured handle	White on white Bisque on bisque
New Profile sculptured handle Weights & Dimensions	<u>White on white</u> <u>Bisque on bisque</u> Black on black
New Profile sculptured handle Weights & Dimensions Overall oven interior	<u>White on white</u> <u>Bisque on bisque</u> Black on black
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches)	White on white Bisque on bisque Black on black ●
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height	White on white Bisque on bisque Black on black
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width	White on white Bisque on bisque Black on black 8-13/32 18-29/32
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth	White on white Bisque on bisque Black on black
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width	White on white Bisque on bisque Black on black 8-13/32 18-29/32
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches)	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior width	White on white Bisque on bisque Black on black
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle)	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior depth (not including handle) Approx. shipping weight (lbs.)	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior depth (not including handle) Approx. shipping weight (lbs.)	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings	White on white Bisque on bisque Black on black ■ 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior width Exterior width Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V	White on white Bisque on bisque Black on black ■ 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior width Exterior width Exterior width Exterior depth (not including handle) Approx. Shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookhook Cooking guide Grill tray Cooking tray White ceramic tray	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional)	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior width Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional) Warranty	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior width Exterior width Exterior width Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional) Warranty Full one-year in-home warranty*	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30
New Profile sculptured handle Weights & Dimensions Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior width Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Power/Ratings Amps @ 240V/208V Accessories Cookbook Cooking guide Grill tray Cooking tray White ceramic tray Recirculating charcoal filter kit (optional) Warranty	White on white Bisque on bisque Black on black 8-13/32 18-29/32 13-19/32 15-19/32 16-3/32 29-7/8 14-13/16 101 30

*See written warranty for details.

Filler panel kits JX40WH–White JX41–Black

GE Profile Advantium 120 Above-the-Cooktop Ovens

	GE Profile
	SCA1001HSS
	SCA1000HWW
	SCA1000HCC
	SCA1000HBB
eatures	
Stainless steel oven interior	•
Family-size oven	•
Cooking modes	
Speedcook	•
Traditional oven	•
Microwave oven	•
Warming	•
E-Z installation	•
Oven controls	
Electronic scrolling display	•
Over 100 preprogrammed	
menu items	•
Repeat last	•
Help pad	•
Demo mode	•
Interior oven light	•
Beeper sound level control	•
Variable scroll speed	•
Custom recipe saver	•
Cooking complete reminder	•
Child lockout	•
Two-speed high-capacity exhaust fan	•
Intake air/grease filter	•
Full-view cooktop lighting	•
Programmable night light Frameless glass oven door w/window	•
Microwave oven features	•
Sensor	
Defrost - Auto/Time	•
Microwave power output watts	900
ppearance	000
ppearanee	Stainless steel
	White on white
	Bisque on bisque
Color appearance	Black on black
Veights & Dimensions	
Veights & Dimensions Overall oven interior	
Veights & Dimensions Overall oven interior dimensions (in inches)	
Overall oven interior	8-7/32
Overall oven interior dimensions (in inches)	8-7/32 21-3/32
Overall oven interior dimensions (in inches) Height Width Depth	
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches)	21-3/32
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front)	21-3/32 14-3/32 15-21/32
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear)	21-3/32 14-3/32 15-21/32 16-19/32
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior width Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Input volt/hertz Input amps/watts (max)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior depth (not including handle) Approx. shipping weight (lbs.) Fower/Ratings Input wolt/hertz Input amps/watts (max) CCESSOries Cookbook	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior depth (not including handle) Approx. shipping weight (lbs.) 'Ower/Ratings Input volt/hertz Input amps/watts (max) Accessories	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Fower/Ratings Input volt/hertz Input amps/watts (max) Cccessories Cookbook Cooking guide	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (rear) Exterior width Exterior depth (not including handle) Approx. shipping weight (lbs.) Over/Ratings Input volt/hertz Input amps/watts (max) CCCESSOries Cookbook Cooking guide Cooking tray	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior depth (not including handle) Approx. shipping weight (lbs.) Owber/Ratings Input volt/hertz Input amps/watts (max) CCCCSORIES Cookbook Cooking guide Cooking divay Recirculating chinches	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior height (rear) Exterior depth (not including handle) Approx. shipping weight (lbs.) FOWEY/Ratings Input volt/hertz Input amps/watts (max) CCCCSORIES COOKDOOK COOKing guide COOKing guide COOKing tray Recirculating charcoal filter kit (optional)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800
Overall oven interior dimensions (in inches) Height Width Depth Overall dimensions (in inches) Exterior height (front) Exterior height (front) Exterior depth (not including handle) Approx. shipping weight (lbs.) Fower/Ratings Input out/hertz Input amps/watts (max) CCESSOTIES Cookbook Cooking guide Cooking tray Recirculating charcoal filter kit (optional)	21-3/32 14-3/32 15-21/32 16-19/32 29-7/8 15-3/8 95 120/60 15/1800

GE Profile Spacemaker® Convection/Microwave Ovens

GE Profile JVM1490WH JVM1490CH JVM1490SH JVM1490BH Capacity Oven cavity (cu. ft.) 1.4 1.4 **Features** Watts (IEC-705 Test Procedure) 900 900 Membrane/Dial Membrane/Dial SmartControl system w/interactive display Electronic scrolling digital display 2-Line 2-Line w/clock and AM/PM Variable scroll speed • Help pad Concurrent programming Display On/Off Bilingual display (English/Spanish) • • Cavity lighting Halogen Halogen Cooktop lighting Halogen Halogen Sensor controls Chicken Chicken Fish, Potato Cook Fish, Potato Beverage Popcorn Reheat Vegetables (canned/fresh/frozen) • Convection controls • • Convection bake • • Fast Bake • • Express Cook (1-6 minutes) Instant On controls Time Cook I & II I & II Add 30 seconds • • Temp cook Auto/Time defrost •/• •/• Fast defrost • • Power levels 10 10 Programmable night light • • Timer On/Off Variable beeper volume control Cooking complete reminder Child lockout • Two-speed venting • **Appearance** White on white Bisque on bisque Color appearance Stainless steel Black on black White **Bisque** Case color Black Designer-style handle Weights & Dimensions WxHxD 21-3/32 x 8-7/32 x 14-3/32 Cavity (in inches) Exterior 29-7/8 x 15-21/32 x 15-3/8 Approx. shipping weight (lbs.) 98 98 Power/Ratings 2450 Frequency (MHz) 1800 Watts 1800 Electrical input @ 120V Amperage 15 15 Accessories Convection rack • • Cooking guide • . Cookbook • . Warranty Full one-year in home warranty* • • Limited nine-year magnetron warranty* (10 years total) *See written warranty for details.

GE Profile Convection/ Microwave Wall Ovens

		GE Profile		
		JEB1095\$B	<u>JEB1095WB</u> <u>JEB1095CB</u> JEB1095BB	
Capacity				
Oven cavity (cu. ft	.)	1.0	1.0	
Features	,	1.0	1.0	
	-1 B1>	000	000	
Watts (IEC-705 Te		800	800	
Electronic touch c		•	•	
Electronic digital o	lispiay w/clock	•	•	
Sensor controls				
Beverage		•	•	
Cook		•	•	
Popcorn		•	•	
Reheat		•	•	
Convection cook		•	•	
Combination cook		•	•	
Combination roas	t (probe)	•	•	
Express Cook		•	•	
Instant On control	S	•	•	
Time Cook		1 & 11	1 & 11	
Add 30 seconds		•	•	
Temp cook/Hold (probe)	•	•	
Auto defrost		•	•	
Time defrost		•	•	
Power levels		10	10	
Delay/Start remind	der	•	•	
Minute pad		•	•	
Program cooking		5-Stage	5-Stage	
Kitchen timer		99-M./99-S. Digital	99-M./99-S. Digital	
Variable beeper vo		•	•	
Cooking complete	reminder	•	•	
Appearance				
Color appearance	,	SS	WW/CC/BB	
Case color		Black	White/Bisque/Black	
Designer-style har	ndle	•	•	
Weights & Dimer		-	-	
weights & Diffe	Cavity	10 v 0 0/1	6x11-1/2	
WxHxD (in inches			·5/8x16-3/8	
		84	84	
Approx. shipping	weigitt (IDS.)	04	04	
Power/Ratings				
2450 Frequency (I		•	•	
Electrical input	Watts	1450	1450	
@ 120V	Amperage	13.0	13.0	
Accessories				
Deluxe cookbook		•	•	
Wire oven rack		•	•	
Broil pan		•	•	
30" trim kit (includ	ded)	•	•	
Warranty	<i>'</i>			
Full one-year in-h	ome warranty**	•	•	
Limited nine-year		_	•	
warranty** (10 ye				

^{*}SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

^{**}See written warranty for details.

[†]Exterior dimensions: depth excludes handle.

GE Profile Spacemaker® 2.0 Microwave Oven

Z.o microwave	Oven				
	GE Profile™				
	GE I IOIIIO	JVM2070WH			
		JVM2070CH			
- "	JVM2070SH	JVM2070BH			
Capacity	0.0	I 0.0			
Oven cavity (cu. ft.) Features	2.0	2.0			
Watts (IEC-705 Test Procedure)	1100	1100			
EasyGuide™ menu system	•	•			
Sensor controls	•	•			
Power levels	10	10			
Dual-distribution cooking system	•	•			
Kitchen timer		• I = /==id/l=i=l= /=ff			
315-CFM vent fan	Lo/mid/high/off plus boost	Lo/mid/high/off plus boost			
Halogen cooktop lighting	•	•			
Recessed turntable	•	•			
Turntable on/off	•	•			
Easy mount installation	•	•			
COOK Touch Control Features	Instant-on 30 sec	Instant-on 30 sec			
Express Cook Time Cook and Time Cook I & II	& 1–6 minutes	& 1–6 minutes			
Add 30 Sec		•			
Select Food	•	•			
Select Beverage	•	•			
Soften	•	•			
Melt	•	•			
Delay Start	•	•			
REHEAT Touch Control Features Select food/beverage					
DEFROST Touch Control Features	•	•			
Select time		•			
Select weight	•	•			
Select food	•	•			
1-lb. Quick Defrost	•	•			
Soften	•	•			
Melt	•	•			
CUSTOM 1 and 2 Touch Controls	•	•			
OPTIONS Touch Control Features					
Reminder (24 hr.)	•	•			
Beeper volume	•	•			
Filter reminder	•	•			
Clock w/clock saver	•	•			
Child lockout	•	•			
Cooking complete reminder	Auto cloop mode	Auto sleep mode			
Display On/Off Help Key	Auto sleep mode	Auto sieep mode			
Sleep Mode/Wake up Touch	•	•			
Auto night light	•	•			
Interactive demo mode	•	•			
Appearance					
Color appearance*	SS	WW/CC/BB			
Case color	Black	White/Bisque/Black			
LED, LCD Display control panel	with tactile vent/light buttons	with tactile vent/light buttons			
Sculptured handle	•	•			
Weights & Dimensions					
WxHxD <u>Cavity</u>	21-9/16 x 1	0-9/16 x 14-13/16			
(in inches) Exterior **	29-7/8 x 16-	-11/32 x 15-7/16			
Approx. shipping weight (lbs.)	72	72			
Power/Ratings					
Input Volt/Hertz	120/60	120/60			
Input Amps/Watts (max)	15/1480	15/1480			
Accessories	0 (0 ps = :4:===)	0 (0 no-:::)			
Oven rack(s)	2 (2 positions)	2 (2 positions)			
Warranty Full one-year in-home warranty†	•	•			
Limited nine-year					
magnetron warranty†	•	•			
*SS = Stainless steel WW = White or	white CC = Risque on h	isque			

^{*}SS = Stainless steel, WW = White on white, CC = Bisque on bisque,

GE Profile Spacemaker Microwave Ovens

		GE Profile				
		JVM3670SF	JVM3670WF JVM3670CF JVM3670BF	<u>JVM1870SF</u> JVM1871SH*	JVM1870WF JVM1870CF JVM1870BF	
Capacity		0111007001	0 V III 00 7 0 D I	041111071011	OVINTOTODI	
Oven cavity (cu. ft.)		1.8	1.8	1.8	1.8	
Features		1.0	1.0	1.0	1.0	
Watts (IEC-705 Test	Drocodura)	1100	1100	1100	1100	
Electronic touch con		•	•	•	•	
SmartControl system		•	•	•	•	
w/interactive display			•	•	•	
Scrolling display		2-Line	2-Line	2-Line	2-Line	
Clock and AM/PN	1 pad	•	•	•	•	
Variable scroll spe		•	•	•	•	
Help pad		•	•	•	•	
Concurrent progr	amming	•	•	•	•	
Bilingual display (En		•	•	•	•	
Sensor controls	Beverage	•	•	•	•	
	Chicken/Fish	•	•	•	•	
	Popcorn	•	•	•	•	
	Potatoes	•	•	•	•	
	Reheat	•	•	•	•	
	Vegetables	•	•	•	•	
Custom pads		•	•	•	•	
Express Cook (1–6	min)	•	•	•	•	
Instant On controls	,	•	•	•	•	
Time cook		1 & 11	1 & 11	1 & 11	1 & 11	
Add 30 seconds		•	•	•	•	
Auto/Time/1-lb. Quid	ck Defrost	•/•/•	•/•/•	•/•/•	•/•/•	
Power levels	DK DOITOUT	10	10	10	10	
Delay Start/Reminde	r	•	•	•	•	
CircuWave™ 1100 c		•	•	•	•	
Recessed turntable	ooking oyotom	•	•	•	•	
Turntable On/Off		•	•	•	•	
Halogen interior/coo	kton lighting	•	•	•	•	
Programmable night		•	•	•	•	
Timer On/Off	Liigiit	•	•	•	•	
Cooking complete re	minder	•	•	•	•	
Child lockout	Jiiiiidei	•	•	•	•	
300-CFM exhaust fan		3-Speed plus boost	3-Speed plus boost	3-Speed plus boost	3-Speed plus boost	
Appearance	11	3-Speed plus boost	3-Speed plus boost	5-Speed plus boost	3-Speed plus boost	
Color appearance**		SS	WW/CC/BB	SS	WW/CC/BB	
		Black		Black		
Case color		DIAUK	White/Bisque/Black	DIACK	White/Bisque/Black	
Sculptured handle Big view window			Pright view		Bright view	
	ione	Bright view	Bright view	Bright view	bright view	
Weights & Dimens					l e	
36" width application		04 00/00	0.1/0.11.10/00	04 00/00 04	10 111000	
W. H. D. C. C. L	Cavity		9-1/2 x 14-19/32	21-29/32 x 9-1		
WxHxD (in inches)			3-13/32 (rear) x 15	29-7/8 x 16-13		
Approx. shipping we	eight (lbs.)	69	69	67	67	
Power/Ratings						
2450 Frequency (MI		•	•	•	•	
Electrical input	Watts	1480	1480	1480	1480	
@ 120V Amperage		15	15	15	15	
Accessories						
Cooking guide label		•	•	•	•	
Cookbook		•	•	•	•	
Oven rack(s)		1	1	2	2	
Warranty						
Full one-year in-hom		•	•	•	•	
Limited nine-year m						
warranty†† (10 year	s total)	•	•	•	•	

BB = Black on black.

**Exterior dimensions: depth excludes handle.
†See warranty for details.

^{*}Non-vented model.

**SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.
†Exterior dimensions: depth excludes handle.
†See warranty for details.

GE Spacemaker Microwave Ovens

		GE®						
		JVM2050WH JVM2050CH JVM2050BH	JVM1850SH JVM1851SH* JVM1850WH JVM1851WH* JVM1850CH JVM1851CH* JVM1850BH JVM1851BH*	JVM1650SH JVM1650WH JVM1650CH JVM1650BH	<u>JVM1640WH</u> <u>JVM1640AH</u> JVM1640BH	JVM1630WH JVM1631WH* JVM1630CH JVM1631CH* JVM1630BH JVM1631BH*	JVM1440SH JVM1441SH* JVM1440WH JVM1441WH* JVM1440BH JVM1441BH*	<u>JVM1430WD</u> JVM1430BD
Capacity		0.0	1.0	1.0	1.0	1.0		
Oven cavity (cu. ft.) Features		2.0	1.8	1.6	1.6	1.6	1.4	1.4
Watts (IEC-705 Test	Dronoduro\	1100	1100	1000	1000	1000	950	950
Electronic touch con		1100	1100	•	1000	1000	950	950
	w/interactive display	•	•	•	•	•	•	•
Scrolling display		2-Line	2-Line	1-Line	1-Line	1-Line	1-Line	
Clock and AM/PM		•	•	•	•	•	•	•
Variable scroll spe	ed	•	•	•	•	•	•	
Help pad		•	•	•	•	_	•	•
Concurrent progra Bilingual display (Eng		•	•	•	•	•	•	•
Sensor controls	Beverage	•	•	•				
	Popcorn	•	•	•				
	Potatoes	•	•	•				
	Reheat	•	•	•				
	Vegetables	•	•	•				
Convenience controls	Beverage			•	•	•	•	•
COTILIOIS	Cook Popcorn			•	•			
	Reheat	+		•	•	•	•	•
	Snacks			•				
Express Cook (1–6 n		•	•	•	•	•	•	•
Instant On controls	,	•	•	•	•	•	•	•
Time Cook		•	1 & 11	1 & 11	1 & 11	1 & 11	1 & 11	1 & 11
Add 30 seconds		•	•	•	•	•	•	•
Auto/Time Defrost		•/•	•/•	•/•	●/●	•/•	●/●	●/●
1-lb. Quick Defrost Power levels		10	10	10	10	10	10	10
Delay Start/Reminder	r	•	•	•	•	•	●/-	•
Cooking system	·	Dual distribution	CircuWave™ 1100	CircuWave	CircuWave	CircuWave	CircuWave	CircuWave
Turntable		Recessed	Recessed	•	•	•	•	•
Turntable On/Off		•	•	•	•		•	
Interior lighting		Halogen	•	•	•	•	•	•
Full-view cooktop lig	hting	Halogen	•	•	•	•	•	•
Night light	light	•	•	•	•		•	
Programmable night Timer On/Off	ligit	•	•	•	•	•	•	•
Cooking complete re	minder	•	•	•	•	•	•	•
Child lockout		•	•	•	•	•	•	•
300-CFM exhaust far	1	3-Speed plus Boost	3-Speed plus Boost	2-Speed	2-Speed	•	2-Speed	2-Speed
Appearance								
Color appearance**		WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	WW/AA/BB	WW/CC/BB	SS/WW/BB	WW/BB
Case color		White/Bisque/Black		Black/White/Bisque/Black	White/Almond/Black	White/Bisque/Black	Black/White/Black	White/Black
Big view window			•	•	•	•	•	•
Weights & Dimensi	Cavity	21-9/16 x 10-9/16 x 14-13/16	21-29/32 x 9-1/2 x 14-19/32	2	20-1/4 x 9-9/32 x 14-13/3	2	19-5/16 x 9-	5/16 x 13-3/16
		29-7/8 x					29-7/8 x	29-7/8 x
WxHxD (in inches)	Exterior†	16-11/32 x 15-7/16	C 0		3/32 (rear) x 15 ———		16-1/2 (rear) x 14-15/16	
Approx. shipping we	igiii (IDS.)	72	68	67	67	67	67	67
Power/Ratings 2450 Frequency (MH	7\						•	
Electrical input	Watts	1480	1480	1480	1480	1480	1480	1480
@ 120V	Amperage	15	15	15	15	15	15	15
Accessories								
Cooking guide label			•	•	•	•	•	•
Oven rack(s)		1 (2-position)	1 (2-position)	1 (2-position)	1		1	
Warranty								
Full one-year in-hom		•	•	•	•	•	•	•
Limited nine-year ma warranty†† (10 years			•	•	•	•	•	•
*Non-vented model.	, waij		•	•		•		

^{*}Non-vented model.

*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, AA = Almond on almond, BB = Black on black.

†Exterior dimensions: depth excludes handle.

†See warranty for details.

Bold appearance. Powerful technology. Exceptional results.



Dramatic new appearance, same great performance

GE Profile Advantium® 120 Speedcook and Spacemaker® convection/microwave ovens make a dramatic statement—both in appearance and performance.

- Bold, new design coordinates beautifully with other GE Profile cooking appliances.
- Advantium 120 oven delivers oven-quality food up to four times faster than a conventional oven.
- Spacemaker convection/ microwave oven produces delicious results up to 25% faster than conventional ovens.



Reinventing the original

GE Profile Spacemaker® 2.0 oven (JVM2070) offers the ultimate in cooking style and convenience.

- Sleek, integrated appearance includes a vent and touchscreen that are visible only when in use.
- GE's new dual-distribution cooking system delivers exceptional reheating and defrosting results.
- Two-rack, 2.0 cu. ft. interior offers the industry's largest usable capacity.*

*Among over-the-range ovens.



Premium look for every homebuyer

GE Spacemaker® ovens offer a sleek, modern design that complements any décor.

- All new stainless steel appearance models create GE's largest stainless lineup ever!
- White, bisque and black models feature stylish, new tubular handle and control-panel graphics.



A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance.

Today, the GE tradition of quality and innovation continues.



GE Appliances

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.