



refrigeration

Contract Sales

March 2005 new product introductions



imagination at work

Contents



3 Built-in refrigerators

71 Specifications & installation



13 CustomStyle™ refrigerators

72 Specifications & installation



23 Side-by-side refrigerators

76 Specifications & installation



41 Bottom-freezer refrigerators

80 Specifications & installation



57 Top-freezer refrigerators

82 Specifications & installation

built-ins

New product introductions
2005 GE Profile™ built-in
side-by-side refrigerators



Profile™



Built-in side-by-side quick pitch

The convenience you need, the built-in look you want.



Integrated Appearance

Enjoy a **true, built-in appearance** that blends into the décor, or **marries with fine cabinetry** when finished with **1/4" or 3/4" panels**.



Exceptional Food Preservation

Overhead evaporator system isolates the airflow between the freezer and the fresh food section to keep frozen foods frozen and fresh foods fresh.



Ultimate Convenience

Secure-close door system is engineered to automatically pull the door shut when angled at 90 degrees or less.



Feature gallery: Built-in refrigerators



ClimateKeeper™ system

Combines electronics and a multifold air system to keep temperatures consistent and help preserve foods.



Digital temperature controls

Provides easy-access and controls compartment temperatures with electronic accuracy.



Soft-touch dispenser

Includes a child lock and door alarm, filter replacement indicator light and Quick Ice™ system.



Spillproof glass shelves

Contains spills to keep cleanup to a minimum.



Secure-Close door system

Automatically pulls the door shut when angled at 90 degrees or less.



GE Profile™ model PSB42LGR



SmartWater™ Plus filtration

Ensures better-tasting water and ice. Has a filter change indicator light and simple-to-install Twist and Lock design.



Adjustable humidity vegetable/fruit crispers

Customizes the storage environment to keep produce fresh.



Snack drawer

Provides convenient access to cheeses and deli meats.



ClearLook™ door bins

Holds beverages and condiments in a stylish and secure place.



Design options

Make an impressive design statement without standing out. Select a built-in refrigerator, and then simply slide into place custom panels that reflect style and personality. Choose a trimless stainless steel refrigerator for a great look. Add acrylic panels for a contemporary look, or rich wood panels that match cabinets for a truly custom appearance.



PSB42LSRBV
PSB48LSRBV
Stainless steel
with full-length
visor handles



PSB42LGRBV
PSB48LGRBV
Black dispenser
model shown with
optional black
acrylic panels



PSB42LGRWV
PSB48LGRWV
White dispenser
model shown with
optional white
acrylic panels



PSB42LGRWV
PSB48LGRWV
White dispenser
model shown with
optional 1/4" custom
wood panels



PSB42LGRBV
PSB48LGRBV
Black dispenser
model shown with
optional 1/4" custom
wood panels



PSB42LGRWV
PSB48LGRWV
White dispenser
model shown with
optional 3/4" custom
wood panels



PSB42LGRBV
PSB48LGRBV
Black dispenser
model shown with
optional 3/4" custom
wood panels

Acrylic panels

Model number	Black acrylic panels	White acrylic panels
PSB42LGRWV		PSPK42DWW
PSB42LGRBV	PSPK42DBB	
PSB48LGRWV		PSPK48DWW
PSB48LGRBV	PSPK48DBB	

The inside story: Built-in refrigerators



Overhead evaporator system

Reduces defrosting and eliminates shared air to protect food and ice quality.



Icemaker with Quick Ice™ system

Creates ice 50% faster.



Freezer baskets

Deeper design offers easy access and more storage flexibility.



Deluxe quiet design

Significantly reduces operating noise.



ENERGY STAR®-qualified

Reduces energy usage below federal energy standards by 15% or more to help lower utility bills.



GE Profile™ model PSB42LSR

Dare to compare



Food preservation and temperature management

- The GE ClimateKeeper™ system features an overhead evaporator that frees up space for frozen food and uses sensors to reduce defrosting
- New evaporator design protects foods from odors by eliminating shared air between the fresh food and freezer compartments
- Digital temperature controls are located on the water and ice dispenser for instant adjustments

Innovative control system protects food better and provides extra convenience

Competitive comparison

	Sensors	Digital control	Overhead evaporator
GE Profile™	5	Yes—exterior	Yes
KitchenAid	4	Yes—interior	No, wastes freezer space



External dispenser and controls

- Soft-touch dispenser features a child lock and door alarm for added safety, along with an indicator light that signals when to change the water filter
- Quick Ice™ system creates ice 50% faster than conventional icemakers
- Thermostats for the freezer and fresh food compartments are controlled from the water dispenser, eliminating the need to open the doors

New electronic water-and-ice dispenser adds an extra level of control at your fingertips

Competitive comparison

	Dispensing system	Quick Ice	Digital temperature display	Filter
GE Profile™	Soft Touch	Yes	Yes	Yes—500 gallon
KitchenAid	2 paddles with chrome letters and trim	No	Yes—inside	Yes—inside with % used indicator (400 gallon)



GE Profile™ built-in



KitchenAid

Extra-capacity freezer baskets

- Both the upper and lower freezer baskets are deeper than standard baskets
- Large foods, even frozen poultry, fit into the baskets easily

Larger-than-ever baskets provide additional convenience for storing frozen foods

Competitive comparison

	Width		Depth		Height	
	Upper basket	Lower basket	Upper basket	Lower basket	Upper basket	Lower basket
GE Profile™ 42" models	12"	12"	12-1/2"	12-1/2"	8"	10"
KitchenAid 42" models	11-1/4"	11-1/4"	8-1/2"	8-1/2"	5-1/2"	5-1/2"

BrightSpace™ interior

- Bright interior lighting fully illuminates the interior, making it easier to see what's inside
- Dual-level lighting features brilliant 160-watt lighting in the fresh food compartment

Competitive comparison

	Fresh food	Freezer	Total
GE Profile™	160 watts	80 watts	240 watts
KitchenAid	120 watts	80 watts	200 watts

Brilliant, dual-level lighting provides additional illumination

Show and tell



GE Profile™ built-in



KitchenAid

Overhead evaporator system

Show how the flip-up panel provides easy access to the GE SmartWater Plus™ Twist and Lock filtration and the overhead evaporator system.

Tell how the overhead evaporator system protects food better and provides extra convenience by:

- Keeping fruits and vegetables crisp and fresh longer with elevated humidity in the fresh food compartment.
- Allows more flexibility for storing frozen food, such as large roasts or frozen poultry, by moving the evaporator out from behind the freezer baskets.
- Featuring a grill panel that glides up and out of the way to eliminate the loss or damage of removable grill parts.

GE Profile™ built-In refrigerators give consumers the convenience they need, the look they want.



Integrated Appearance

Enjoy a **true, built-in appearance** that blends into the décor, or **marries with fine cabinetry** when finished with 1/4" or 3/4" panels.



Exceptional Food Preservation

Overhead evaporator system isolates the airflow between the freezer and the fresh food section to keep frozen foods frozen and fresh foods fresh.



Ultimate Convenience

Secure-close door system is engineered to automatically pull the door shut when angled at 90 degrees or less.



custom style

New product introductions 2005
GE Profile™ and GE® CustomStyle™ refrigerators



imagination at work



The ultimate in refrigeration.™

If you want a built-in look, without the built-in expense, GE offers the industry's most comprehensive CustomStyle™ line up. A GE Profile CustomStyle or GE CustomStyle refrigerator **makes the most of your kitchen space** by blending in almost seamlessly with surrounding cabinetry. It **gives you the style you want** and features you need, without the cost and inconvenience of a kitchen redo. And now, GE Profile CustomStyle is available in 25 cu. ft. as well as 23 cu. ft. For a sleek, **modern appearance**, choose stainless or acrylic panels. Or, achieve a **custom look** with cabinet-matching wood panels. Whatever style you prefer, you'll find a CustomStyle refrigerator that **works beautifully with your décor and budget.**



GE Profile Arctica® and GE CustomStyle™ side-by-side refrigerators

An impressive design statement, without standing out.

For a built-in look, without the built-in expense, here's a fitting solution. A GE Profile CustomStyle™ refrigerator makes the most of your kitchen space by blending in almost seamlessly with surrounding cabinetry. It gives you the style you want and features you need, without the cost and inconvenience of remodeling. For a sleek, modern appearance, choose stainless or acrylic panels. Or, achieve a custom look with cabinet-matching wood panels. Whatever style you prefer, you'll find a CustomStyle refrigerator that works beautifully with your decor and budget.

Trimless side-by-side models



Installation made easy: simply slide in.

Trimless CustomStyle units install by simply sliding into—way into—the space between cabinets. They align with counters, instantly look built-in, with nothing to attach or build. (Available in stainless steel, white, bisque and black.)



Installed-trim side-by-side models



Optional panels
Choose stainless steel panels or acrylic panels in white, bisque or black.



Custom wood panels
Make and install your own custom wood panels to accent cabinetry.

Designed for today's discriminating consumers.

CustomStyle refrigerators with installed trim accept stainless steel or acrylic panels in white, black or bisque, all of which can be ordered from GE. To achieve a custom look, you can order custom

panels from your cabinetmaker. You'll discover all kinds of ways to enhance your kitchen.

Optional collar trim: adding the final touch.

The optional collar trim is just another way GE lets you integrate our CustomStyle refrigerators into your kitchen decor. Available in

stainless steel, white, bisque and black, this trim frames the refrigerator facade, adding to the finished look of a built-in, custom kitchen.

Collar trim

Model no.	Black collar trim	White collar trim	Bisque collar trim	Stainless steel collar trim
PSI23NCR	TRMBISBB	TRMBISWW	TRMBISCC	—
PSI23SCR	—	—	—	TRMBISS
PSI23MGR	TRMBISBB	TRMBISWW	TRMBISCC	—
PSI23NGR	TRMBISBB	TRMBISWW	TRMBISCC	—
PSI23SGR	—	—	—	TRMBISS
PSH23PSR	—	—	—	TRMBISS
PSH23PGR	TRMBISBB	TRMBISWW	TRMBISCC	—
PSH25MSS	—	—	—	TRM25BISS
PSH25NGS	TRM25BISBB	TRM25BISWW	TRM25BISCC	—
PSH25SGS	—	—	—	TRM25BISS
PSH25MGS	TRM25BISBB	TRM25BISWW	TRM25BISCC	—
PSH25PSS	—	—	—	TRM25BISS

Acrylic and stainless steel panels

Model no.	Black acrylic panels	White acrylic panels	Bisque acrylic panels	Stainless steel panels
PSI23NCR	PSPK23CBB	PSPK23CWW	PSPK23CCC	—
PSI23MGR	PSPK23DBB	PSPK23DWW	PSPK23DCC	PSPK23DSS
PSI23NGR	PSPK23DBB	PSPK23DWW	PSPK23DCC	PSPK23DSS
PSH23PGR	PSPK23DBB	PSPK23DWW	PSPK23DCC	PSPK23DSS
PSH25NGS	PSPK25DBB	PSPK25DWW	PSPK25DCC	PSPK25DSS
PSH25MGS	PSPK25DBB	PSPK25DWW	PSPK25DCC	PSPK25DSS

CustomStyle™ selection

Installed-trim side-by-side models

Dispenser models



PSH23PGS
Shown with optional black acrylic panels. Available in white, bisque or black.
This model is ENERGY STAR®-qualified.



PSI23NGR
Shown with custom wood panels. Available in white, bisque or black.



PSH25NGS/PSH25MGS
Shown with custom wood panels. Available in black.
These models are ENERGY STAR®-qualified.



PSI23MGR
Shown with optional white acrylic panels. Available in white, bisque or black.



PSI23MGR
Shown with custom wood panels. Available in white, bisque or black.

Dispenser models



PSW23PSS
Stainless-wrapped with sculptured stainless steel handles.
This model is ENERGY STAR®-qualified.



PCF25PGS
High gloss with sculptured handles. Available in white or black.
This model is ENERGY STAR®-qualified.



PSC23SGR
Stainless steel with sculptured stainless steel handles.



PSC25MGS
Available in white or black.
PSC25NGS
Available in black.
These models are ENERGY STAR®-qualified.

Non-dispenser models



PSI23NCR
Shown with optional white acrylic panels. Available in white, bisque or black.



PSI23NCR
Shown with custom wood panels. Available in white, bisque or black.



GSC23LGR
Available in white or black.



GSC22KGR
Available in white or black.



PSC23SHR
Stainless steel with sculptured stainless steel handles.



PSC23NHS
Available in white or black.



PSC25PSS
Stainless steel with sculptured stainless steel handles.

This model is ENERGY STAR-qualified.



PSC23PSS
Stainless steel with sculptured stainless steel handles.

This model is ENERGY STAR-qualified.



PSC25SGS/PSC25MSS
Stainless steel with sculptured stainless steel handles.

These models are ENERGY STAR-qualified.



PSC23NGS/PSC23MGS
Available in white, bisque or black.



PSH25PSS/PSH25SGS
Stainless steel with full-length visor handles.

These models are ENERGY STAR-qualified.



PSH23PSS/PSI23SGR
Stainless steel with full-length visor handles.

Model PSH23PSS is ENERGY STAR-qualified.



PSH25MSS
Stainless steel with full-length visor handles.

This model is ENERGY STAR-qualified.



GSC23LSR
Stainless steel with tubular handles.

Non-dispenser model



PSI23SCR
Stainless steel with full-length visor handles.

25 cu. ft. CustomStyle™ refrigerators



The new 25 cu. ft. CustomStyle GE Profile™ side-by-side refrigerator offers **more capacity than competitors' comparably-sized models**. Now there are more ways to set your kitchen apart without standing out: the 22 cu. ft. CustomStyle, the 23 cu. ft. CustomStyle, and now, the 25 cu. ft. CustomStyle. Installed alongside counters or between cabinets, these refrigerators offer a look that **enhances your décor and saves valuable floor space**.

Feature gallery: 25 cu. ft. Profile CustomStyle side-by-sides



PSC25PSS shown

Upfront digital controls with temperature readout

Are precise and easy to use, taking the guesswork out of setting accurate temperatures.



ClimateKeeper2™ system

Keeps foods garden fresh longer, while protecting ice from odor transfer, with its unique dual evaporator system.



Only GE has it!

Beverage center

Keeps beverages and treats icy cold and easily accessible.



ClearLook™ adjustable gallon door bins

Provides maximum storage flexibility.



ENERGY STAR®-qualified

Higher energy efficiency means lower utility bills.



Tall LightTouch! dispenser with LED lighting

Dispenser water and ice at the slightest touch. LED lighting provides long-lasting illumination without generating heat.



Integrated Ice™ system

The ice bucket is integrated into the icemaker, not the freezer door, freeing up valuable storage space. Tilt-down feature provides easy access to cubed ice.

Only GE has it!

Answers that click!

GE puts everything you need at your fingertips.



GE Appliances web site — 16 million visitors a year! Visit us at ge.com

Everything you need to know about GE products is here. Access up-to-date information, find out “what’s new,” obtain dimensions, get installation tips and more. Extremely user-friendly, this one-stop site lets you research by brand, category or model number and even buy online through a local GE dealer.

GE Answer Center® saves you time. 800.626.2000

This 24-hour-a-day, 7-day-a-week service provides answers on product features, installation, service and more.



side-by-sides

New product introductions 2005
GE Profile™ and GE® side-by-side refrigerators



imagination at work



Side-by-side refrigerators quick pitch

Freshness at every level



Stylish Appearance

Gently contoured doors and elegant sculptured handles are designed to complement every kitchen



Exceptional Food Preservation

ClimateKeeper2™ with two evaporators keeps fresh foods **garden fresh longer** and keeps frozen foods at their best



Ultimate Convenience

Beverage Center keeps beverages and treats nicely chilled and ever so easy to reach



What's new: ClimateKeeper2™ is now available on more models

Freshness at every level.

The Industry's Most Advanced Refrigeration

System **keeps foods garden fresh longer.** And

now that this technology is available on more

models, consumers who want the latest in food

preservation have more choices.

Two-compartment cooling technology

Keeps fresh foods fresh and frozen foods at their best.

Moist air in the fresh food compartment never mixes with dry freezer air, so foods retain their texture, color and flavor.

Longer-lasting freshness means less food wasted.

Recent studies show that American families waste billions of dollars worth of food each year*, The new ClimateKeeper2 system can go a long way toward reducing wasted food and money.

*Appliance Magazine, November 2003 online survey.



Asparagus after five days—Conventional system
Stalks have begun to bend and appear lifeless.



Asparagus after five days—ClimateKeeper2 system
Fresh-looking in texture and color, the bright-green stalks stand straight.



Lemons after five days—Conventional system

Refrigerated slices shrivel around the edges, drying up and losing flavor.



Lemons after five days—ClimateKeeper2 system

Still fresh and juicy, slices stay bright, moist and flavorful.



Mushrooms after three days—Conventional system

Mushrooms have dried out quickly and developed dark, soft spots.



Mushrooms after three days—ClimateKeeper2 system

Still fresh and firm, mushrooms remain smooth and meaty.



Spinach salad after three days—Conventional system

Spinach has curled and lost its crispness, while mushrooms have turned dark and dry.



Spinach salad after three days—ClimateKeeper2 system

Crisp greens retain their tenderness, while mushrooms are still white and smooth.

What's new: More of what consumers want

Freshness at every level.



New ClimateKeeper²™ models

- All CustomStyle™ 25 cu. ft.
- CustomStyle 23 cu. ft. "P" Series
- Free-standing 26 cu. ft. "P" Series



Beverage Center Convenience

- Beverages, treats and medications are easily accessible and icy cold but never frozen. A built-in control prevents freezing.
- Cans, gallon jugs, bottles and smaller items fit in specially designed racks and bin



Sculptured high gloss handles

- Standard on all new white, black and bisque GE Profile™ models
- Finger grips on handle backs have a better, more secure feel

LED lighting for dispenser

- Lasts significantly longer than incandescent bulbs
- Burns cool and produces pure light
- Reliable technology endures the shock and vibration of constant door opening and closing. Featured in interior doors of major manufacturers' automobiles.



Latest arrival—25 cu. ft. CustomStyle refrigerators

- Industry's largest built-in style refrigerator
- Taller, not wider, so it still fits the CustomStyle footprint
- Features ClimateKeeper2 technology (all models)
- ENERGY STAR® qualified (all models)
- Available with "M", "N" and "P" series feature packs



Introducing—23 cu. ft. free-standing refrigerators

- Now, GE Profile™ offers consumers with space limitation more options
- Fits in a 33-inch wide space
- Available with "L", "M" and "N" series feature packs



More great news about GE free-standing refrigerators

- J-Series now offers slide-out spillproof shelves, adjustable humidity, child lock option on the dispenser, and it's ENERGY STAR® qualified
- K-Series offers larger capacity for 23 cu. ft. models, integrated shelf support system, short air tower, new lighting, and it's ENERGY STAR® qualified

Feature gallery: Side-by-side refrigerators



New!

SmartWater™ filtration system

Reduces more impurities. The result is clean, great-tasting water and ice.



Only GE has it!

Integrated Ice™ system

The bucket is integrated into the icemaker, freeing up valuable space. Tilt-down feature provides easy access.



QuickSpace™ shelf

Slides out of the way to make room for tall items.



New!

Tall LightTouch! dispenser with LED lighting

Accommodates tall glassware and dispenses water at the slightest touch. LED lighting lasts longer.



Only GE has it!

Slide 'n Store™ full-extension freezer baskets

Extends 16" for easy loading and unloading.



It chills!



It thaws!



It preserves!



GE Profile model PSW23PSR

Only GE has it!

Full-extension bin with CustomCool™ technology

Chills in minutes, thaws in hours and helps keep foods fresh, longer.




Upfront electronic controls with digital temperature readout

Takes the guesswork out of selecting temperatures.



TurboCool™ feature

Cools the refrigerator after frequent door openings.



Beverage Center

Keep beverages and treats icy cold and easily accessible.



Adjustable ClearLook™ bins

Hold gallon-size containers with style and ease, freeing up valuable shelf space.



Slide-out, spillproof glass shelves

Simplify loading, unloading and cleaning.



ClimateKeeper2™ system

Keeps foods garden fresh longer, while protecting ice from odor transfer, with its unique dual-evaporator system.

Available on models:

PSF26PGS	PSC25NGS
PSS26PSS	PSC25SGS
PSW26PSS	PCF25PGS
PSC23PSS	PSC25PSS
PSW23PSS	PSH25MGS
PSH23PGS	PSH25MSS
PSH23PSS	PSH25NGS
PSC25MGS	PSH25SGS
PSC25MSS	PSH25PSS

The inside story: GE Profile™ side-by-side refrigerators

The ClimateKeeper2™ system uses two evaporators—one for the fresh food compartment and a separate one for the freezer. Creating and maintaining higher humidity for fresh foods helps keep them garden fresh longer. Providing a dry environment for frozen foods keeps them at their best.

ClimateKeeper2 dual-evaporator system

- Maintains humidity in the fresh food compartment to help preserve fresh foods that require more moisture
- Reduces defrost cycles to help keep frozen foods at their best
- Cycles air in the fresh food compartment separately from freezer air, preventing the transfer of food odors

Conventional single-evaporator system

- Allows air and odors to circulate between the fresh food and freezer compartments
- Maintains lower humidity levels than necessary to keep fresh foods at their best
- Allows humidity from the fresh food compartment to transfer to the freezer, causing more frequent defrosting and the increased chance of freezer burn



"Finally, ClimateKeeper2 brings out the best in foods. It keeps temperature and humidity under control so foods stay fresh longer."

—Alton Brown, Host/Writer of Food Network's "Good Eats"



FrostGuard™ technology
Protects frozen items from freezer burn by monitoring door openings and defrosting only when needed.



NeverClean™ condenser
Encased coils don't require cleaning in normal operating environments.



Deluxe Quiet Design
Significantly reduces operating noise.



CHANGE FOR THE
BETTER WITH
ENERGY STAR

PARTNER OF THE YEAR 2004

ENERGY STAR®-qualified

PSH25PSS	PSW26SGR
PSC25PSS	PSS26SGR
PCF25PGS	PSS26NGS
PSH25SGS	PSW26MSR
PSH25NGS	PSS26MSR
PSC25SGS	PSS26MGS
PSC25NGS	PSS26LSR
PSH25MSS	PSS26LGS
PSH25MGS	GSS25SGS
PSC25MSS	GSS25KGS
PSC25MGS	GSS23SGS
PSW23PSS	GSS23KGS
PSH23PSS	GSH25JSR
PSH23PGS	GSL25JFR
PSW26PSS	GSH25JFR
PSS26PSS	GSH22JSR
PSF26PGS	GSL22JFR
PSS26SHR	GSH22JFR
PSS26NHS	

Dare to compare

ClimateKeeper2™ system

- Allows fresh foods to retain the higher moisture levels that keep them at their peak longer
- Fresh foods deteriorate as they lose moisture, becoming dry and unappealing
- Fresh foods last longer at higher relative humidity levels than are produced by single-evaporator systems



Mushrooms after three days with ClimateKeeper2



Mushrooms after three days with conventional system



Tall LightTouch! dispenser—
The tallest dispenser in the industry!

- Accommodates cups and containers of all sizes—from pitchers to water bottles
- Dispenses great-tasting filtered water and ice at the slightest touch

Compared to GE's dispenser, competitors' dispensers fall short

Competitive comparison

	GE Profile™	Kenmore	Whirlpool	Frigidaire	Maytag	Amana	KitchenAid	Samsung
Dispenser height	9"	7.75"	7.5"	7"	8.6"	8.5"	7.75	8.5"
Dispenser design	LightTouch!	two-paddle	two-paddle	two-paddle	touchpad	touchpad	two-paddle	touchpad



GE offers the most complete stainless exterior line-up!
Choose options such as stainless wrapped models, stainless trim
and true stainless sculptured handles.



Competitive comparison—Appearance

	GE Profile™	Kenmore	Whirlpool	KitchenAid
Full-wrapped stainless	Yes	No	No	No
Stainless trim	Yes	No	No	No
True stainless handles	Yes	No	No	No



GE Profile BrightSpace™ freezer

Exclusive Integrated Ice™ system

- Icemaker and ice bucket are fully integrated into the freezer cabinet to free up valuable storage space and keep ice from clumping
- Ice bucket pulls out and down, providing easy access
- Unique configuration makes room for three full-extension, slide-out freezer baskets for added storage flexibility



KitchenAid



Frigidaire



Maytag

Competitive comparison


	GE Profile™	Kenmore Elite	Whirlpool	Frigidaire	Maytag	Amana	KitchenAid	Samsung
Full-extension slide-out freezer baskets	3	None	None	1	None	None	None	None

More space. More convenience. Easy access.

Show and tell



Lemons after five days
with conventional system




Lemons after five days
with ClimateKeeper2

ClimateKeeper2™ system

Show your customers how the cold, dry freezer air in a conventional system pulls the moisture out of lemon slices. After five days, the lemon slices lose their luster, appear dry and unappetizing and are ready to be discarded.

Tell your customers how lemon slices retain their freshly cut appearance and are full of flavor after five days in the ClimateKeeper2 system.



ClimateKeeper2™ LCD P.O.P.

Show them the interactive touch screen display, and explain how easy it is to use.

Tell them how we've capitalized on this industry-leading technology to demonstrate the benefits of ClimateKeeper2 using Alton Brown as our spokesperson.



Flipbook P.O.P.

Show your customers the interactive flip chart.

Tell them about the benefits of ClimateKeeper2 by pointing out the illustrated food shots. Fresh foods stay fresh while frozen foods stay frozen.

Exclusive CustomCool™ technology—*It chills. It thaws. It preserves!*



Show your customers how to select the **ExpressChill™** option of 15, 30 or 45 minutes by pressing the electronic CustomCool pad repeatedly.

Tell your customers how quickly this option allows them to chill beverages for game day or wine for unexpected company.



Show your customers how to select the **ExpressThaw™** options for thawing 1/2 pound, one pound, two pounds and three pounds of meat by pressing the electronic CustomCool pad.

Tell your customers how they can conveniently thaw frozen meats safely even when they're not home. The meat stays refrigerated until they're ready to cook.



Show your customers how to select the **SelectTemp™** options for citrus (43°F), produce (35°F) and meat (31°F) by pressing the electronic CustomCool pad.

Tell your customers how they can protect their favorite foods at the recommended temperature to keep those foods fresh, longer.

Quietest refrigerator guarantee

Show our customers the “quiet guarantee” point-of-purchase piece.

Tell your customers about the 30-day, money-back guarantee. Then, explain the benefits of superior performance and quiet operation:

–Advanced cooling technology not only makes life easier, but it also makes operation quieter and more efficient.

- Less operating noise means more peace of mind; better efficiency means lower utility bills.



*The quietest refrigerator you
ever owned...guaranteed!**

**Applies to PSW23PSS, PSH23PSS and PSH23PGS only.
See written guarantee for details.*

There's a GE side-by-side refrigerator for every kitchen.

GE® and GE Profile™ CustomStyle™



Full-wrap

- Available in 23 cu. ft. capacity



High gloss

- Available in 25 cu. ft. capacity
- Color options: White, Black



Installed trim

- Available in 23 and 25 cu. ft. capacities
- Color options: White, Bisque, Black



Trimless

- Available in 23 and 25 cu. ft. capacities
- Color options: Stainless steel, White, Bisque, Black



GE CustomStyle

- Available in 22 and 23 cu. ft. capacities
- Color options: Stainless steel, White, Bisque, Black

GE Profile free-standing refrigerators



Full-wrap

- Available in 26 cu. ft. capacity



High gloss

- Available in 26 cu. ft. capacity
- Color options: White, White with stainless accents, Black



Stainless steel

- Available in 23, 26 and 27 cu. ft. capacities



Textured traditional

- Available in 23, 26 and 29 cu. ft. capacities
- Color options: White, Bisque, Black

GE free-standing refrigerators



Stainless steel

- Available in 22, 23 and 25 cu. ft. capacities



CleanSteel

- Available in 22, 23 and 25 cu. ft. capacities



Textured traditional

- Available in 20, 22, 23 and 25 cu. ft. capacities
- Color options: White, Bisque, Black

GE Profile™ and GE® side-by-side refrigerators—freshness at every level.



Stylish Appearance

Gently contoured doors and elegant sculptured handles are designed to complement every kitchen



Exceptional Food Preservation

ClimateKeeper2™ with two evaporators keeps fresh foods **garden fresh longer** and keeps frozen foods at their best



Ultimate Convenience

Beverage Center keeps beverages and treats nicely chilled and ever so easy to reach.



bottom-freezers

New product introductions 2005

GE Profile™ and GE® bottom-freezer refrigerators



imagination at work



Bottom-freezer refrigerators quick pitch

Freshness at every level



Stylish Appearance

The doors on top are the new french door style with true stainless steel sculptured handles on stainless and stainless-wrap models



Outstanding Food Preservation

Exclusive ClimateKeeper™ system includes a digital temperature readout, electronic sensors and an air tower for precise temperature control and optimal food freshness



Tremendous Storage Convenience

Multi-level Slide 'n Store™ freezer baskets allow easy loading and unloading of frozen foods



What's new:

Freshness at every level




GE Profile™ sculptured stainless handles

- Appealing lines
- Crafted in true stainless steel to complement the door's gentle contours



Upgraded filter with new indicator light

- Filter removes more impurities
- Light reminds you when to change filter
- Reset button reactivates reminder once filter has been replaced
- 750-gallon filter provides one year of filtered water



New to bottom-freezer refrigerators: TurboCool

- Quickly cools the refrigerator after frequent door openings or after hot items are placed inside
- "Revs up" the refrigerator when needed to maintain constant cool



Introducing new french door models: Convenience meets fresh food

- Top doors are stylish french doors with true stainless steel sculptured handles on stainless and stainless-wrap models
- Because the doors don't swing as wide as top freezer or traditional bottom freezer refrigerator doors, the french door style is ideal for tight space installations or islands where door clearance is an issue



New GE drawer models

- Multi-level storage system provides flexibility in freezer storage
- Available in stainless, white, bisque and black

Feature gallery: GE Profile® bottom-freezer refrigerators



TurboCool™ setting
Quickly cools the refrigerator after frequent door openings.



Internal water dispenser
Provides chilled, great-tasting water.



Adjustable temperature deli drawer
Provides a temperature-controlled environment for fresh foods.



Slide-out, spillproof glass shelves
Simplify loading, unloading and cleaning.



Adjustable ClearLook™ crispers
Provide the ideal storage environment for produce.



GE Profile model PFS22SISSS



Upfront electronic controls with digital temperature readout
Precise and easy to use.

ClimateKeeper™ system

Keeps temperatures consistent to help keep foods fresh.

QuickSpace™ shelf

Quickly slides out of the way to make room for tall items.

ClearLook™ gallon door bins

Hold gallon-size containers with style and ease.

ShelfSaver™ beverage rack

Provides convenient storage for everything from cans to egg cartons to casserole dishes.



Contoured doors and sculptured handles
Provide a dramatic look.



BrightSpace™ interior

Offers flexible storage and 160 watts of GE Reveal™ lighting for easy viewing.



Fresh food compartment

Offers full-access storage with full-width convenience.

The inside story: GE Profile® bottom-freezer refrigerators



ENERGY STAR®-qualified
Higher energy efficiency means lower utility bills.



Deluxe quiet design
Significantly reduces operating noise.



NeverClean™ condenser
Encased coils don't require cleaning in normal operating environments.



FrostGuard™ technology
Defrosts only when needed to reduce freezer burn.



Secure-Close door system
Securely pulls the door shut, even after you release the handle.





Multi-level Slide 'n Store™ system

Allows easy loading and unloading.



Integrated icemaker

Slides out with ease. The ice bin is integrated into the icemaker, so cubes don't fall onto the freezer floor.



GE SmartWater™ filtration

Upgraded 750-gallon filter removes more impurities, provides one year of clean, fresh-tasting filtered ice, and takes up a small amount of space.

Indicator light reminds you when to change filter, and a reset button reactivates reminder once filter has been replaced.

Dare to compare



Exclusive ClimateKeeper™ system

- Electronic controls with digital temperature readout are precise and easy to use
- Multiple electronic sensors keep temperatures consistent and help preserve foods
- Multiflow air tower distributes cool air evenly throughout the fresh food compartment



Competitive comparison—temperature management

	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung
Controls	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch	Rotary Dial	Electronic Touch	Electronic Touch
Digital temperature readout	YES	No	No	No	No	No	No	Yes
Temperature management	3 sensors	2 thermostats	2 thermostats	2 thermostats	2 thermostats	2 thermostats	2 sensors	2 sensors
Air tower	YES	No	No	No	No	No	No	Yes
Adaptive defrost	YES, FrostGuard™	No, Timer	No, Timer	No, Timer	No, Timer	No, Timer	Yes	No

The ultimate combination of food-preservation features.

Lighting

- BrightSpace™ interior uses GE Reveal™ lighting to cast a clear, natural-looking glow throughout the refrigerator



GE Profile



Competitor

Competitive comparison—Lighting

	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung
Fresh food	120 watts GE Reveal™	80 watts	80 watts	80 watts	80 watts	80 watts	120 watts	30 watts
Freezer	60 watts GE Reveal	40 watts	40 watts	40 watts	40 watts	40 watts	40 watts	15 watts
Total	180 watts	120 watts	120 watts	120 watts	120 watts	120 watts	160 watts	45 watts

Door storage

- GE Profile has new adjustable gallon door storage
- The competitor has only small bottle storage



GE Profile



Competitor

Competitive comparison

	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung
Adjustable gallon door storage	YES	No	Yes	No	Yes	Yes	Yes	No
Contoured doors	YES	Yes	No	No	No	No	Yes	Yes
Water filtration	750 gallons	750 gallons	N/A	N/A	750 gallons	N/A	300 gallons	N/A

New GE Profile™ and GE bottom-freezers are turning refrigeration upside down.



Multi-level Slide 'n Store™ system

- Three full-extension baskets maximize available storage space
- Unique configuration allows easy access to all contents, without removing or rearranging items
- Open wire design allows air movement and easy viewing of contents
- Self-closing hinges automatically pull the drawer shut when it's within one inch of the closed position

Competitive comparison 22 cu. ft. models—Freezer Capacity and Flexibility

	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung
Freezer capacity (cu. ft.)	7.04	6.3	6.8	6.5	6.3	6.4	6.9	6.5
Full-extension basket(s)	3	2	2	2	2	2	2	3
Factory-installed icemaker	Integrated with drawer	Ice bucket slides out with drawer	Ice bucket slides out with drawer	Ice bucket slides out with drawer	Ice bucket slides out with drawer	N/A	Yes	Integrated with drawer
Self-closing drawer	YES	Yes	Yes	No	Yes	N/A	Yes	N/A
Adaptive defrost	YES, FrostGuard™	No	No	No	No	No	Yes	No

The ultimate in freezer storage flexibility.

Show and tell

GE Profile Arctica® bottom-freezer refrigerators



Internal water dispenser with SmartWater™ filtration

Show your customers the easy reach location of the internal, filtered water dispenser.

Tell your customers how the filtered water dispenser delivers clean, fresh-tasting water with the slightest of touch.

- Consumers can enjoy the benefits of bottled water without the bottles water expense.
- GE SmartWater™ filtration system with filter-reset button provides 750 gallons or a year's worth of clean, fresh-tasting filtered ice—for under 0¢ per gallon. Think of all the money (buying filtered water), time (to the grocery) and space (big gallon jugs taking up valuable fresh food compartment space) consumers save by using the GE SmartWater dispensing system!



Bottom-freezer refrigerators

Available new models



GE® bottom-freezer “H” series

- Offered in 20 and 22 cu. ft. capacities
- Contoured doors
- Upfront controls
- Three glass shelves (two split, one full-width)
- Clear snack pan
- Two clear crispers
- Full-width fixed door bins, one w/gallon storage
- Freezer light
- Reversible doors
- 20 cu. ft. models available in White on white; 22 cu. ft. models available in White on white, Bisque on bisque and Black on black



GE bottom-freezer door and drawer “K” series

- Door models offered in 20 and 22 cu. ft. capacities, drawer models offered in 20 cu. ft. capacity
- **Contoured doors**
- **Upfront illuminated controls**
- **Four adjustable gallon door storage bins**
- **One full-width fixed gallon door bin**
- **GE Reveal® lighting**
- Available in White on white, Bisque on bisque and Black on black
- **Drawer models also available in stainless steel**



GE bottom-freezer drawer "M" series

- Offered in 20 and 22 cu. ft. capacities
- **Contoured doors and sculptured handles**
- **Electronic controls with digital temperature readout**
- **TurboCool™ setting**
- **QuickSpace™ shelf**
- **Four split spillproof, slide-out glass shelves**
- **ShelfSaver™ beverage rack**
- **Exclusive ClimateKeeper™ system**
- **Three full-extension freezer baskets**
- **ClearLook™ adjustable gallon door bins**
- **Optional integrated icemaker with GE SmartWater™ filtration**
- Available in White on white, Bisque on bisque, Black on black, stainless steel and **stainless steel wrapped**



GE bottom-freezer french-door "M" series

- Offered in 22 cu. ft. capacity
- **French doors**
- Available with or without internal water dispenser in White on white, Black on black or stainless steel

GE Profile Arctica® and GE® bottom-freezer refrigerators
are turning refrigeration upside down



Stylish Appearance

The doors on top are the new french door style with true stainless steel sculptured handles on stainless and stainless-wrap models



Outstanding Food Preservation

Exclusive ClimateKeeper™ system includes a digital temperature readout, electronic sensors and an air tower for precise temperature control and optimal food freshness



Tremendous Storage Convenience

Multi-level Slide 'n Store™ freezer baskets allow easy loading and unloading of frozen foods

top-freezers

New product introductions 2005

GE Profile™ and GE® top-freezer refrigerators



imagination at work



Top-freezer quick pitch

Freshness at every level.



Stunning Appearance

Elegant stainless doors with dramatically sculptured stainless handles complement any décor with their stylish, modern lines.



Exceptional Food Preservation

ClimateKeeper™ technology is the best temperature management system you can buy, with precise controls, electronic sensors and a multi-flow air tower to keep temperatures consistent and food fresh.



Unparalleled Convenience

Gallon storage in the door, a tilt-out freezer bin and adjustable, slide-out, spillproof shelves are easy to use and add extra versatility to every kitchen.



What's new:

Freshness at every level



#1-rated refrigerator

- A leading consumer magazine recently selected the GE Profile Arctic® top-freezer model as America's #1 refrigerator — for the third year in a row!
- GE Profile continues to deliver style and performance, leading the industry with consistent advancements in design and innovation
- Our #1-rated model features a digital temperature display and factory-installed icemaker



GE Profile™ sculpted stainless handles

- Sleek, appealing lines complement the door's gentle contours
- Crafted out of true stainless steel for long-lasting beauty



New removable freezer shelf

- Adds an extra shelf for stacking frozen food
- Can be easily removed to store tall items

Upgraded interior



- Enhanced door shelves now offer full gallon storage and help keep smaller items from sliding out



- Soda can storage shelf conveniently dispenses soft drink cans



- New design looks sleeker, yet is even more durable



Increased storage space

- Redesigned to allow extra storage space in every size model
- Existing 15-cu.-ft. refrigerators have become 16s, while 16s have become 17s and 18s have gained additional storage space

Feature gallery: GE Profile™ top-freezer refrigerators



SmartWater™ and ice filtration

Delivers clean, fresh-tasting water through the internal water dispenser.



ClimateKeeper™ system

Digital controls and electronic sensors give you a greater degree of control over food preservation.



Internal water dispenser

Provides chilled, great-tasting water on demand, from inside the refrigerator.



Adjustable temperature deli drawer

Provides a convenient, temperature-controlled environment for meats, cheeses and other favorite foods.



Slide-out, spillproof glass shelves

Simplify loading, unloading and cleaning.



GE Profile model PTS25SHSSS



Removable freezer shelf

Creates an extra space for stacking frozen food.

Electronic touch controls with digital temperature readout

Precise and easy-to-use, takes the guesswork out of selecting accurate temperatures.

ShelfSaver™ beverage rack

Provides convenient storage for a 12-pack, two egg cartons or a 9" x 13" casserole dish.

Adjustable ClearLook™ gallon door bins

Hold large containers with style and ease.

Adjustable humidity crispers

Provide the ideal storage environment for fruits and vegetables.



ENERGY STAR®-qualified

High energy efficiency means lower utility bills.

PTS25SHS	GTH22SHS
PTS25LHS	GTH22SBS
PTS22SHS	GTH22KBR
PTS22LHS	GTH18KBR
PTS22SCS	GTH18JBR
PTS22LCS	GTH16BBS



NeverClean™ condenser

Condenser coils are encased, so they don't require cleaning in normal operating environments.



FrostGuard™ technology

Defrosts only when needed, reducing freezer burn.

Dare to compare



Exclusive ClimateKeeper™ system

- Electronic controls with digital temperature readout are precise and easy to use
- Multiple electronic sensors keep temperatures consistent and help preserve refrigerator contents
- Multiflow air tower distributes cool air evenly throughout the fresh food compartment

Competitive comparison

	Controls	Digital temperature readout	Temperature management	Air tower	Adaptive defrost
GE Profile™	Electronic	Yes	3 sensors	Yes	Yes FrostGuard™
Frigidaire	Mechanical	No	1 sensor	No	No
Kenmore	Electronic	Yes	2 sensors	No	No
Whirlpool	Electromechanical	No	2 thermostats	No	No
KitchenAid	Electromechanical	No	2 thermostats	No	No
Amana	Electromechanical	No	2 sensors	No	No
LG	Electronic	Yes	2 sensors	No	No
Samsung	N/A	N/A	N/A	N/A	N/A



Exclusive FrostGuard™ technology

- Uses a “prechill” function to lower freezer temperature prior to the defrost cycle
- Reduces freezer burn, so foods retain their texture and flavor

Exclusive cooling technology sets GE Profile and GE top-freezers apart



Internal water dispenser with SmartWater™ filtration

- Conveniently located inside the fresh food compartment, the internal water dispenser puts refreshing water well within reach
- Consumers can enjoy the benefits of bottled water without the bottled-water expense
- SmartWater filtration system delivers clean, fresh-tasting water through the internal water dispenser

Competitive comparison

	Internal water dispenser	Water filtration
GE Profile™	Yes	6 month / 350 gallon
Frigidaire	No	No
Kenmore	Yes	6 month / 200 gallon
Whirlpool	Yes	6 month / 200 gallon
KitchenAid	Yes	6 month / 200 gallon
Amana	No	No
LG	No	No
Samsung	N/A	N/A

When it comes to filtered water, GE has the inside advantage



The ultimate in storage and design flexibility

- Redesigned interior gives consumers more options for storing more food
- Adjustable crispers, adjustable door bins and slide-out, spillproof shelves make the large interior seem even more spacious

Competitive comparison

	Maximum capacity
GE Profile™	25 cu. ft.
Frigidaire	21 cu. ft.
Kenmore	22 cu. ft.
Whirlpool	22 cu. ft.
KitchenAid	22 cu. ft.
Maytag	21 cu. ft.

The largest capacity refrigerator to feature an internal water dispenser in the industry!

Top-freezer refrigerators

Available new models



GE® top-freezer “B” series

- Offered in 16, 17 and 18 cu. ft. capacities
- Upfront temperature controls
- Two full-width wire shelves
- Two clear vegetable/fruit crispers
- Full gallon door storage
- Deluxe quiet design
- NeverClean™ condenser
- Available as an ENERGY STAR®-qualified model (16 cu. ft. only)
- Available with factory-installed icemaker (16 & 17 cu. ft. models only)



GE top-freezer “C” series

- Offered in 18 cu. ft. capacity
- **Can storage shelf**
- Available with factory-installed icemaker



GE top-freezer "D" series

- Offered in 18 cu. ft. capacity
- Upfront illuminated temperature controls
- One full-width wire, one split wire and one split glass shelf
- Snack pan
- Freezer step shelf
- Available as an ENERGY STAR-qualified model
- Available with factory-installed icemaker

Top-freezer refrigerators

Available new models



GE® top-freezer "J" series

- Offered in 17, 18 and 22 cu. ft. capacities
- Upfront illuminated controls*
- **Two split, one full-width spillproof glass shelves**
- **Two adjustable humidity clear vegetable/fruit crispers**
- **Clear snack pan**
- Gallon door storage
- Available with factory-installed icemaker*
- **Available in CleanSteel™**



GE top-freezer "W" series

- Offered in 18 and 22 cu. ft. capacities
- **Four split spillproof lift-off glass shelves**
- **Three adjustable gallon door bins**
- **Factory-installed icemaker**



GE Profile Arctica® top-freezer models

- Offered in 22 and 25 cu. ft. capacities
- ClimateKeeper™ system
- Upfront electronic touch controls with digital temperature readout
- Four split, spillproof glass shelves (three slide-out)
- ShelfSaver™ can rack
- ClearLook™ adjustable gallon door bins
- Premium quiet design
- Factory-installed icemaker
- Tilt-out locking freezer door bin
- Removable freezer shelf
- ENERGY STAR-qualified
- Optional internal water dispenser
- Available in stainless steel with stainless handles

GE Profile™ and GE® top-freezers have been redesigned to offer more style, innovation and convenience.



Stunning Appearance

Elegant stainless doors with dramatically sculptured stainless handles complement any décor with their stylish, modern lines.



Exceptional Food Preservation

ClimateKeeper™ technology is the best temperature management system you can buy, with precise controls, electronic sensors and a multi-flow air tower to keep temperatures consistent and food fresh.



Unparalleled Convenience

Gallon storage in the door, a tilt-out freezer bin and adjustable, slide-out, spillproof shelves are easy to use and add extra versatility to every kitchen.

GE Profile™ built-in side-by-side refrigerators

	GE Profile	
	PSB48LSR PSB42LSR	PSB48LGR PSB42LGR
Stainless steel model	●	
Capacity		
Total (cu. ft.)	29.5 / 25.2	29.5 / 25.2
Fresh food (cu. ft.)	18.7 / 15.6	18.7 / 15.6
Freezer (cu. ft.)	10.9 / 9.6	10.9 / 9.6
Shelf area (sq. ft.)	28.2 / 23.4	28.2 / 23.4
Fresh food features		
ClimateKeeper™ system	●	●
Multiflow air system	●	●
Upfront electronic digital display	●	●
Electronic touch temp. controls	Dispenser	Dispenser
Electronic sensors	●	●
SmartWater™ filtration system	Plus	Plus
SoftTouch dispenser	Crushed ice, cubes, water	Crushed ice, cubes, water
Light	●	●
Door alarm	●	●
Quick Ice™ feature	●	●
Water filter indicator light	●	●
Cabinet shelves	4 glass	4 glass
Adjustable	3	3
Spillproof	4	4
Deli pan	Clear	Clear
Vegetable/fruit crispers	2 adj. humidity	2 adj. humidity
ClearLook™ door bins	4 (3 adj.)	4 (3 adj.)
Dairy compartment	●	●
Interior light system	Dual-level	Dual-level
Quiet Design	Premium	Premium
NeverClean™ condenser	●	●
ENERGY STAR®	●	●
Freezer features		
Factory-installed automatic icemaker & bin	●	●
Wire slide-out baskets	2	2
Wire cabinet shelves	4	4
Fixed door bins	3	3
Interior light	Dual	Dual
Exterior		
Color(s) available*	BV	WV, BV
CustomStyle configuration	Trimless	Installed trim
Door handles	Stainless-look, full-length visor	Stainless-look, full-length visor
Door hinge	Hydraulic damper design	Hydraulic damper design
Adjustable rollers	Front	Front
Weights & Dimensions		
Height to top of hinge (in.) A	83-29/32	83-29/32
Case depth with door handle (in.) B	26-29/32	26-29/32
Width (in.) C	48/42	48/42
Approx. shipping weight (lbs.)	584	549
Power/Rating	120V, 60Hz, 15Amps	120V, 60Hz, 15Amps
Accessories		
Black acrylic panels	N/A	PSPK48DBB / PSPK42DBB
White acrylic panels	N/A	PSPK48DWW / PSPK42DWW
Stainless steel panels	N/A	PSPK48DSS / PSPK42DSS


*Color(s) available: WV = White dispenser and visor handles, BV = Black dispenser and visor handles.

If installed against a wall, allow clearance of 4" on freezer side to remove bin.

Clearance required to remove fresh food full size pan without disassembling is 4".

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Built-in refrigerators



Flooring

For proper installation, this refrigerator must be placed on a level surface of hard material that is at the same height as the rest of the flooring. This surface should be strong enough to support a fully loaded refrigerator, or approximately 700 lbs.

Trimmed refrigerators

Trimmed refrigerators are designed to be customized with decorative panels. Field installed custom and grille panels are required. You may install 1/4" or 3/4" thick custom panels from your cabinet manufacturer.

IMPORTANT NOTE: dispenser trim

The refrigerator is supplied with factory installed dispenser trim.

- If panel is less than 1/4" thick, a noticeable gap will be created around the dispenser trim. Foam tape may be applied on the door to improve the fit.
- If panel is more than 1/4" thick, the panel will not fit behind the trim.


IMPORTANT NOTE: panel weight

Maximum weight for Fresh Food panel is 70 pounds and 30 pounds total for Freezer panels..250 + .750 = 1.000 Maximum Total Panel Thickness

1/4" framed panel dimensions 3/4" custom panel dimensions


If you choose to install framed panels, they must be cut to the dimensions shown. The panels will slide into the frame on the door and grille.

For a more custom appearance, 3/4" custom panels must be installed on trimmed models. The custom panel must be cut to dimensions specified below. The custom panel then slides into the trim.



Front panel dimensions (in inches)

	A	B	C	D	E	F	G
42" models	39-15/16	10-3/4	67-7/8	16-7/16	22-11/32	17-13/16	35-5/32
48" models	45-31/32	10-3/4	67-7/8	18-15/32	26-15/32	17-13/16	35-5/32



Side panels

Side panels (not supplied) must be used whenever the sides of the refrigerator will be exposed. The 1/4" side panels will slip into the side case trim. Order side panels from your cabinet manufacturer.

*Depending on installation height.

Water and electrical locations

The opening must be prepared with the electrical and water supply located as shown.

The cutout depth must be 24"

The refrigerator will project forward, slightly beyond adjacent cabinets, depending on your installation.

Additional specifications

- A 120 volt, 60Hz, 15 or 20 amp power supply is required. An individual properly grounded branch circuit or circuit breaker is recommended. Install a properly grounded 3-prong electrical receptacle recessed into the back wall. Electrical must be located on rear wall as shown.
- **Note:** GFI (ground fault interrupter) is not recommended.
- Water line can enter the opening through the floor or rear wall. The water line installed should be 1/4" O.D. copper tubing or GE SmartConnect™ tubing between the cold water line and water connection location. The line should be long enough to extend to the front of the refrigerator. Installation of an easily accessible shutoff valve in the water line is required.


GE Profile Arctica® and GE CustomStyle™ side-by-side refrigerators

	GE Profile™						
	PSC25PSS	PCF25PGS	PSH25PSS	PSC25SGS PSC25NGS	PSH25SGS PSH25NGS	PSC25MSS PSC25MGS	PSH25MSS PSH25MGS
Stainless steel model	●		●	●/-	●/-	●/-	●/-
Capacity							
Total (cu. ft.)	24.6	24.6	24.6	24.6	24.6	24.6	24.6
Fresh food (cu. ft.)	15.28	15.28	15.28	15.28	15.28	15.28	15.28
Freezer (cu. ft.)	9.32	9.32	9.32	9.32	9.32	9.32	9.32
Shelf area (sq. ft.)	20.2	20.2	20.2	20.2	20.2	20.2	20.2
Fresh food features							
Beverage center	●	●	●				
ClimateKeeper™ system	ClimateKeeper2™	ClimateKeeper2	ClimateKeeper2	ClimateKeeper2	ClimateKeeper2	ClimateKeeper2	ClimateKeeper2
Dual evaporator	●	●	●	●	●	●	●
Multiflow air system	●	●	●	●	●	●	●
Upfront elect. digital temp. display	●	●	●	●	●		
Upfront elect. touch temp. controls	●	●	●	●	●	●	●
Electronic sensors	●	●	●	●	●	●	●
TurboCool™ setting	●	●	●	●	●	●	●
SmartWater™ filtration system	Plus	Plus	Plus	Plus	Plus	Plus	Plus
LightTouch™ dispenser	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water
Light	LED	LED	LED	●	●	●	●
Child lock	●	●	●	●	●	●	●
Door alarm	●	●	●	●	●	●	●
Quick Ice™ feature	●	●	●	●	●	●	●
Water filter indicator light	●	●	●	●	●	●	●
Cabinet shelves	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass
Adjustable	3	3	3	3	3	3	3
Slide-out, spillproof	2	2	2	2	2	2	2
QuickSpace™ shelf	●	●	●	●	●	●	●
Integrated shelf support system	●	●	●	●	●	●	●
Snugger™ clips(s)	1	1	1	2	2	2	2
3-stack drawer system	●	●	●	●	●	●	●
Deli drawer	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.
Vegetable/fruit crisper	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity
Sealed drawer	CustomCool™ w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	Full-extension	Full-extension
ClearLook™ door bins	4 (3 adj.)	4 (3 adj.)	4 (3 adj.)	5 (4 adj.)	5 (4 adj.)	5 (4 adj.)	5 (4 adj.)
Dairy compartment (removable)	●	●	●	●	●	●	●
Beverage rack				In-the-door	In-the-door	In-the-door	In-the-door
Interior light system	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level
Quiet Design	Premium	Premium	Premium	Premium	Premium	Premium	Premium
NeverClean™ condenser	●	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●	●
Freezer features							
FrostGuard™ technology	●	●	●	●	●	●	●
Factory-installed icemaker	Integrated Ice™	Integrated Ice	Integrated Ice	Integrated Ice	Integrated Ice	Integrated Ice	Integrated Ice
Wire slide-out baskets	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	3	3
Wire cabinet shelves	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)
Wire tilt-out door bin(s)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	4 (3 adj.)
Door shelves	1	1	1	1	1	1	1
Interior light	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Exterior							
Color(s) available*	SS	WW, BB	SV	SS BB	SV BV	SS WW, BB	SV BV
CustomStyle™ configuration	Trimless	Trimless	Trimless	Trimless	Trimless/ Installed trim	Trimless	Trimless/ Installed trim
Door handles*	Sculptured stainless steel	CM sculptured High-gloss rounded doors	Full-length visor	Sculptured stainless steel/ CM sculptured	Full-length visor/ CM full-length visor	Sculptured stainless steel/ CM sculptured	Full-length visor/ CM full-length visor
Exterior design	Rounded doors	Squared doors	Squared doors	Rounded doors	Squared doors	Rounded doors	Squared doors
Textured steel door and case	Case only (black)	Case only	Case only (black)	Case only (black)	Case only (black)	Case only (black)	Case only (black)
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front
Weights & Dimensions							
Height to top of hinge (in.) A	72	72	72-1/8	72	72-1/8	72	72-1/8
Height to top of case (in.) B	71-1/2	71-1/2	71-1/2	71-1/2	71-1/2	71-1/2	71-1/2
Case depth without door (in.) C	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8
Case depth less door handle (in.) D	27-1/8	27-1/8	27-1/8	27-1/8	27-1/8	27-1/8	27-1/8
Case depth with door handle (in.) E	29-9/16	29-9/16	28-11/16	29-9/16	28-11/16	29-9/16	28-11/16
Depth w/fresh food door open 90° (in.) F	46	46	46	46	46	46	46
Width (in.) G	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4
Width w/door open 90° w/door handle (in.) H	38-3/16	38-3/16	37-5/16	38-3/16	37-5/16	38-3/16	37-5/16
Air clearances							
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1	1
Back (in.)	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Approx. shipping weight (lbs.)	400	400	420	400	420	400	420
Power/Rating	120V, 60Hz, 15Amps						
Accessories							
Factory trim kit attached	N/A	N/A	N/A	N/A	N/A / ●	N/A	N/A / ●
Black acrylic panels (optional)	N/A	N/A	N/A	N/A	N/A / PSPK25DDBB	N/A	N/A / PSPK25DDBB
White acrylic panels (optional)	N/A	N/A	N/A	N/A	N/A / PSPK25DWW	N/A	N/A / PSPK25DWW
Bisque acrylic panels (optional)	N/A	N/A	N/A	N/A	N/A / PSPK25DCC	N/A	N/A / PSPK25DCC
Stainless steel panels (optional)	N/A	N/A	N/A	N/A	N/A / PSPK25DSS	N/A	N/A / PSPK25DSS
Black collar trim (optional)	N/A	N/A	N/A	N/A	N/A / TRM25BISBB	N/A	N/A / TRM25BISBB
White collar trim (optional)	N/A	N/A	N/A	N/A	N/A / TRM25BISWW	N/A	N/A / TRM25BISWW
Bisque collar trim (optional)	N/A	N/A	N/A	N/A	N/A / TRM25BISCC	N/A	N/A / TRM25BISCC
Stainless steel collar trim (optional)	N/A	N/A	TRM25BISSS	N/A	TRM25BISSS/ N/A	N/A	TRM25BISSS/ N/A

*Color(s) available: SV = Stainless steel with visor handles, SS = Stainless steel, WW = White on white, BV = Black with visor handles, BB = Black on black, CM = Color-Matched. If installed against a wall, allow clearance of 13-15/16" on freezer side to remove bin. Clearance required to remove fresh food full size pan without disassembling is 18-5/8".

ALL MODELS AVAILABLE IN U.S. AND CANADA.

GE Profile Arctica® and GE CustomStyle™ side-by-side refrigerators (see chart on pg. 167)



Listed by
Underwriters
Laboratories

	GE Profile™								GE®	
	PSW23PSS	PSH23PSS PSH23PGS	PSC23PSS	PSC23SHR PSC23SGR	PSC23NHS PSC23NGS	PSI23SGR PSI23NGR	PSI23SCR PSI23NCR	PSC23MGS PSI23MGR	GSC23LSR GSC23LGR	GSC22KGR
Stainless steel model	●	● / -	●	●	●	● / -	● / -	●	● / -	●
Capacity										
Total (cu. ft.)	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.7	22.7	22.1
Fresh food (cu. ft.)	14.23	14.23	14.38	14.38	14.38	14.38	14.38	14.38	14.38	14.25
Freezer (cu. ft.)	8.38	8.38	8.24	8.17	8.17	8.24	8.19	8.26	8.26	7.83
Shelf area (sq. ft.)	19.7	19.7	19.7	19.7	19.7	19.7	20.6	19.0	18.5	18.2
Fresh food features										
Refreshment center				● / -	● / -					
Beverage center	●	●	●							
ClimateKeeper™ system	ClimateKeeper2™	ClimateKeeper2	ClimateKeeper2	●	●	●	●	●		
Dual evaporator	●	●	●	●	●	●	●	●		
Multiflow air system	●	●	●	●	●	●	●	●		
Upfront elect. digital temp. display	●	●	●	●	●	●	●	●		
Upfront elect. touch temp. controls	●	●	●	●	●	●	●	●	●	●
Electronic sensors	●	●	●	●	●	●	●	●	●	●
TurboCool™ setting	●	●	●	●	●	●	●	●	●	●
SmartWater™ filtration system	Plus	Plus	Plus	Plus	Plus	Plus	Plus	Plus	Plus	Plus
LightTouch™ dispenser	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water		Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water
Light	LED	LED	LED	●	●	●		●	●	●
Child lock	●	●	●	●	●	●		●	●	●
Door alarm	●	●	●	●	●	●		●	●	●
Quick Ice™ feature	●	●	●	●	●	●		●	●	●
Water filter indicator light	●	●	●	●	●	●		●	●	●
Cabinet shelves	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass
Adjustable	3	3	3	3	3	3	3	3	3	3
Slide-out, spillproof	2	2	2	2	2	2	2	2	2	2
QuickSpace™ shelf	●	●	●	●	●	●	●	●	●	●
Integrated shelf support system	●	●	●	●	●	●	●	●	●	●
Snuggler™ clips	1	1	1	1 / 2	1 / 2	2	2	2	●	●
3-stack drawer system	●	●	●	●	●	●	●	●	●	●
Deli drawer	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Sealed	Sealed
Vegetable/fruit crisper	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity
Sealed drawer	CustomCool™ w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	Full-extension	●	●
ClearLook™ door bins	3 (2 Adj.)	3 (2 Adj.)	3 (2 Adj.)	3 (1 Adj.) 4 (3 Adj.)	3 (1 Adj.) 4 (3 Adj.)	4 (3 Adj.)	4 (3 Adj.)	4 (3 Adj.)	4 (3 Adj.)	4 (3 Adj.)
Dairy compartment (removable)	●	●	●	Can storage rack	Can storage rack	●	●	●	●	●
Beverage rack				In-the-door	In-the-door	In-the-door	In-the-door	In-the-door		
Interior light system	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Dual-level	Dual-level	Dual-level
Quiet Design	Premium	Premium	Premium	Premium	Premium	Premium	Premium	Premium	Deluxe	Deluxe
NeverClean™ condenser	●	●	●	●	●	●	●	●	●	●
ENERGY STAR®	●	●	●							
Freezer features										
FrostGuard™ technology	●	●	●	●	●	●	●	●	●	●
Factory-installed icemaker	Integrated Ice™	Integrated Ice	Integrated Ice	Integrated Ice	Integrated Ice	Integrated Ice	4 (3 full-ext.)	Integrated Ice	Integrated Ice	●
Wire slide-out baskets	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	3	3	1
Wire cabinet shelves	2	2	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)	2 (1 slide-out)
Wire tilt-out door bin(s)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	4 (3 adj.)	3 (2 adj.)		
Door shelves									4 (2 adj.)	3 (2 adj.)
Interior light	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Single
Exterior										
Color(s) available*	SS	SV WV, CV, BV	SS	SS	WW, BB WW, CC, BB	SV WV, CV, BV	SV WV, CV, BV	WW, CC, BB WV, CV, BV	SS WW, BB	WW, BB
CustomStyle™ configuration	Trimless	Trimless Installed trim	Trimless	Trimless	Trimless	Trimless Installed trim	Trimless Installed trim	Trimless Installed trim	Trimless	Trimless
Door handles*	Sculptured stainless steel	Full-length visor CM full-length visor	Sculptured stainless steel	Sculptured stainless steel	CM sculptured	Full-length visor CM full-length visor	Full-length visor CM full-length visor	CM sculptured CM full-length visor	Tubular stainless steel CM	CM
Exterior design	Full-wrap contoured	Squared doors	Rounded doors	Rounded doors	Rounded doors	Squared doors	Squared doors	Squared doors	Rounded doors	Rounded doors
Textured steel door and case		Case only (black)	Case only (black)	Case only (black)	●	Case only (black)	Case only (black)	●	Case only (black)	●
Adjustable rollers	All	All	All	All	All	All	All	All	Front	Front
Weights & Dimensions										
Height to top of hinge (in.) A	70-1/2†	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4
Height to top of case (in.) B	70-1/2	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4
Height to top of door trim (in.)		70-1/4				70-1/4	70-1/4	- / 70-1/4		
Case depth without door (in.) C	24-3/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8	23-7/8
Case depth less door handle (in.) D	27-1/4	26-3/4	26-3/4	26-3/4	26-3/4	26-3/4	26-3/4	26-3/4	26-3/4	26-3/4
Case depth with door handle (in.) E	29-11/16	28-5/16	29-3/16	29-3/16	29-3/16	28-5/16	28-5/16	29-3/16 / 28-5/16	29-3/16	29-3/16
Depth w/fresh food door open 90° (in.) F	46-1/16	45-9/16	45-9/16	45-9/16	45-9/16	45-9/16	45-9/16	45-9/16	45-9/16	45-9/16
Width (in.) G	36-3/16††	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4	35-3/4
Width w/door open 90° w/door handle (in.) H	41-5/16	40	41	41	41	40	40	41/40	41-3/16	40-3/4
Air clearances	Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
	Top (in.)	1	1	1	1	1	1	1	1	1
	Back (in.)	1	1	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Approx. shipping weight (lbs.)	350	338	334	334	334	334	334	334	334	334
Power/Rating	120V, 60Hz, 15Amps									
Accessories										
Factory trim kit attached	N/A	N/A / ●	N/A	N/A	N/A	●	N/A / ●	N/A / ●	N/A	N/A
Black acrylic panels (optional)	N/A	N/A / PSPK23DDB	N/A	N/A	N/A	PSPK23DDB	N/A / PSPK23CBB	N/A / PSPK23DDB	N/A	N/A
White acrylic panels (optional)	N/A	N/A / PSPK23DWW	N/A	N/A	N/A	PSPK23DWW	N/A / PSPK23CWW	N/A / PSPK23DWW	N/A	N/A
Bisque acrylic panels (optional)	N/A	N/A / PSPK23DCC	N/A	N/A	N/A	PSPK23DCC	N/A / PSPK23CCC	N/A / PSPK23DCC	N/A	N/A
Stainless steel panels (optional)	N/A	N/A / PSPK23DSS	N/A	N/A	N/A	PSPK23DSS	N/A / PSPK23CSS	N/A / PSPK23DSS	N/A	N/A
Black collar trim (optional)	N/A	N/A / TRMBISBB	N/A	N/A	N/A	TRMBISBB	N/A / TRMBISBB	N/A / TRMBISBB	N/A	N/A
White collar trim (optional)	N/A	N/A / TRMBISWW	N/A	N/A	N/A	TRMBISWW	N/A / TRMBISWW	N/A / TRMBISWW	N/A	N/A
Bisque collar trim (optional)	N/A	N/A / TRMBISCC	N/A	N/A	N/A	TRMBISCC	N/A / TRMBISCC	N/A / TRMBISCC	N/A	N/A
Stainless steel collar trim (optional)	N/A	N/A / TRMBISSS	N/A	N/A	N/A	TRMBISSS	N/A / TRMBISSS	N/A / TRMBISSS	N/A	N/A

*Color(s) available: SV = Stainless steel with visor handles, SS = Stainless steel, WV = White with visor handles, WW = White on white, CV = Bisque with visor handles, CC = Bisque on bisque, BV = Black with visor handles, BB = Black on black, CM = Color-Matched.

†When cap is removed: 69-1/4"

††Width excluding caps: 35-7/8"

If installed against a wall, allow clearance of 13-15/16" on freezer side to remove bin. Clearance required to remove fresh food full size pan without disassembling is 18-5/8".

ALL MODELS AVAILABLE IN U.S. AND CANADA.



GE Profile Arctica CustomStyle™ side-by-side installation information & specifications

Rough-in dimensions

Standard, new construction and replacement installation



Installation tips to maximize the built-in look

- All wall/floor molding should be removed prior to installation.
- Water recess on rear wall recommended to prevent water line damage. 48" minimum length, 1/4"-diameter water line tubing recommended.
- When possible, recess both copper water line and electrical outlet (see local codes).
- Front and rear leveling legs are adjustable for the built-in look (see owner's manual).
- If optional collar trim kit is to be used or anticipated, see collar trim installation on next page for different rough-in dimensions.



*The rough-in dimensions of 70-1/4"/72-1/4" are minimum and measured from the finished floor to top of opening (or the underside of the overhead cabinets). For Models with Trim Kit: If frameless style cabinets are planned for above the refrigerator, you may need to consider adding a maximum of 1/4" (70-1/2") to height of opening for 23 cu. ft. models and 1/8" (72-3/8") for 25 cu. ft. models to allow additional clearance between cabinet doors and top of refrigerator trim when cabinet doors are in open position.

Installation of water outlets




IMPORTANT: Before finalizing specifications for your GE Profile CustomStyle Refrigerator, please NOTE:

- A minimum width of 36" is required for refrigerator installation
- Be sure to allow for 1/2" or 3/4" side panels in addition to the 36" minimum

Create a custom look for your GE Profile CustomStyle side-by-side refrigerator

Still another advantage offered by GE Profile CustomStyle Refrigerators is ease of installation. For a refrigerator that does so much to enhance the beauty of your kitchen, the "behind-the-scenes" preparation and installation are surprisingly simple.





Fabricating the enclosure

- The drawing shows an 84" cabinet elevation. Adjust dimensions accordingly for other cabinet elevations.
- Cabinet pieces to order: (2) side panels and (1) wall cabinet.
- Side panels will typically be attached to adjacent cabinets and/or cleated to rear wall and floor.
- Refer to GE refrigerator installation instructions for proper plumbing, and electrical and air clearances.
- (1) Some framed cabinet lines will make a refrigerator enclosure with a cabinet 12" high x 39" wide with sides and 1-1/2" face frame extended down to floor to create the refrigerator space. This will replace the above construction. (2) A tall cabinet on either side of the refrigerator can replace a side panel.
- Counter overhangs on either side of the refrigerator should have clipped corners to allow for full door swing.
- If the refrigerator has a wall returning beyond the front of the refrigerator on either side, a 2" tall filler will help allow for movement of the door.

Door Panels

- See drawings for exact dimensions of the fresh-food and freezer door panels.
- Refrigerator door fronts from stock and most semi-custom cabinet manufacturers will be supplied as 1/4"-thick panels cut to dimensions, with closest available standard door sizes applied to front.
 - This will leave a "reveal" at top/bottom and sides. Width of "reveal" will depend on manufacturer's standard door sizes.
 - Door will be affixed on the 1/4" panels at factory or in the field by the local supplier, depending on manufacturer.
- Local shop-built or custom cabinet supplier may fabricate custom 3/4" panels. In this case, edges must be routed.
- Follow notes on drawing to assure room for fingers/hands to open handles.

Door panel dimensions




Order your own custom wood panels to match cabinetry or other decor.

Panels up to 1/4" thick will fit door frame with no special preparation. Add filler behind material thinner than 1/4" for proper fit.

Weight Limits: Total weight of panels (i.e., both freezer panels)—Fresh Food = 38 lbs., Freezer = 28 lbs.


Note: Panels up to 3/4" will require special routing area around handles. Dimensions may vary depending on depth of panel.

Detail C



Fresh Food panel shown

Notch required at top corner as noted.




Collar trim installation

An enclosure is **required** to match up to the trim (see Typical Installation). To obtain the most integrated look, the cabinet or soffit above the refrigerator should extend out to the same depth as the side panels. The refrigerator opening must have minimum dimensions of 70-1/4" high x 36-1/8" wide x 24-1/2" deep **for 23 cu. ft. models** and 72-1/4" high x 36-1/8" wide x 24-1/2" deep **for 25 cu. ft. models**, as shown at right. If there is an overhead cabinet, allow 1" for cabinet door clearance with the top trim piece so the cabinet doors can be opened without hitting the top trim. If 1/2" side panels are used, then side trim and panel will be even. If 3/4" side panels are used, then some of the side panel will extend beyond the trim and must be finished.


IMPORTANT: Before finalizing specifications for your GE Profile CustomStyle Refrigerator, please NOTE:

- A minimum width of 36-1/8" is required for refrigerator installation with collar
- Be sure to allow for 1/2" or 3/4" side panels in addition to the 36-1/8" minimum





Typical Installation

Shaded areas represent front surfaces of side panels and overhead cabinet or soffit that contacts trim.



*The rough-in dimensions of 70-1/4"/72-1/4" are minimum and measured from the finished floor to top of opening (or the underside of the overhead cabinets). For Models with Trim Kit: If frameless style cabinets are planned for above the refrigerator, you may need to consider adding a maximum of 1/4" (70-1/2") to height of opening for 23 cu. ft. models and 1/8" (72-3/8") for 25 cu. ft. models to allow additional clearance between cabinet doors and top of refrigerator trim when cabinet doors are in open position.



GE Profile Arctica® side-by-side refrigerators

	GE Profile™								
	PSS29NHS	PSS29NGS	PSS27SGR	PSW26PSS	PSS26PSS	PSF26PGS	PSS26SHR	PSS26NHS	
Stainless steel model			●	●	●		●		
Capacity									
Total (cu. ft.)	28.7	28.6	26.5	25.5	25.5	25.5	25.5	25.5	
Fresh food (cu. ft.)	17.92	17.85	16.60	15.81	15.81	15.81	16.18	16.18	
Freezer (cu. ft.)	10.68	10.68	9.92	9.71	9.71	9.71	9.48	9.48	
Shelf area (sq. ft.)	24.0	25.0	23.8	23.1	23.7	23.7	22.1	22.1	
Fresh food features									
Refreshment center	●						●	●	
Beverage center				●	●	●			
ClimateKeeper™ system	●	●	●	ClimateKeeper2	ClimateKeeper2	ClimateKeeper2™	●	●	
Dual evaporator				●	●	●			
Multiflow air system	●	●	●	●	●	●	●	●	
Upfront electronic digital temp. display	●	●	●	●	●	●	●	●	
Upfront electronic touch temperature controls	●	●	●	●	●	●	●	●	
Electronic sensors	●	●	●	●	●	●	●	●	
TurboCool™ setting	●	●	●	●	●	●	●	●	
SmartWater™ filtration system	Plus	Plus	Plus	Plus	Plus	Plus	Plus	Plus	
LightTouch! dispenser	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	
Light	●	●	●	LED	LED	LED	●	●	
Child lock	●	●	●	●	●	●	●	●	
Door alarm	●	●	●	●	●	●	●	●	
Quick Ice™ feature	●	●	●	●	●	●	●	●	
Water filter indicator light	●	●	●	●	●	●	●	●	
Cabinet shelves	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	
Adjustable	3	3	3	3	3	3	3	3	
Slide-out, spillproof	2	2	2	2	2	2	2	2	
QuickSpace™ shelf	●	●	●	●	●	●	●	●	
Integrated shelf support system	●	●	●	●	●	●	●	●	
Snuggler™ clip(s)	2	2	2	2	2	2	2	2	
3-stack drawer system	●	●	●	●	●	●	●	●	
Deli drawer	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	
Vegetable/fruit crisper	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	
Sealed drawer	CustomCool™ w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	CustomCool w/full-extension	
ClearLook™ door bins	3 (1 adj.)	4 (3 adj.)	4 (3 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (1 adj.)	3 (1 adj.)	
Dairy compartment (removable)	●	●	●	●	●	●	●	●	
Beverage rack	Can storage rack	In-the-door	In-the-door				Can storage rack	Can storage rack	
Interior light system	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	Tri-level	
Quiet Design	Premium	Premium	Premium	Premium	Premium	Premium	Premium	Premium	
NeverClean™ condenser	●	●	●	●	●	●	●	●	
ENERGY STAR®				●	●	●	●	●	
Freezer features									
FrostGuard™ technology	●	●	●	●	●	●	●	●	
Integrated Ice™ system	●	●	●	●	●	●	●	●	
Wire slide-out baskets	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	
Wire cabinet shelves	2	2	2	2	2	2	2	2	
Wire tilt-out door bin(s)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	
Door shelves	1	1	1	1	1	1	1	1	
Interior light	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	
Exterior									
Color(s) available*	WW, BB	WW, BB	SS	SS	SS	WW, WS, BB	SS	WW, CC, BB	
Door handle(s)	Color-matched sculptured	Color-matched sculptured	Sculptured stainless steel	Sculptured stainless steel	Sculptured stainless steel	Color-matched sculptured	Sculptured stainless steel	Color-matched sculptured	
Exterior design	Contoured	Contoured	Contoured	Full-Wrap contoured	Contoured	High-gloss contoured	Contoured	Contoured	
Textured steel door and case	●	●	Case only (black)		Case only (black)	Case only	Case only (black)	●	
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front	Front	
Weights & Dimensions									
Height to top of hinge (in.) A	69-1/4	69-1/4	69-1/4	70-1/2††	69-1/4	69-1/4	69-1/4	69-1/4	
Height to top of case (in.) B	68-3/4	68-3/4	68-3/4	70-1/2	68-3/4	68-3/4	68-3/4	68-3/4	
Case depth without door (in.) C †	28	28	28	28-1/2	28	28	28	28	
Case depth less door handle (in.) D †	33-9/16	33-9/16	32-1/4	32-3/4	32-1/4	32-1/4	32-1/4	32-1/4	
Case depth with door handle (in.) E †	36	36	34-7/8	35-3/8	34-7/8	34-11/16	34-7/8	34-11/16	
Depth w/fresh food door open 90° (in.) F †	50-1/16	50-1/16	50-1/16	50-9/16	50-1/16	50-1/16	50-1/16	50-1/16	
Width (in.) G	35-3/4	35-3/4	35-3/4	36-3/16**	35-3/4	35-3/4	35-3/4	35-3/4	
Width w/door open 90° w/door handle (in.) H	45-1/2	45-1/2	42-3/8	42-3/8	42-3/8	42	42-3/8	42	
Air clearances									
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
Top (in.)	1	1	1	1	1	1	1	1	
Back (in.)	1	1	1	1	1	1	1	1	
Approximate shipping weight (lbs.)	390	390	360	390	360	360	360	360	
Power/Rating	120V, 60Hz, 15Amps								

*Color(s) available: SS = Stainless steel, WW = White on white, WS = White with stainless-look handles, CC = Bisque on bisque, BB = Black on black.

**Width excluding caps is 35-7/8".

†Water hook-up fits in back air clearance when calculating installation depth.


††When cap is removed: 69-1/4".

If installed against a wall, allow clearance of 14-3/16" on 25 cu. ft., 26 cu. ft. and 27 cu. ft. models; 13" on 29 cu. ft. models on freezer side to remove ice bin. To remove fresh food pans, remove door bins. Clearances required to remove fresh food full-size pan without disassembling: 18-15/16" on 25 cu. ft., 26 cu. ft. and 27 cu. ft.; 16-1/4" on 29 cu. ft. Allow additional space for any necessary leveling adjustments.

ALL MODELS AVAILABLE IN U.S. AND CANADA.
Energy information available at www.ge.com

	PSS26SGR PSS23SGS	PSS26NGS PSS23NGS	PSW26MSR	PSS26MSR PSS23MSS	PSS26MGS PSS23MGS	PSS26LSR PSS23LSS	PSS26LGS PSS23LGS
	●		●	●		●	
	25.5 / 22.6 16.02 / 16.0 9.48 / 6.6 23.7 / 23.8	25.5 / 22.6 16.02 / 16.0 9.48 / 6.6 23.7 / 23.8	25.6 16.02 9.48 23.8	25.6 / 22.6 16.02 / 16.0 9.48 / 6.6 23.8	25.6 / 22.6 16.02 / 16.0 9.48 / 6.6 23.8	25.6 / 22.6 16.02 / 16.0 9.6 / 6.6 23.8	25.6 / 22.6 16.02 / 16.0 9.6 / 6.6 23.8
	●	●	●	●	●		
	●	●	●	●	●		
	●	●	●	●	●		
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	Plus Crushed ice, cubes, water	Plus Crushed ice, cubes, water	Plus Crushed ice, cubes, water	Plus Crushed ice, cubes, water	Plus Crushed ice, cubes, water	Plus Crushed ice, cubes, water	Plus Crushed ice, cubes, water
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass
	3	3	3	3	3	3	3
	2	2	2	2	2	2	2
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	2	2	2	2	2		
	●	●	●	●	●	●	●
	Adj. temp. Adj. humidity CustomCool w/full-extension 4 (3 adj.)	Adj. temp. Adj. humidity CustomCool w/full-extension 4 (3 adj.)	Adj. temp. Adj. humidity Full-extension 4 (3 adj.)	Adj. temp. Adj. humidity Full-extension 4 (3 adj.)	Adj. temp. Adj. humidity Full-extension 4 (3 adj.)	● Adj. humidity 4 (3 adj.)	● Adj. humidity 4 (3 adj.)
	●	●	●	●	●	●	●
	In-the-door	In-the-door	In-the-door	In-the-door	In-the-door	Wine rack	Wine rack
	Tri-level	Tri-level	Dual-level	Dual-level	Dual-level	Dual-level	Dual-level
	Premium	Premium	Premium	Premium	Premium	Premium	Premium
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	4 (3 full-ext.)	4 (3 full-ext.)	3	3	3	3	3
	2	2	2	2	2	2	2
	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)		
	1	1	1	1	1	3 (2 adj.)	3 (2 adj.)
	Dual	Dual	Dual	Dual	Dual	Dual	Dual
	SS	WW, CC, BB	SS	SS	WW, CC, BB	SS	WW, CC, BB
	Sculptured stainless steel	Color-matched sculptured	Sculptured stainless steel	Sculptured stainless steel	Color-matched sculptured	Sculptured stainless steel	Color-matched sculptured
	Contoured Case only (black)	Contoured	Full-wrap contoured	Contoured Case only (black)	Contoured	Contoured Case only (black)	Contoured
	●	●	●	●	●	●	●
	Front	Front	Front	Front	Front	Front	Front
	69-1/4	69-1/4	70-1/2††	69-1/4	69-1/4	69-1/4	69-1/4
	68-3/4	68-3/4	70-1/2	68-3/4	68-3/4	68-3/4	68-3/4
	28	28	28-1/2	28	28	28	28
	32-1/4	32-1/4	32-3/4	32-1/4	32-1/4	32-1/4	32-1/4
	34-7/8	34-11/16	35-3/16	34-7/8	34-11/16	34-7/8	34-11/16
	50-1/16	50-1/16	50-9/16	50-1/16	50-1/16	50-1/16	50-1/16
	35-3/4 / 32-3/4	35-3/4 / 32-3/4	36-3/16**	35-3/4 / 32-3/4	35-3/4 / 32-3/4	35-3/4 / 32-3/4	35-3/4 / 32-3/4
	42-3/8 / 40-3/4	42 / 40-1/2	42-3/8	42-3/8 / 40-3/4	42 / 40-1/2	42-3/8 / 40-3/4	42 / 40-1/2
	1/8	1/8	1/8	1/8	1/8	1/8	1/8
	1	1	1	1	1	1	1
	1	1	1	1	1	1	1
	360 / 314	360 / 314	390	360 / 314	360 / 314	360 / 314	360 / 314
120V, 60Hz, 15Amps							

Side-by-side refrigerators



Listed by
Underwriters
Laboratories

GE® side-by-side refrigerators

	GE "X" Series		GE "K" Series		GE "W" Series		GE "J" Series
	GSS25XSR	GSF25XGR	GSS25SGS GSS23SGS	GSS25KGS GSS23KGS	GSL25WGS GSL23WGS	GSS25WGS GSS23WGS	GSS25JER GSS22JER
Stainless steel model	●		●				
Capacity							
Total (cu. ft.)	25.4	25.4	25.0 / 22.6	25.0 / 22.6	25.0 / 22.6	25.0 / 22.6	25.0 / 22.0
Fresh food (cu. ft.)	15.9	15.9	15.40 / 16.0	15.40 / 16.0	15.40 / 16.0	15.40 / 16.0	15.40 / 14.84
Freezer (cu. ft.)	9.49	9.49	9.56 / 6.6	9.56 / 6.6	9.56 / 6.6	9.56 / 6.6	9.56 / 7.14
Shelf area (sq. ft.)	22.9	22.9	24.3 / 23.7	24.3 / 23.7	24.3 / 23.7	24.3 / 23.7	22.3 / 20.3
Fresh food features							
SmartWater™ filtration system	Plus	Plus	Plus	Plus	Plus	Plus	
LightTouch! dispenser features	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water
Light	●	●	●	●	●	●	●
Child lock	●	●	●	●			
Door alarm	●	●					
Water filter indicator light	●	●	●	●	●	●	
Upfront electronic touch temperature controls	●	●	●	●	●	●	
Upfront electronic temperature controls	●	●	●	●	●	●	Dial
TurboCool™ setting	●	●					
Cabinet shelves	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass
Adjustable	3	3	3	3	3	3	3
Slide-out	3	3	3	3	3	3	3
Spillproof	3	3	3	3	3	3	3
Integrated shelf support system	●	●	●	●	●	●	
Snuggler™ clip			1	1	1	1	
3-stack drawer system	●	●					
Deli drawer	●	●					
Vegetable/fruit crisper	1 adj. humidity	1 adj. humidity					
Sealed drawer	●	●					
2-stack drawer system							
Deli drawer			1 adj. humidity	1 adj. humidity	1 adj. humidity	1 adj. humidity	1 adj. temp.
Vegetable/fruit crisper			1 adj. humidity	1 adj. humidity	1 adj. humidity	1 adj. humidity	1 sealed
Snack pan			●	●	1 adj. humidity	1 adj. humidity	
Adjustable door bins	4 (3 adj. with gallon storage)	4 (3 adj. with gallon storage)	4 (2 adj. with gallon storage)	4 (2 adj. with gallon storage)	4 (2 adj. with gallon storage)	4 (2 adj. with gallon storage)	4 (2 adj. with gallon storage)
Dairy compartment	●	●	●	●	●	●	●
Can storage rack (door)					●	●	
Interior light system	Dual-level	Dual-level	Dual-level	Dual-level	Dual-level	Dual-level	Single-level
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean™ condenser	●	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●	
Freezer features							
Factory-installed icemaker and bin	Integrated	Integrated	●	●	●	●	●
FrostGuard™ technology	●	●	●	●	●	●	●
Wire cabinet shelves	2	2	4 (3 adj.)	4 (3 adj.)	4 (3 adj.)	4 (3 adj.)	4 (3 adj.)
Storage basket(s)	1 slide-out	1 slide-out	1 slide-out	1 slide-out	1 slide-out	1 slide-out	1 bin
Door shelves	3 (2 adj.)	3 (2 adj.)	5	5	5	5	5
Interior light	●	●	●	●	●	●	●
Appearance							
Color(s) available*	SS	WW, CC, BB	SS	WW, CC, BB	CleanSteel™	WW, CC, BB	WW, CC, BB
Deluxe door handle(s)*	Stainless steel	CM premium	Stainless steel	CM premium	Black Profile	CM Profile	CM premium
Exterior design	Rounded doors	High-gloss rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors
Textured steel door and case	Case only (black)	Case only	Case only (black)	●	Case only (black)	●	●
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front
Weights & Dimensions							
Height to top of hinge (in.) A	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4	69-1/4	69-3/4 / 67-1/2
Height to top of case (in.) B	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4	68-3/4 / 66-1/2
Case depth without door (in.) C†	28	28	28	28	28	28	28
Case depth less door handle (in.) D‡	31-1/4	31-1/4	31-1/4	31-1/4	31-1/4	31-3/4	31-1/4
Case depth with door handle (in.) E†	33-9/16	33-9/16	33-9/16	33-9/16	33-9/16	33-9/16	33-9/16
Depth with fresh food door open 90° (in.) F†	50-1/16	50-1/16	50-1/16	50-1/16	50-1/16	50-1/16	49-3/8
Width (in.) G	35-3/4	35-3/4	35-3/4 / 32-3/4	35-3/4 / 32-3/4	35-3/4 / 32-3/4	35-3/4 / 32-3/4	35-3/4 / 33-1/2
Width w/door open 90° w/door handle (in.) H	41-1/4	41-3/4	41-3/16 / 38-3/16	40-3/4 / 37-3/4	40-3/4 / 37-3/4	40-3/4 / 37-3/4	38-3/16 / 35-15/16
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1	1
Back (in.)	1	1	1	1	1	1	1
Air clearances							
Approx. shipping weight (lbs.)	320	320	290 / 270	290 / 270	290 / 270	290 / 270	344 / 323
Power/Ratings	120V, 60Hz, 15Amps						

*Color(s) available: SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black, CM = Color-Matched, CleanSteel = Stainless appearance.

†Water hook-up fits in back air clearance when calculating installation depth.


‡If installed against a wall, allow clearance of 10-3/4" on 20 cu. ft. and 22 cu. ft. models; 14-3/16" on 25 cu. ft. models on freezer side to remove bin.

Clearances required to remove fresh food full-size pan without disassembling: 13-1/2" on 20 cu. ft.; 15" on 22 cu. ft.; and 18-15/16" on 25 cu. ft.

Allow additional space for any necessary leveling adjustments.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Side-by-side refrigerators



Listed by
Underwriters
Laboratories

	GE "I" Series				GE "D" Series
	GSL25IFR	GSS25IFR GSS22IFR	GSS20IEP	GSS22IBP GSS20IBP	GSS20DBP
Capacity					
Total (cu. ft.)	25.0	25.0 / 22.0	20.0	21.9 / 19.9	19.9
Fresh food (cu. ft.)	15.48	15.48 / 14.84	12.87	14.87 / 12.87	12.87
Freezer (cu. ft.)	9.56	9.56 / 7.14	7.14	7.04	7.04
Shelf area (sq. ft.)	22.3	22.3 / 20.3	17.3	21.1 / 18.0	18.1
Fresh food features					
SmartWater filtration system	●	●			
LightTouch dispenser features	Crushed ice, cubes, water	Crushed ice, cubes, water	Crushed ice, cubes, water		
Light	●	●	●		
Upfront electronic dial temperature controls	●	●	●	●	●
Cabinet shelves	3 glass	3 glass	3 glass	3 glass	3 wire Everwhite
Adjustable	3	3	3	3	3
Spillproof	3	3			
Meat drawer	1 sealed	1 sealed	1 sealed	1 sealed	1 sealed opaque
Vegetable/fruit crisper	1 sealed	1 sealed	1 sealed	1 sealed	1 sealed opaque
Door bins	4 (2 adj. w/gallon storage)	4 (2 adj. w/gallon storage)	4 (2 w/gallon storage)	4 (2 w/gallon storage)	4 (2 w/gallon storage)
Dairy compartment	●	●	●	●	●
Interior light system	Single-level	Single-level	Single-level	Single-level	Single-level
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean condenser	●	●	●	●	●
Freezer features					
Factory-installed icemaker and bin	●	●	●	Opt. (IM5SS)	Opt. (IM5SS)
FrostGuard technology	●	●	●	●	●
Wire cabinet shelves	3 (2 adj.)	3 (2 adj.)	3 (2 adj.)	5 (4 adj.) 4 (3 adj.)	4 (3 adj.)
Storage basket(s)	1 bin	1 bin	1 bin	1 bin	1 bin
Door shelves	5	5	5	5	6
Interior light	●	●	●	●	●
Appearance					
Color(s) available*	CleanSteel™	WW, CC, BB	WW, CC, BB	WW, CC	WW, CC
Deluxe door handle(s)*	Black	CM	CM	CM	CM
Textured steel door and case	Case only (black)	●	●	●	●
Adjustable rollers	Front	Front	Front	Front	Front
Weights & Dimensions					
Height to top of hinge (in.) A	69-3/4	69-3/4 67-1/2	67-1/2	67-1/2	67-1/2
Height to top of case (in.) B	68-3/4	68-3/4 66-1/2	66-1/2	66-1/2	66-1/2
Case depth without door (in.) C†	28	28	28	28	28
Case depth less door handle (in.) D†	31-1/4	31-1/4	31-1/4	31-1/4	31-1/4
Case depth with door handle (in.) E†	33-9/16	33-9/16	33-9/16	33-9/16	33-9/16
Depth with fresh food door open 90° (in.) F†	49-3/8	49-3/8	47-3/8	49-3/8 47-3/8	47-3/8
Width (in.) G	35-3/4	35-3/4 33-1/2	31-1/2	33-1/2 31-1/2	31-1/2
Width w/door open 90° w/door handle (in.) H	38-3/16	38-3/16 35-15/16	33-15/16	35-15/16 33-15/16	33-15/16
Air clearances					
Each side (in.)	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1
Back (in.)	1	1	1	1	1
Approx. shipping weight (lbs.)	344	344 / 321	306	321/ 306	306
Power/Ratings	120V, 60 Hz, 15Amps				

*Color(s) available: WW = White on white, CC = Bisque on bisque, BB= Black on black, CleanSteel=Stainless appearance, CM = Color-Matched.

†Water hook-up fits in back air clearance when calculating installation depth.


If installed against a wall, allow clearance of 10-3/4" on 20 cu. ft. and 22 cu. ft. models; 14-3/16" on 25 cu. ft. models on freezer side to remove bin.

Clearances required to remove fresh food full-size pan without disassembling: 13-1/2" on 20 cu. ft.; 15" on 22 cu. ft.; and 18-15/16" on 25 cu. ft.

Allow additional space for any necessary leveling adjustments.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Side-by-side refrigerators



Listed by
Underwriters
Laboratories

GE Profile™ and GE® bottom-freezer refrigerators

	GE Profile								
	PFS22SIS PFS22MIS	PFS22SBS PFS22MBS	PDW22SIS	PDS22SIS PDS22SFS	PDS22MIS PDS22MFS	PDF22MFS	PDS22SBS PDS22MBS	PDS20SFS PDS20SBS	PDS20MFS PDS20MBS
Stainless steel model	● / -	● / -	●	●			● / -	●	
French-door model	●	●							
Capacity									
Total (cu. ft.)	22.2	22.2	22.2	22.2	22.2	22.2	22.2	19.5	19.5
Fresh food (cu. ft.)	15.21	15.21	15.21	15.21	15.21	15.21	15.21	13.21	13.21
Freezer (cu. ft.)	7.04	7.04	7.04	7.04	7.04	7.04	7.04	6.31	6.31
Shelf area (sq. ft.)	27.66	27.66	27.66	27.66	27.66	27.66	27.66	24.44	24.44
Fresh food features									
Upfront electronic touch temp. controls	●	●	●	●	●	●	●	●	●
TurboCool™ setting	●	●	●	●	●	●	●	●	●
Cabinet shelves	4 glass	4 glass	4 glass	4 glass	4 glass	4 glass	4 glass	4 glass	4 glass
Adjustable	4 split	4 split	4 split	4 split	4 split	4 split	4 split	4 split	4 split
Slide-out	2	2	2	2	2	2	2	2	2
Spillproof	3	3	3	3	3	3	3	3	3
QuickSpace shelf	●	●	●	●	●	●	●	●	●
Internal water dispenser	●		●	● / -	● / -				
GE SmartWater™ filtration	Plus		Plus	Plus	Plus	Plus		Plus / -	Plus / -
Water filter indicator light	●		●	●	●	●		● / -	● / -
ShelfSaver™ rack	●	●	●	●	●	●	●	●	●
Vegetable/fruit crisper(s)	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity
Deli drawer	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity	Adj. humidity
ClearLook™ adjustable gallon door bins	4	4	4	4	4	4	4	4	4
Snuggler™ clip	●	●	●	●	●	●	●	●	●
Fixed door bins	1 with gallon storage	1 with gallon storage	1 f/w with gallon storage	1 f/w with gallon storage	1 f/w with gallon storage	1 f/w with gallon storage	1 f/w with gallon storage	1 f/w with gallon storage	1 f/w with gallon storage
Dairy compartment	●	●	●	●	●	●	●	●	●
Interior light (GE Reveal™)	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean™ condenser	●	●	●	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●	●	●	●
Freezer features									
Factory-installed icemaker & bin	Integrated	Opt. (IM4A)	Integrated	Integrated	Integrated	Integrated	Opt. (IM4A)	Integrated Opt. (IM4A)	Integrated Opt. (IM4A)
Ice 'N Easy trays		2					2	- / 2	- / 2
Full slide-out wire basket(s)	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split	2 f/w, 1 split
Interior light (GE Reveal)	●	●	●	●	●	●	●	●	●
Exterior									
Color(s) available*	SS WW, BB	SS WW, BB	SS	SS	WW, CC, BB	WW, BB	SS WW, CC, BB	SS	WW, CC, BB
Door handle(s)	Sculptured SS Color-matched	Sculptured SS Color-matched	Sculptured SS	Sculptured SS	Color-matched	Color-matched	Sculptured SS Color-matched	Sculptured SS	Color-matched
Factory-installed handles	●	●	●	●	●	●	●	●	●
Exterior design	Contoured doors Case only (black)	Contoured doors Case only (black)	Full-wrap contoured	Contoured doors	Contoured doors	Contoured high-gloss	Contoured doors Case only (black)	Contoured doors	Contoured doors
Textured steel door and case	●	●		Case only (black)	●	Case only	●	Case only (black)	●
Door stops	●	●	●	●	●	●	●	●	●
Reversible doors					●	●	- / ●		●
Choose left or right door opening			Right only	●			● / -	●	
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front	Front	Front
Weights & Dimensions									
Height to top of hinge (in.) A	68-5/8	68-5/8	69-7/8**	68-5/8	68-5/8	68-5/8	68-5/8	68	68
Height to top of case (in.) B	67-7/8	67-7/8	69-7/8	67-7/8	67-7/8	67-7/8	67-7/8	67-1/4	67-1/4
Case depth without door (in.) C	28-1/4	28-1/4	28-1/2	28-1/4	28-1/4	28-1/4	28-1/4	28-1/4	28-1/4
Case depth less door handle (in.) D	31-3/4	31-3/4	32-1/4	31-3/4	31-3/4	31-3/4	31-3/4	31-3/4	31-3/4
Case depth with door handle (in.) E	33-7/8	33-7/8	34-3/8	33-7/8	33-7/8	33-7/8	33-7/8	33-7/8	33-7/8
Depth w/fresh food door open 90° (in.) F	62	62	61-7/8	62	62	62	62	59	59
Width (in.) G	32-7/8	32-7/8	33-1/8†	32-7/8	32-7/8	32-7/8	32-7/8	29-7/8	29-7/8
Width with door open 90° w/door handle (in.) H	36-1/4	36-1/4	37-1/2	36-1/4	36-1/4	36-1/4	36-1/4	33-1/4	33-1/4
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1	1	1	1
Back (in.)	1	1	1	1	1	1	1	1	1
Air clearances									
Approx. shipping weight (lbs.)	287	287	337	287	287	287	287	265	265
Power/Ratings	120V, 60Hz, 15Amps								


*Color(s) available: SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

**When cap is removed: 68-5/8".

†Width excluding caps: 33".

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Bottom-Freezer Refrigerators



Listed by
Underwriters
Laboratories


GE bottom-freezer refrigerators

	GE						
	GDS20SCS	GDS20SBS	GDS20KBS	GBS22KBR	GBS20KBR	GBS22HBR	GBS20HBS
Stainless steel model	●	●					
Capacity							
Total (cu. ft.)	19.5	19.5	19.5	22.3	19.5	22.3	19.5
Fresh food (cu. ft.)	13.21	13.21	13.21	15.21	13.21	15.22	13.21
Freezer (cu. ft.)	6.31	6.31	6.31	7.05	6.32	7.09	6.32
Shelf area (sq. ft.)	21.4	21.4	21.4	24.0	21.4	24.3	21.4
Fresh food features							
Cabinet shelves	4 glass	4 glass	4 glass	4 glass	4 glass	3 glass	3 glass
Adjustable	4 split	4 split	4 split	4 split	4 split	2 split, 1 f/w	2 split, 1 f/w
Spillproof	4	4	4	4	4		
Vegetable/fruit crisper(s)	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 clear	2 clear
Snack drawer	Clear	Clear	Clear	Clear	Clear	Clear	Clear
Adjustable gallon door bins	4 opaque	4 opaque	4 opaque	4 opaque	4 opaque		
Snugger clip	●	●	●				
Fixed door bins	1 f/w	1 f/w	1 f/w	1 f/w gallon storage	1 f/w with gallon storage	2 f/w with gallon storage	2 f/w with gallon storage
Dairy compartment	●	●	●	●	●	●	●
Interior light	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean condenser	●	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●	●
Freezer features							
Factory-installed icemaker & bin	Integrated	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)
Ice 'N Easy trays		2	2	2	2	2	2
Ice storage bin		●	●	●	●		
Full slide-out wire basket(s)	1 f/w, 1 split	1 f/w, 1 split	1 f/w, 1 split	1 f/w, 1 split	1 f/w, 1 split	1 f/w	1 f/w
Wire compartment shelves						1 f/w	1 f/w
Door shelves				1 split	1 split	1 split	1 split
Interior light	●	●	●	●	●	●	●
Exterior							
Color(s) available*	SS	SS	WW, CC, BB	WW, CC, BB	WW, CC, BB	WW, CC, BB	WW
Door handle(s)	SS tubular	SS tubular	Color-matched	Color-matched	Color-matched	Color-matched	Color-matched
Exterior design	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors
Textured steel door and case	Case only (black)	Case only (black)	●	●	●	●	●
Door stops	●	●	●	●	●	●	●
Reversible doors	●	●	●	●	●	●	●
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front
Weights & Dimensions							
Height to top of hinge (in.) A	68	68	68	68-5/8	68	68-5/8	68
Height to top of case (in.) B	67-1/4	67-1/4	67-1/4	67-7/8	67-1/4	67-7/8	67-1/4
Case depth without door (in.) C	28-1/4	28-1/4	28-1/4	28-1/4	28-1/4	28-1/4	28-1/4
Case depth less door handle (in.) D	31-3/4	31-3/4	31-3/4	31-3/4	31-3/4	31-3/4	31-3/4
Case depth with door handle (in.) E	33-7/8	33-7/8	33-7/8	34-1/8	34-1/8	34-1/8	33-7/8
Depth w/fresh food door open 90° (in.) F	59	59	59	62	59	62	59
Width (in.) G	29-7/8	29-7/8	29-7/8	32-7/8	29-7/8	32-7/8	29-7/8
Width with door open 90° w/door handle (in.) H	33-1/2	33-1/2	33-1/2	36-1/2	33-1/2	36-1/2	33-1/2
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1	1
Back (in.)	1	1	1	1	1	1	1
Air clearances							
Approx. shipping weight (lbs.)	265	265	265	287	265	287	265
Power/Ratings	120V, 60Hz, 15Amps						

*Color(s) available: SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Bottom-Freezer Refrigerators



Listed by
Underwriters
Laboratories


GE Profile Arctica® top-freezer refrigerators

	GE Profile™					
	PTS25SHS	PTS25LHS	PTS22SHS	PTS22LHS	PTS22SCS	PTS22LCS
Stainless steel model	●		●		●	
Capacity						
Total (cu. ft.)	24.6	24.6	21.7	21.7	21.7	21.7
Fresh food (cu. ft.)	17.51	17.51	15.35	15.35	15.35	15.35
Freezer (cu. ft.)	7.08	7.08	6.35	6.35	6.35	6.35
Shelf area (sq. ft.)	28.7	28.7	25.9	25.9	25.9	25.9
Fresh food features						
Internal water dispenser	●	●	●	●		
ClimateKeeper™ system	●	●	●	●	●	●
Multiflow air system	●	●	●	●	●	●
Upfront electronic touch temperature controls	●	●	●	●	●	●
Electronic sensors	●	●	●	●	●	●
GE SmartWater™ filtration	●	●	●	●		
Cabinet shelves	4 glass	4 glass	4 glass	4 glass	4 glass	4 glass
Adjustable	4 split	4 split	4 split	4 split	4 split	4 split
Slide-out, removable	3	3	3	3	3	3
Spillproof	4	4	4	4	4	4
ShelfSaver™ rack	●	●	●	●	●	●
Deli pan	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.	Adj. temp.
Vegetable/fruit crisper(s)	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity
ClearLook™ adjustable gallon door bins	4	4	4	4	4	4
Snuggler™ clip(s)	2	2	2	2	2	2
Fixed door bins	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)
Dairy compartment	●	●	●	●	●	●
Interior light system	Dual	Dual	Dual	Dual	Dual	Dual
Quiet Design	Premium	Premium	Premium	Premium	Premium	Premium
NeverClean™ condenser	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●
Freezer features						
Factory-installed icemaker and bin	●	●	●	●	●	●
Multiflow air system (freezer)	●	●	●	●	●	●
FrostGuard™ technology	●	●	●	●	●	●
Spillproof freezer floor	●	●	●	●	●	●
Wire freezer compartment shelves	1 full-width, 1 bi-level removable	1 full-width, 1 bi-level removable	1 full-width, 1 bi-level removable	1 full-width, 1 bi-level removable	1 full-width, 1 bi-level removable	1 full-width, 1 bi-level removable
Freezer door bins	2 (1 adj.)	2 (1 adj.)	2 (1 adj.)	2 (1 adj.)	2 (1 adj.)	2 (1 adj.)
Tilt-out locking freezer door bin	●	●	●	●	●	●
Interior light	●	●	●	●	●	●
Exterior						
Color(s) available*	SS	WW, CC, BB	SS	WW, CC, BB	SS	WW, CC, BB
Deluxe door handle(s)	Sculptured stainless steel	Color-matched	Sculptured stainless steel	Color-matched	Sculptured stainless steel	Color-matched
Customer installed handles	●	●	●	●	●	●
Exterior design	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors
Textured steel door and case	Case only (black)	●	Case only (black)	●	Case only (black)	●
Reversible doors	●	●	●	●	●	●
Adjustable rollers	Front	Front	Front	Front	Front	Front
Weights & Dimensions						
Height to top of hinge (in.) A	68-5/8	68-5/8	67-1/2	67-1/2	67-1/2	67-1/2
Height to top of case (in.) B	67-7/8	67-7/8	66-7/8	66-7/8	66-7/8	66-7/8
Case depth without door (in.) C	27-5/8	27-5/8	27-5/8	27-5/8	27-5/8	27-5/8
Case depth less door handle (in.) D	31-5/8	31-5/8	31-5/8	31-5/8	31-5/8	31-5/8
Case depth with door handle (in.) E	33-5/8	33-5/8	33-5/8	33-5/8	33-5/8	33-5/8
Depth w/fresh food door open 90° (in.) F	66	66	63	63	63	63
Width (in.) G	35-7/8	35-7/8	32-7/8	32-7/8	32-7/8	32-7/8
Width w/door open 90° w/door handle (in.) H	38	38	35	35	35	35
Air clearances						
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1
Back (in.)	1	1	1	1	1	1
Approx. shipping weight (lbs.)	310	310	260	260	260	260
Power/Ratings	120V, 60Hz, 15Amps					

*Color(s) available: SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Top-freezer no-frost refrigerators



Listed by
Underwriters
Laboratories


GE® top-freezer refrigerators

	GE "W" Series		GE "K" Series					
	GTS22WCP	GTS18WCP	GTH22SBS GTH22SHS	GTS22KHP	GTH22KBR GTS22KBP	GTS18SBS GTS18SHS	GTS18KHP	GTH18KBR GTS18KBP
Capacity								
Total (cu. ft.)	21.7	17.9	21.7	21.7	21.7	17.9	17.9	17.9
Fresh food (cu. ft.)	15.35	12.87	15.35	15.35	15.35	12.90	12.87	12.87
Freezer (cu. ft.)	6.35	4.98	6.35	6.35	6.35	5.04	4.98	4.98
Shelf area (sq. ft.)	24.9	22.0	25.3 / 24.9	24.9	25.3	22.0	22.0	22.0
Fresh food features								
Upfront temperature controls	Illuminated	Illuminated	Illuminated	Illuminated	Illuminated	Illuminated	Illuminated	Illuminated
Cabinet shelves	4 glass (lift-off)	4 glass (lift-off)	4 glass	4 glass	4 glass	4 glass	4 glass	4 glass
Adjustable	4 split	4 split	4 split	4 split	4 split	4 split	4 split	4 split
Spillproof	4	4	4	4	4	4	4	4
Internal water dispenser			- / ●	●		- / ●	●	
GESmartWater filtration			- / ●	●		- / ●	●	
Vegetable/fruit crisper(s)	2 adj. humidity window	2 adj. humidity window	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity	2 adj. humidity
Snack pan	●	●	●	●	●	●	●	●
Adjustable gallon door bins	3	3	3	3	3	3	3	3
Fixed door bins	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)	1 (tall bottle)
Dairy compartment	●	●	●	●	●	●	●	●
Interior light system	Dual	Dual	Dual	Dual	Dual	Dual	Dual	Dual
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean condenser	●	●	●	●	●	●	●	●
ENERGY STAR			●		● / -			● / -
Freezer features								
Factory-installed icemaker and bin	●	●	Opt. (IM4A) / ●	●	Opt. (IM4A)	Opt. (IM4A) / ●	●	Opt. (IM4A)
Ice 'N Easy trays			2 / -		2	2 / -		2
FrostGuard technology			●		● / -			
Spillproof freezer floor	●	●	●	●	●	●	●	●
Wire freezer compartment shelves	1 F/W (2 pos.)	Step	1 F/W (2 pos.)	1 F/W (2 pos.)	1 F/W (2 pos.)	Step	Step	Step
Adjustable door bins	1 split	1 split	1 split	1 split	1 split			
Fixed door bins	1 split (1 f/w)	2 split (1 f/w)	1 split (1 f/w)	1 split (1 f/w)	1 split (1 f/w)	2 split (1 f/w)	2 split (1 f/w)	2 split (1 f/w)
Interior light	●	●	●	●	●	●	●	●
Exterior								
Color(s) available*	WW, CC, BB	WW, CC	SS	WW, CC, BB	WW / WW, CC, BB	SS	WW, CC, BB	WW, CC, BB
Door handle(s)*	CM	CM	Tubular stainless steel	CM	CM	Tubular stainless steel	CM	CM
Customer installed handles	●	●	●	●	●	●	●	●
Exterior design	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors
Textured steel door and case	●	●	Case only (black)	●	●	Case only (black)	●	●
Reversible doors	●	●	●	●	●	●	●	●
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front	Front
Weights & Dimensions								
Height to top of hinge (in.) A	67-1/2	66-5/8	67-1/2	67-1/2	67-1/2	66-5/8	66-5/8	66-5/8
Height to top of case (in.) B	66-7/8	66-1/8	66-7/8	66-7/8	66-7/8	66-1/8	66-1/8	66-1/8
Height to mid-freezer (in.)	54-1/2	53-15/16	54-1/2	54-1/2	54-1/2	53-15/16	53-15/16	53-15/16
Case depth without door (in.) C	27-5/8	27-1/2	27-5/8	27-5/8	27-5/8	27-1/2	27-1/2	27-1/2
Case depth less door handle (in.) D	31-5/8	30-1/4	31-5/8	31-5/8	31-5/8	30-1/4	30-1/4	30-1/4
Case depth with door handle (in.) E	33-5/8	32-1/8	33-5/8	33-5/8	33-5/8	32-1/8	32-1/8	32-1/8
Depth w/fresh food door open 90° (in.) F	63	58-1/8	63	63	63	58-1/8	58-1/8	58-1/8
Width (in.) G	32-7/8	29-1/2	32-7/8	32-7/8	32-7/8	29-1/2	29-1/2	29-1/2
Width w/door open 90° w/door handle (in.) H	35	32	35	35	35	32	32	32
Air clearances								
Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1	1	1
Back (in.)	1	1	1	1	1	1	1	1
Approx. shipping weight (lbs.)	260	233	255	260	255	231	231	231
Power/Ratings	120V, 60Hz, 15Amps							

*Color(s) available: BS = Black case with Stainless steel doors, WW = White on white, CC = Bisque on bisque, BB = Black on black, CM = Color-Matched.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Top-freezer no-frost refrigerators



Note: All top-freezer no-frost right-hand refrigerator doors: As you face the front of the refrigerator, the handle is on your left and the hinges are on your right.
All top-freezer no-frost left-hand refrigerator doors: As you face the front of the refrigerator, the handle is on your right and the hinges are on your left.



Listed by
Underwriters
Laboratories


GE® top-freezer refrigerators

	GE "J" Series							GE "D" Series	
	GTL22JBP GTL22JCP	GTS22JBP GTS22JCP	GTL18JBP GTL18JCP	GTS18JCP	GTH18JBR GTS18JBP	GTL17JBS	GTS17JBS	GTH18DCR GTS18DCP	GTH18DBR GTS18DBP
Capacity									
Total (cu. ft.)	21.8	21.8	17.9	17.9	17.9	16.6	16.6	18.0	18.0
Fresh food (cu. ft.)	15.47	15.47	12.89	12.89	12.89	11.69	11.69	12.89	12.89
Freezer (cu. ft.)	6.37	6.37	5.03	5.03	5.03	4.11	4.11	5.03	5.03
Shelf area (sq. ft.)	25.1	25.1	22.2	22.2	22.2	21.0	21.0	22.2	22.2
Fresh food features									
Upfront temperature controls	Illuminated	Illuminated	Illuminated	Illuminated	Illuminated	●	●	Illuminated	Illuminated
Cabinet shelves	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	3 glass	2 wire, 1 glass	2 wire, 1 glass
Adjustable	2 split, 1 F/W	2 split, 1 F/W	2 split, 1 F/W	2 split, 1 F/W	2 split, 1 F/W	2 split, 1 F/W	2 split, 1 F/W	1 F/W, 1 split wire 1 split glass	1 F/W, 1 split wire 1 split glass
Spillproof	●	●	●	●	●	●	●	●	●
Vegetable/fruit crisper(s)	2 clear	2 clear	2 clear	2 clear	2 clear	2 adj. humidity	2 adj. humidity	2 white	2 white
Snack pan	Clear	Clear	Clear	Clear	Clear	Clear	Clear	White	White
Fixed door bins	2 F/W, 1 w/gallon storage	2 F/W, 1 w/gallon storage	2 F/W, 1 w/gallon storage	2 F/W, 1 w/gallon storage	2 F/W, 1 w/gallon storage				
Door shelves	1/2 w/gallon storage	1/2 w/gallon storage	1/2 w/gallon storage	1/2 w/gallon storage	1/2 w/gallon storage	2 F/W w/gallon storage	2 F/W w/gallon storage	1 Split w/gallon, 2 F/W w/gallon	1 Split w/gallon, 2 F/W w/gallon
Dairy compartment	●	●	●	●	●	●	●	●	●
Interior light system	Dual	Dual	Dual	Dual	Dual	Single	Single	Single	Single
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean™ condenser	●	●	●	●	●	●	●	●	●
ENERGY STAR®					● / -			● / -	● / -
Freezer features									
Factory-installed icemaker & bin	Opt. (IM4A) / ●	Opt. (IM4A) / ●	Opt. (IM4A) / ●	●	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)	●	Opt. (IM4A)
Ice 'N Easy trays	2 / -	2 / -	2 / -		2	2	2		2
Spillproof freezer floor	●	●	●	●	●	●	●	●	●
Wire freezer compartment shelves	1 F/W (2 pos.)	1 F/W (2 pos.)	Step	Step	Step	Step	Step	Step	Step
Fixed door shelves	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width	2 full-width
Exterior									
Color(s) available*	CleanSteel™	WW, CC	CleanSteel	WW, CC, BB	WW, CC, BB	CleanSteel	WW, BB	WW, CC, BB	WW, CC, BB
Door handle(s)*	Black	CM	Black	CM	CM	Black	CM	CM	CM
Customer installed handles	●	●	●	●	●	●	●	●	●
Exterior design	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Rounded doors	Square doors	Square doors	Rounded doors
Textured steel door and case	Case only (black)	●	Case only (black)	●	●	Case only (black)	●	●	●
Reversible doors	●	●	●	●	●	●	●	●	●
Choose right or left door opening								●	●
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front	Front	Front
Capacity									
Height to top of hinge (in.) A	67-1/2	67-1/2	66-5/8	66-5/8	66-5/8	64-3/4	64-3/4	66-5/8	66-5/8
Height to top of case (in.) B	66-7/8	66-7/8	66-1/8	66-1/8	66-1/8	64-1/4	64-1/4	66-1/8	66-1/8
Height to mid-freezer (in.)	54-1/2	54-1/2	53-15/16	53-15/16	53-15/16	54-3/8	54-3/8	53-15/16	53-15/16
Case depth without door (in.) C	27-5/8	27-5/8	27-1/2	27-1/2	27-1/2	25-7/8	25-7/8	27-1/2	27-1/2
Case depth less door handle (in.) D	31-5/8	31-5/8	30-1/4	30-1/4	30-1/4	29-1/8	29-1/8	30-1/4	30-1/4
Case depth with door handle (in.) E	33-5/8	33-5/8	32-1/8	32-1/8	32-1/8	31	31	32-1/8	32-1/8
Depth w/fresh food door open 90° (in.) F	63	63	58-1/8	58-1/8	58-1/8	54-7/8	54-7/8	58-1/8	58-1/8
Width (in.) G	32-7/8	32-7/8	29-1/2	29-1/2	29-1/2	28	28	29-1/2	29-1/2
Width w/door open 90° w/door handle (in.) H	35	35	32	32	32	30-1/2	30-1/2	32	32
Air clearances Each side (in.)	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
Top (in.)	1	1	1	1	1	1	1	1	1
Back (in.)	1	1	1	1	1	1	1	1	1
Approx. shipping weight (lbs.)	260	260	231	226	226	166	166	228	223
Power/Ratings	120V, 60Hz, 15Amps								

*Color(s) available: WW = White on white, CC = Bisque on bisque, BB = Black on black, CM = Color-Matched, CleanSteel = Stainless appearance.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Top-freezer no-frost refrigerators



Note: All top-freezer no-frost right-hand refrigerator doors: As you face the front of the refrigerator, the handle is on your left and the hinges are on your right.
All top-freezer no-frost left-hand refrigerator doors: As you face the front of the refrigerator, the handle is on your right and the hinges are on your left.



Listed by
Underwriters
Laboratories


GE top-freezer refrigerators

	GE "C" Series	GE "B" Series							GE "A" Series
	GTS18CCS GTS18CBS	GTR18BBS	GTS17BBS GTS17BCS	GTS16BBS	GTH16BBS	GTS16BCS	GTR16BBS	GTS12BBP	GTR11AAP
Capacity									
Total (cu. ft.)	18.2	18.2	16.6	15.7	15.7	15.7	15.7	11.9	11.4
Fresh food (cu. ft.)	13.89	13.89	12.54	11.57	11.57	11.57	11.57	8.94	8.45
Freezer (cu. ft.)	4.27	4.27	4.10	4.10	4.10	4.10	4.10	2.95	2.99
Shelf area (sq. ft.)	18.9/19.8	19.8	19.2/18.3	19.2	19.2	18.3	19.2	12.1	13.4
Fresh food features									
Upfront temperature controls	●	●	●	●	●	●	●		
Cabinet shelves	2 wire	2 wire	2 wire	2 wire	2 wire	2 wire	2 wire	2 wire	2 wire
Adjustable	2 F/W	2 F/W	2 F/W	2 F/W	2 F/W	2 F/W	2 F/W	2 F/W	2 F/W
Vegetable/fruit crisper(s)	2	2	2	2	2	2	2	1 F/W divided	1 F/W
	3 F/W (2 with gallon storage)	3 F/W (2 with gallon storage)	2 F/W with gallon storage	2 F/W with gallon storage	2 F/W with gallon storage	2 F/W with gallon storage	2 F/W with gallon storage	2-1/2 (1 tall bottle)	4 (1 tall bottle)
Door shelves	●	●	●	●	●	●	●	●	
Dairy compartment	●	●	●	●	●	●	●	●	
Interior light system	Single	Single	Single	Single	Single	Single	Single	Single	Single
Quiet Design	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe	Standard	Standard
NeverClean condenser	●	●	●	●	●	●	●		
ENERGY STAR					●				
Freezer features									
Factory-installed icemaker & bin	● / Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A) / ●	Opt. (IM4A)	Opt. (IM4A)	●	Opt. (IM4A)	Opt. (IM4A)	
Ice 'N Easy trays	- / 2	2	2 / -	2	2		2	1	2
Ice tray shelf	●	●	● / -	●	●		●		
Wire freezer compartment shelves									1 F/W
Fixed door shelves	2	2	2	2	2	2	2	2	2
Exterior									
Color(s) available*	WW, CC	WW, CC	WW, CC, BB	WW, CC, BB	WW, CC, BB	WW, CC	WW, CC	WW, CC	WW
Door handle(s)*	CM	CM recessed	CM	CM	CM	CM	CM recessed	CM	CM recessed
Exterior design	Square doors	Square doors	Square doors	Square doors	Square doors	Square doors	Square doors	Rounded doors	Contoured doors
Reversible doors	●	●	●	●	●	●	●	●	●
Choose right or left door opening	●		●	●	●	●	●	●	
Adjustable rollers	Front	Front	Front	Front	Front	Front	Front		
Weights & Dimensions									
Height to top of hinge (in.) A	67-3/8	67-3/8	64-3/4	61-3/4	61-3/4	61-3/4	61-3/4	60-1/2	57-7/8
Height to top of case (in.) B	66-7/8	66-7/8	64-1/4	61-1/4	61-1/4	61-1/4	61-1/4	60	57-3/8
Height to mid-freezer (in.)	57	57	59-3/8	51-3/8	51-3/8	51-3/8	51-3/8	52	50
Case depth without door (in.) C	26-3/4	26-3/4	25-7/8	25-7/8	25-7/8	25-7/8	25-7/8	27-3/4	28-1/4
Case depth less door handle (in.) D	30-1/2	30-1/2	29-1/8	29-1/8	29-1/8	29-1/8	29-1/8	30-5/8	30-5/8
Case depth with door handle (in.) E	32-3/8	30-1/2	31	31	31	31	29-1/8	32-3/8	30-5/8
Depth w/fresh food door open 90° (in.) F	56-3/8	56-3/8	54-7/8	54-7/8	54-7/8	54-7/8	54-7/8	51-5/8	52-3/4
Width (in.) G	28	28	28	28	28	28	28	23-7/8	23-7/8
Width w/door open 90° w/door handle (in.) H	30-3/4	30-3/4	30-1/2	30-1/2	30-1/2	30-1/2	28-5/8	26-1/2	25-1/8
Air clearances									
Each side (in.)	3/4	3/4	3/4	3/4	3/4	3/4	3/4	1	1
Back (in.)	1	1	1	1	1	1	1	4	4
Back (in.)	1	1	1	1	1	1	1	2	3
Approx. shipping weight (lbs.)	178	178	175	164		169	163	170	163
Power/Ratings	120V, 60Hz, 15Amps								

*Color(s) available: WW = White on white, CC = Bisque on bisque, BB = Black on black, CM = Color-Matched.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

Top-freezer no-frost refrigerators



Note: All top-freezer no-frost right-hand refrigerator doors: As you face the front of the refrigerator, the handle is on your left and the hinges are on your right.
All top-freezer no-frost left-hand refrigerator doors: As you face the front of the refrigerator, the handle is on your right and the hinges are on your left.





Listed by
Underwriters
Laboratories

GE® manual defrost refrigerator

GE	
GMS10AAR	
Capacity	
Total (cu. ft.)	9.7
Fresh food (cu. ft.)	8.74
Freezer (cu. ft.)	.97*
Shelf area (sq. ft.)	9.88
Features	
Ice 'N Easy trays	2
Freezer chiller tray with baffle	●
Cabinet shelves	2 adj.
Vegetable/fruit crisper	1 full-width
Door shelves	5 (2 egg w/pockets)
Tall bottle storage on door	●
Dairy compartment(s)	1
Freezer compartment shelf(s)	1 full-width
Economical/Quiet	
Cabinet/door insulation	Foam
Cabinet/door liner	Plastic
Appearance	
Color(s) available	White
Door handle(s)	White
Right or left door opening	●
Weights & Dimensions	
Height to top of hinge (in.) A	58
Height to top of case (in.) B	57-9/16
Case depth without door (in.) C	21-3/8
Case depth with door less handle (in.) D	23-1/2
Case depth with door handle (in.) E	24-13/16
Depth with door open 90°	
less door handle (in.) F	44-13/16
Width (in.) G	23
Width w/door open 90°	
less door handle (in.) H	23-1/2
Air clearances	
Each side (in.)	5/8
Top (in.)	2
Back (in.)	1
Approx. shipping weight (lbs.)	135

Manual defrost single-door refrigerator



*Compartment for short-term storage of frozen food. The frozen food compartment of this refrigerator will make ice, and pre-frozen foods can be stored for about two weeks. It will not effectively freeze fresh foods or provide long-term storage for meats, poultry, or fish.

GE Spacemaker® compact refrigerators

GE				
GMR06AAP	GMR04HAS	GMR04AAM	GMR02BAN	
Capacity				
Total (cu. ft.)	6.0	4.3	4.4	1.7
Fresh food (cu. ft.)	5.51	3.89	3.99	1.49
Freezer (cu. ft.)	.49**	.42**	.39**	.16**
Shelf area (sq. ft.)	8.8	5.6	5.6	2.9
Features				
Ice 'N Easy trays	2 mini	1 mini	1 mini	1 mini
Manual defrost	●	●	●	●
Cabinet shelves (wire)	2 (1 adj.)	3 glass (2 full-width, 1 split)	2	1
Can rack	●	●	●	●
Door shelves	1 f/w, 2 half-width	2 f/w, 1 half-width	2 f/w, 1 half-width	1 f/w, 1 half-width
Interior light	●	●	●	●
Economical/Quiet				
Cabinet/door insulation	Foam	Polystyrene	Polystyrene	Foam
Cabinet/door liner	HIPS	ABS	ABS	ABS
Appearance				
Color(s) available*	WW, BB	BS	WW, BB	WW, BB
Door handles	White visor/black visor	Black recessed	Color-matched recessed	Color-matched recessed
Rounded doors	●	●	●	●
Reversible doors	●	●	●	●
Weights & Dimensions				
Height (in.) A	34-1/4	32-3/4	32-7/8	18-15/16
Width (in.) B	23-5/8	20-1/2	20	17-1/2
Depth with handle (in.) C	25-7/8	21	21-3/4	19-1/4
Depth with door open 90°				
(in.) D	47-1/2	39-15/16	40-1/8	35-1/2
Air clearances				
Each side (in.)	0†	1/2	1/2	1/2
Top (in.)	0	2	2	2
Back (in.)	0	2	2	2
Approx. shipping weight (lbs.)	88	79	77	51
Accessories				
Custom trim (optional)	TPK6***[black only]			

*Color(s) available: WW = White on white, BB = Black on black, BS = Black case with stainless door

**Compartment for short-term storage of frozen food. The frozen food compartment of this refrigerator will make ice, and pre-frozen foods can be stored for about two weeks. It will not effectively freeze fresh foods or provide long-term storage for meats, poultry, or fish.



***Do not substitute TNK6 for this kit. Not compatible.

†If installed against a wall, allow 1-1/4" on hinge side to allow for proper door opening.

GE Profile™ wine cooler

GE Profile	
PWR04FANBS	
Capacity	
Total (cu. ft.)	4.3
Bottle capacity	29
Features	
Electronic touch controls	●
Adjustable temperature control (45-65°F)	
See-through door	●
Door design	Contoured
Pull-out and adjustable racks	Chrome wine rack
Multiple shelf liner positions	5 full-width, 1 display
Interior light	●
Interior light timer (60 min. delay)	●
Lock	●
Appearance	
Color(s) available	Black case and stainless trim
Door handle	Recessed
Free-standing	●
Meets California Energy Commission (CEC) requirements	●
Cabinet liner color	Black
Reversible door	●
Weights & Dimensions	
Height (in.) A	33-1/2
Width (in.) B	20-1/8
Depth with handle (in.) C	22-3/4
Depth with door open 90° (in.) D	40-1/2
Air clearances	
Each side (in.)	1-1/2
Top (in.)	2
Back (in.)	2
Approx. shipping weight (lbs.)	97


Spacemaker compact refrigerators/ Wine coolers



GE chest freezers

	GE							
	FCM25RM	FCM20DP	FCM15DP	FCM15SP	FCM9DM	FCM7DN	FCM5DM	FCM5SM
Capacity								
Total volume (cu. ft.)	25.1	19.7	14.8	14.8	8.8	7.0	5.0	5.0
Features								
Manual defrost	●	●	●	●	●	●	●	●
Temperature control	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.
Power "ON" light							●	
Wraparound condenser	●	●	●	●	●	●	●	●
Wraparound evaporator	●	●	●	●	●	●	●	●
Limited food loss warranty*	●	●	●	●	●	●		
Upfront defrost water drain	●	●	●	●	●	●	●	●
Interior light		●	●	●		●		
Lock		●	●	●		●	●	●
Lift-out and sliding bulk storage basket(s)	4	3	2	1	2	2	2	1
Economical/Quiet								
Insulation (cabinet and lid)–Foam	●	●	●	●	●	●	●	●
Cabinet liner	Steel epoxy-coated	Steel epoxy-coated	Steel epoxy-coated	Steel epoxy-coated	Textured aluminum	Textured aluminum	Textured aluminum	Textured Aluminum
Appearance								
Color available	White	White	White	White	White	White	White	White
Handle	●	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed
Textured steel case and lid	●	●	●	●	●			
Weights & Dimensions								
Height (in.) A	35	35	35	35	34-1/4	33-1/8	33	33
Width (in.) B	73-7/8	61-1/4	48	48	41	38	29-1/8	29-1/8
Depth (in.) C	28-3/4	29-1/2	29-1/2	29-1/2	23-1/4	22-3/8	22-3/16	22-3/16
Height with lid open (in.) D	59-3/4	60-3/4	60-3/4	60-3/4	54-1/4	53-1/4	53-3/16	53-3/16
Air clearances Each side (in.)	3	3	3	3	3	3	3	3
Back (in.)	3	3	3	3	3	3	3	3
Approx. shipping weight (lbs.)	245	195	161	161	127	126	101	101


*See written warranty for complete details.



GE upright freezers

	GE							
	Frost-Free			Manual Defrost				
	FUF20DP	FUF17DP	FUF14DP	FUM21DR	FUM17DR	FUM14DR	FUM14SR	FUM5SN
Capacity								
Total volume (cu. ft.)	20.3	16.7	13.7	20.6	17.1	14.1	14.1	5.0
Shelf area (sq. ft.)	23.9	18.4	14.3	25.3	19.1	17.9	15.0	6.0
Features								
Temperature control	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.
Limited food loss warranty*	●	●	●	●	●	●	●	●
Door shelves (total)	6	5	5	6	5	5	5	3
Defrost water drain				●	●	●	●	
Interior light		●	●	●	●	●	●	
Lock		●	●	●	●	●	●	
Cabinet shelves (total)	5 (3 adj.)	4 (3 adj.)	3 (2 adj.)	5 (1 adj.)	4 (1 adj.)	4 (1 adj.)	3	2
Slide-out bulk storage basket	1	1	1	1	1	1		
Economical/Quiet								
Defrost	Frost-Free	Frost-Free	Frost-Free	Manual	Manual	Manual	Manual	Manual
Magnetic door gasket	●	●	●	●	●	●	●	●
Cabinet liner	Baked enamel-on-steel	Baked enamel-on-steel	Baked enamel-on-steel	Baked enamel-on-steel	Baked enamel-on-steel	Baked enamel-on-steel	Baked enamel-on-steel	Polystyrene
Wraparound condenser	●	●	●	●	●	●	●	●
Appearance								
Color available	White	White	White	White	White	White	White	White
Door handle	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed
Textured steel case/door	●	●	●	●	●	●	●	●
Weights & Dimensions								
Height (in.) A	70	64-1/2	59	70	64-1/2	59	59	33-1/2
Width (in.) B	32	32	28	32	32	28	28	21-3/8
Depth (in.) C	28-1/2	26-1/2	28-1/2	28-1/2	26-1/2	28-1/2	28-1/2	26-1/8
Depth with door open 90° (in.) D	59-1/8	57-1/8	55-1/8	59-1/8	57-1/8	55-1/8	55-1/8	45-3/4
Air clearances Each side (in.)	3	3	3	3	3	3	3	1
Top (in.)	3	3	3	3	3	3	3	4
Back (in.)	3	3	3	3	3	3	3	4
Approx. shipping weight (lbs.)	235	213	186	224	200	177	177	80

*See written warranty for complete details.





A century of quality and innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.

GE Consumer & Industrial
Appliances
General Electric Company
Louisville, KY 40225
ge.com

Before purchasing an appliance, read important information about its estimated annual energy consumption or energy efficiency rating that is available from your retailer or GEAppliances.com

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2005 GE Company
PC40195 Pub. No. 24-C645