SAFETY INFORMATION3
OPERATING INSTRUCTIONS 6
CARE AND CLEANING10
INSTALLATION INSTRUCTIONS14
TROUBLESHOOTING TIPS18
REPLACEMENT PARTS23
WIRING DIAGRAM18
LIMITED WARRANTY23
CONSUMER SUPPORT 24

OWNER'S MANUAL

GE Branded Thermostat Control Point of Use Electric Water Heater Models.

> 120 Volt Models: GE10P08BA* GE20P08BA*

> 240 Volt Models: GE20L08BA*

FRANÇAIS

Pour une version français de ce manuel d'utilisation, veuillez visiter notre site web à l'adresse GEAppliances.com.

ESPAÑOL

Para consultar una version en español de este manual de instrucciones, visite nuestro sitio de internet GEAppliances.com.

Write the model and serial numbers here:

Model #______

You can find them on the rating label on the front side of your water heater.





Certified to NSF/ANSI 372

See http://info.nsf.org/Certified/Lead_ Content/ for specific model listing

THANK YOU FOR MAKING GE APPLIANCES A PART OF YOUR HOME.

Whether you grew up with GE Appliances, or this is your first, we're happy to have you in the family.

We take pride in the craftsmanship, innovation and design that goes into every GE Appliances product, and we think you will too. Among other things, registration of your appliance ensures that we can deliver important product information and warranty details when you need them.

Register your GE appliance now online. Helpful websites and phone numbers are available in the Consumer Support section of this Owner's Manual. You may also mail in the pre-printed registration card included in the packing material.



2

IMPORTANT SAFETY INFORMATION READ ALL INSTRUCTIONS BEFORE USING THE APPLIANCE

AWARNING

For your safety, the information in this manual must be followed to minimize the risk of fire or explosion, electric shock, or to prevent property damage, personal injury, or loss of life.

Be sure to read and understand the entire Owner's Manual before attempting to install or operate this water heater. It may save you time and cost. Pay particular attention to the Safety Instructions. Failure to follow these warnings could result in serious bodily injury or death. Should you have problems understanding the instructions in this manual, or have any questions, STOP and get help from a qualified service technician or the local electric utility.

AWARNING

Risk of Fire - DO NOT store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance. Keep rags and other combustibles away.

▲WARNING

If the water heater has been subjected to flood, fire, or physical damage, turn off power and water to the water heater.

Do not operate the water heater again until it has been thoroughly checked by qualified service personnel.

Safety Precautions

- A. Do turn off power to water heater if it has been subjected to overheating, fire, flood or physical damage.
- B. Do Not turn on water heater unless it is filled with water.
- C. Do Not turn on water heater if cold water supply shut-off valve is closed.

NOTE: Flammable vapors may be drawn by air currents from surrounding areas to the water heater.

D. If there is any difficulty in understanding or following the Operating Instructions or the Care and Cleaning section, it is recommended that a qualified person or serviceman perform the work.

ACAUTION

Risk of Fire - Hydrogen gas can be produced in a hot water system served by this water heater that has not been used for a long period of time (generally two weeks or more). HYDROGEN GAS IS EXTREMELY FLAMMABLE!! To dissipate such gas and to reduce risk of injury, it is recommended that the hot water faucet be opened for several minutes at the kitchen sink before using any electrical appliance connected to the hot water system. If hydrogen is present, there will be an unusual sound such as air escaping through the pipe as the water begins to flow. Do not smoke or use an open flame near the faucet at the time it is open.

▲FOR INSTALLATIONS IN THE STATE OF CALIFORNIA

California Law requires that residential water heaters must be braced, anchored or strapped to resist falling or horizontal displacement due to earthquake motions. For residential water heaters up to 52 gallon (197 L) capacity, a brochure with generic earthquake bracing instructions can be obtained from: Office of the State Architect, 400 P Street, Sacramento, CA 95814 or you may call 916.324.5315 or ask a water heater dealer.

Applicable local codes shall always govern installation. For residential water heaters of a capacity greater than 52 gallons (197 L) consult the local building jurisdiction for acceptable bracing procedures.

IMPORTANT SAFETY INFORMATION READ ALL INSTRUCTIONS BEFORE USING THE APPLIANCE



Water temperature over 125°F can cause severe burns instantly or death from scalds.

Temperature control settings usually approximate tap water temperature. However, factors could cause water temperature to reach 160°F regardless of the control settings.

Children, disabled and elderly are at highest risk of being scalded.

See instruction manual before setting temperature at water heater.

Feel water before bathing or showering.

Temperature limiting valves are available; see manual.

WATER TEMPERATURE ADJUSTMENT

Safety, energy conservation, and hot water capacity are factors to be considered when selecting the water temperature setting of the water heater. Water temperatures above 125°F can cause severe burns or death from scalding. Be sure to read and follow the warnings outlined on the label pictured to the left. This label is also located on the water heater near the top of the tank.

Time/Temperature Relationship in Scalds

Temperature	Time to Produce a Serious Burn
120°F (49°C)	More than 5 minutes
125°F (52°C)	1-1/2 to 2 minutes
130°F (54°C)	About 30 seconds
135°F (57°C)	About 10 seconds
140°F (60°C)	Less than 5 seconds
145°F (63°C)	Less than 3 seconds
150°F (66°C)	About 1-1/2 seconds
155°F (68°C)	About 1 second

Table courtesy of Shriners Burn Institute

The chart shown above may be used as a guide in determining the proper water temperature for your home.

There is a Hot Water SCALD Potential if the water temperature thermostat is set too high. Households with small children, disabled or elderly persons may require a 120°F (49°C) or lower thermostat setting to prevent contact with "HOT" water.

Thermostat has been set at the factory to 125°F (52°C) to reduce the risk of scald injury. This is the recommended starting temperature setting, but it can be adjusted to any temperature between 90°F and 150°F (32°C and 66°C).

Water Temperature Setting

The temperature of the water in the water heater can be regulated by setting the temperature dial of the adjustable surface mounted thermostat(s) located behind the jacket access panel(s).


The illustration shows the temperature adjustment dial used for setting the water temperature.

Refer to the Operating Instructions in this manual for detailed instructions how to adjust the thermostat(s).

▲DANGER

Hotter water

increases the potential for hot water SCALDS.



READ AND SAVE THESE INSTRUCTIONS

IMPORTANT SAFETY INFORMATION READ ALL INSTRUCTIONS BEFORE USING THE APPLIANCE

SAFETY CONTROLS

The water heater is equipped with a combination thermostat and high limit Energy-Cut-Off control (ECO) that is located above the upper heating element in contact with the tank surface. If for any reason the water temperature becomes excessively high, the high limit control (ECO) breaks the power circuit to the heating element. Once the control opens, it must be reset manually. Resetting of the high limit control should be done by a qualified service technician.

The cause of the high temperature condition must be investigated by a qualified service technician and corrective action must be taken before placing the water heater in service again.

To reset the temperature-limiting control:

- 1. Turn off the power to the water heater.
- **2.** Remove the jacket access panel(s). The thermostat protective cover should not be removed.
- 3. Press the red RESET button.
- **4.** Replace the jacket access panel(s) before turning on the power to the water heater.
- **5.** Ensure water heater is operating properly after resetting the ECO.

Operating Instructions


Water Heater Capacity and Increasing Temperature Setpoint:

The water heater temperature setting strongly impacts the amount of usable hot water available for showers and baths.

- Safety regulations require a factory setting no greater than 125°F (52°C) for all new water heaters. Therefore, if your old water heater was set to a hotter temperature than your new water heater with a factory set setpoint of 125°F (52°C), the new water heater may seem to provide lower capacity than your old water heater. This can be corrected by increasing the temperature setpoint.
- If more hot water capacity is desired, increasing the temperature from 125°F to 135°F (52°C to 57°C) will enable the same tank of hot water to last about 25% longer because less hot water is mixed in at the shower or faucet.
- Increasing the water temperature setpoint may improve the cleaning performance of dishwashers and washing machines.
- The user can adjust the temperature setting to meet their needs. Always read and understand the safety instructions contained in the owner's manual before adjusting the temperature setpoint.

If Adjustment is necessary:

- 1. Turn off the power to the water heater.
- 2. Remove the jacket access panel(s) exposing the thermostat(s). The thermostat protective cover(s) should not be removed.
- 3. Using a small screwdriver, set the thermostat(s) dial pointer(s) to the desired temperature.
- 4. Replace the jacket access panel(s). Turn on the power to the water heater



Mixing Valves

 Mixing valves for reducing point-of-use water temperature by mixing hot and cold water in branch water lines are commercially available. Contact a licensed plumber of the local plumbing authority for further information.

Extended Shutdown Periods

If the water heater is to remain idle for an extended period of time, the power and water to the appliance should be turned off and the water heater drained to conserve energy and prevent a buildup of dangerous hydrogen gas. This unit has no power button, power can only be shut off at the circuit breaker or disconnect switch.

The water heater and piping should be drained if they might be subjected to freezing temperatures.

After a long shutdown period, the water heater's operation and controls should be checked by qualified service personnel. Make certain the water heater is completely filled again before placing it in operation.

NOTE: Refer to the Hydrogen Gas Caution in the Operating Instructions (see page 3).

Care and Cleaning

Exterior Surfaces

Hand wash with damp cloth, using only warm water. Wipe dry using a dry, clean cloth.

Routine Preventive Maintenance

ADANGER Risk of Scald - Before manually operating the relief valve, make certain no one will be exposed to the danger of coming in contact with the hot water released by the valve. The water may be hot enough to create a scald hazard. The water should be released into a suitable drain to prevent injury or property damage.

NOTE: If the temperature and pressure-relief valve on the hot water heater discharges periodically, this may be due to thermal expansion in a closed water system. Contact the water supplier or your plumbing contractor on how to correct this. Do not plug the relief valve outlet.

Properly maintained, your water heater will provide years of dependable trouble-free service. It is suggested that the following annual preventive maintenance program be established.

- 1. Inspect Temperature & Pressure Relief Valve.
- 2. Inspect heating elements, ECO, and wiring to each.
- 3. Drain and Flush the water heater tank.
- 4. Anode rod must be removed and inspected.

Temperature and Pressure-Relief Valve:

Once a year, it is recommended to lift and release the lever handle on the temperature and pressure-relief valve, located on the front-right side of the water heater, to make certain the valve operates freely. Allow several gallons to flush through the discharge line to an open drain.

Heating Elements and ECO:

Once a year, it is recommended to inspect the heating elements, ECO, and wiring to each. Inspection should be completed by service personnel qualified in electrical appliance repair.

Most electrical appliances, even when new, make some sound when in operation. If the hissing or singing sound level increases excessively, the electric heating element may require cleaning. Contact a qualified installer or plumber for inspection.

Draining and Flushing the Water Heater

ACAUTION Risk of Shock - Shut off power to the water heater before draining water.

ADANGER
Risk of Scald - Before manually operating the relief valve, make certain no one will be exposed to the hot water released by the valve. The water drained from the tank may be hot enough to present a scald hazard and should be directed to a suitable drain to prevent injury or damage.

A water heater's tank can act as a settling basin for solids suspended in the water. It is therefore not uncommon for hard water deposits to accumulate in the bottom of the tank. To clean the tank of these deposits, it is recommended to drain and flush the water heater tank once a year. To drain the water heater, follow these steps:

- 1. Turn off power to the unit. The electric heating elements will become damaged if operated without water.
- 2. Attach a garden hose to the drain valve located at the bottom of the unit and direct that hose to a drain.
- 3. Turn off the cold water supply.
- 4. Admit air to the tank by opening a hot water faucet or lifting the handle on the relief valve.
- 5. Open the drain valve.

Use a flat blade screwdriver to turn brass drain valve or an adjustable open-end wrench to turn black stem on plastic drain valve.

Straight Brass Drain Valve

Flushing the Tank:

- 1. Follow steps above to drain the water heater.
- 2. Once the water heater is empty, with the drain valve open and garden hose attached to the drain valve, turn on the cold water supply.
- 3. Allow several gallons to flush through the drain valve and hose to an open drain.
- 4. Turn off the water supply and allow any water remaining in the tank to drain.
- 5. Repeat steps 3 and 4 until water runs clear.
- 6. Close the drain valve and fill the tank before returning power to the unit. The tank is full when water runs out of a nearby open hot water faucet.

Flushing should be done with an empty tank to promote additional removal of sediment.

NOTE: See page 12 for product schematic.

8

Care and Cleaning

Routine Preventative Maintenance Anode Rod

Anode rods are designed and installed to protect and extend the life of residential water storage tanks.

The anode rod must be removed from the water heater's tank and inspected annually, and replaced when more than 6" (15.2 cm) of core wire is exposed at either end of the rod.* **NOTE:** Artificially softened water will cause the anode rod to consume more rapidly.

Due to shock hazard and to prevent accidental water leaks, this inspection should be done by a qualified servicer or plumber, and requires that the electric power and cold water supply be turned off before servicing the anode rod.

NOTICE: Do not remove the anode rod from the water heater's tank except for inspection and/or replacement, as operation with the anode rod removed will shorten the life of the glass-lined tank and will void warranty coverage.

*NOTE: Failure to replace the anode rod when consumed voids the warranty for the tank. Warranty coverage for all other components remains intact, and is unaffected by this maintenance requirement. The replacement anode rod, and the inspection for consumption are not covered by warranty.

Anode Rod Maintenance and Service

A CAUTION - IMPORTANT SAFETY NOTICE


This information is intended for use by individuals possessing adequate background of electrical, electronic and mechanical experience. Any attempt to repair a major appliance may result in personal injury and property damage. The manufacturer or seller cannot be responsible for the interpretation of this information, nor can it assume any liability in connection with its use.

Tools needed:

- Socket/Torque Wrench
- 1 1/16" Socket
- Pipe Joint Compound or Pipe Thread Sealant Tape
- · Anode Rod, if needed
- * See page 18 for part ordering instructions

To Service Anode Rod:

- 1. Disconnect power, shut off the water supply, drain the water lines of the home. Drain the water heater through the lower drain valve.
- 2. Using a 1 1/16" socket, unscrew the anode rod, then lift out to inspect.
- 3. Inspect and replace if necessary.
- 4. To install the anode rod, seal the threads with pipe joint compound or pipe thread sealant tape, thread into the port tighten.
- 5. Turn water supply on, open a tap to remove any air in plumbing system, fill water heater with water, inspect for leaks, then turn the power on.
 - **NOTE:** Do not turn on power until water heater is completely filled.



The location chosen for the water heater must take into consideration the following:

LOCAL INSTALLATION REGULATIONS

This water heater must be installed in accordance with these instructions, local codes, utility codes, utility company requirements or, in the absence of local codes, the latest edition of the National Electrical Code. It is available from some local libraries or can be purchased from the National Fire Prevention Association, Batterymarch park, Quincy, MA 02169 as booklet ANSI/NFPA 70.

POWER REQUIREMENTS

Check the markings on the rating plate of the water heater to be certain the power supply corresponds to the water heater requirements.

LOCATION

The water heater and water lines should be protected from freezing temperatures and high-corrosive atmospheres. Do not install the water heater in outdoor, unprotected areas.

Locate the water heater in a clean dry area as near as practical to the area of greatest heated water demand. Long uninsulated hot water lines can waste energy and water. Unit must be installed in a level location. If required, add shims under base of unit to level for proper operation.

NOTE: This unit is designed for any common indoor installation.

Servicing the water heater requires proper installation such that front panels can be removed to permit inspection and servicing. Reference installation instructions found in this manual.

Moving the water heater or other appliances to provide service to the water heater is not covered under warranty.

ACAUTION


Risk of Property Damage -The water heater should not be located in an area where leakage of the tank or connections will result in damage to the area adjacent to it or to lower floors of the structure. Where such areas cannot be avoided, it is recommended that a suitable catch pan, adequately drained, be installed under the water heater.

LOCATION (Cont).

Required clearances:

There must be sufficient clearance between any object and the top, rear and sides of the water heater in the event service is needed. The controls and drain at front of unit must have clear access for operation and service. Installations that require minimal clearance on the sides or rear of the water heater for earthquake straps are also acceptable. In these cases, additional clearance should be provided on the opposite side of the unit to allow for service access.

CATCH PAN INSTALLATION



NOTE: Auxiliary catch pan MUST conform to local codes. Catch Pan Kits are available from the store where the water heater was purchased, a builder store or any water heater distributor. The catch pan should be 2" (5.1 cm) minimum larger than the Water Heater base diameter. To prevent corrosion and improve Drain Valve access it is recommended that the water heater be placed on spacers inside the catch pan.

THERMAL EXPANSION

If a check valve is present on the inlet water line, it will create a "closed system." Heating water in a closed system creates an increase in pressure within the water system because the pressure is not able to dissipate in the main supply line. Referred to as "thermal expansion", the rapid pressure increase can cause the relief valve to operate (releasing water) during each heating cycle, potentially causing premature failure to the valve or even the water heater. The suggested method of controlling thermal expansion is to install an expansion tank in the cold water line between the water heater and the check valve as shown in the following illustrations. Contact your installing contractor, water supplier, or plumbing inspector for additional information.

Component Installation

Locate the temperature and pressure relief valve, drain valve, and inlet/outlet fittings in the packaging of your water heater.


Remove and discard all gray colored plugs that were placed in the fitting openings of the water heater for shipping.

Refer to illustrations below for installing each component to the water heater.

After completing installation of all components, make sure to check all connection points for water leaks and correct if required.

Tools needed:

- · Pipe wrench
- · Adjustable wrench
- Pipe joint compound or pip thread sealant tape



WATER SUPPLY CONNECTIONS


Refer to the illustration below for recommended installation. The HOT and COLD water connections are clearly marked and are ¾" NPT on all models. When connecting to the inlet/outlet ports, the use of ¾" female NPT tapered thread fittings with use of thread sealant is recommended. The installation of unions is recommended on the hot and cold water connections so that the water heater may be easily disconnected for servicing if necessary. Piping should be routed to allow anode rod removal.

NOTE: Install a shut-off valve in the cold water line near the water heater. This will enable easier service or maintenance of the unit later.

IMPORTANT: Do not apply heat to the HOT or COLD water connections. If sweat connections are used, sweat tubing to adapter before fitting the adapter to the cold water connections on heater. Any heat applied to the hot or cold water connection will permanently damage the internal plastic lining in these ports.

Install a vacuum relief valve and/or anti-siphon device when required by local jurisdictions.

Typical Installation can be found in the diagram below.



RELIEF VALVE


AWARNING
Risk of Unit Damage - The
pressure rating of the relief valve must not
exceed 150 PSI (1.03 MPa), the maximum working
pressure of the water heater as marked on the
rating plate.

A new combination temperature and pressure-relief valve, complying with the Standard for Relief Valves and Automatic Gas Shut-Off Devices for Hot Water Supply Systems, ANSI Z21.22, is supplied and must remain installed in the opening provided and marked for this purpose on the water heater. No valve of any type should be installed between the relief valve and the tank. Local codes shall govern the installation of relief valves.

The BTUH rating of the relief valve must not be less than the input rating of the water heater as indicated on the rating label located on the front of the heater (1 watt=3.412 BTUH).

Connect the outlet of the relief valve to a suitable open drain so that the discharge water cannot contact live electrical parts or persons and to eliminate potential water damage.

Piping used should be of a type approved for hot water distribution. The discharge line must be no smaller than the outlet of the valve and must pitch downward from the valve to allow complete drainage (by gravity) of the relief valve and discharge line. The end of the discharge line should not be threaded or concealed and should be protected from freezing. No valve of any type, restriction or reducer coupling should be installed in the discharge line.



(Model appearance may vary)

ACAUTION

To reduce the risk of excessive pressures and temperatures in this water heater, install temperature and pressure protective equipment required by local codes and no less than a combination temperature and pressure relief valve certified by a nationally recognized testing laboratory that maintains periodic inspection of production of listed equipment or materials, as meeting the requirements for Relief Valves and Automatic Gas Shutoff Devices for Hot Water Supply Systems, ANSI Z21.22. This valve must be marked with a maximum set pressure not to exceed the marked maximum working pressure of the water heater. Install the valve into an opening provided and marked for this purpose in the water heater, and orient it or provide tubing so that any discharge from the valve exits only within 6 inches above, or at any distance below, the structural floor, and does not contact any live electrical part. The discharge opening must not be blocked or reduced in size under any circumstances.

TO FILL THE WATER HEATER

AWARNING Risk of Unit Damage - The tank must be full of water before heater is turned on. The water heater warranty does not cover damage or failure resulting from operation with an empty or partially empty tank.

Make certain the drain valve is completely closed.

Open the shut-off valve in the cold water supply line.

Open each hot water faucet slowly to allow the air to vent from the water heater and piping.

A steady flow of water from the hot water faucet(s) indicates a full water heater.

Condensation can form on the tank and fittings when it is first filled with water. Condensation may also occur with a heavy water draw and very cold inlet water temperature.

This condition is not unusual and will disappear once water is heated. If condition persists, examine fittings for potential leaks and repair, as required.

ANOTICE

Do not mis-wire electrical connections. 120VAC must be applied to the water heater as shown in "Water Heater Junction Box" illustration.

ELECTRICAL CONNECTIONS

IMPORTANT SAFETY INSTRUCTIONS

AWARNINGWhen using electrical appliances, basic safety precautions to reduce the risk of fire, electric shock, or injury to persons should be followed, including:

- 1. Read all instructions before using this water heater.
- 2. This water heater must be grounded. Connect only to a properly grounded outlet.
- 3. Install or locate this water heater only in accordance with the provided installation instructions.
- 4. Use this water heater only for its intended use as described in this manual.
- 5. Do not use an extension cord set with this water heater. If no receptacle is available adjacent to the water heater, contact a qualified electrician to have one properly installed.
- 6. As with any appliance, close supervision is necessary when used by children.
- 7. Do not operate this water heater if it has a damaged cord or plug, if it is not working properly, or if it has been damaged or dropped.
- 8. This water heater should be serviced only by qualified service personnel. Contact the nearest authorized service facility for examination, repair, or adjustment.
- 9. Do not use surge protectors or multi-outlet adapters with this water heater.

A damaged power supply cord must be replaced with one supplied by the unit manufacturer and not repaired.

Electrical Connections 120 Volt Supply: GE10P08BA* & GE20P08BA*

A separate branch circuit with copper conductors, overcurrent protective device and suitable disconnecting means must be provided by a qualified electrician.

All wiring must conform to local codes or latest edition of National Electrical Code ANSI/NFPA 70.

The water heater is completely wired to the junction box at the top of the water heater. An opening for 1/2" electrical fitting is provided for field wiring connections.

The voltage requirements and wattage load for the water heater are specified on the rating label on the front of the water heater.

The branch circuit wiring should include either:

- 1. Metallic conduit or metallic sheathed cable approved for use as a grounding conductor and installed with fittings approved for the purpose.
- Nonmetallic sheathed cable, metallic conduit or metallic sheathed cable not approved for use as a ground conductor shall include a separate conductor for grounding. It should be attached to the ground terminals of the water heater and the electrical distribution box.
- 3. Factory provided power cord included in the packaging with this water heater.

To connect power to the water heater:

- 1. Turn the power off at circuit breaker.
- 2. Remove the screw/screws holding the junction box top cover.
- 3. Route the electrical wiring through provided strain relief and opening in the junction box cover.
- 4. Install Line to Line, Neutral to Neutral and Ground to Ground, per illustration on this page.
- 5. Reconnect all screws attaching the junction box covers..


AWARNING Risk of fire or electrical shock.

Ensure both junction box covers and ground screws are securely fastened for proper grounding.

NOTE: Install electric connections according to local codes or latest edition of National Electrical Code ANSI/NFPA 70.


AWARNING
Proper ground connection is essential. The presence of water in the piping and water heater does not provide sufficient conduction for a ground. Nonmetallic piping, dielectric unions, flexible connectors, etc., can cause the water heater to be electrically isolated. Do not disconnect factory ground.

Water Heater Junction Box Illustration



This water heater can be installed in two ways:

- Using a hard wired connection provided by a qualified electrician
- 2. Using the factory provided power cord and plugging into an outlet that has been installed by a qualified electrician (see below illustration for reference)



Electrical Connections 240 Volt Supply: GE20L08BA*

A separate branch circuit with copper conductors, overcurrent protective device and suitable disconnecting means must be provided by a qualified electrician.

All wiring must conform to local codes or latest edition of National Electrical Code ANSI/NFPA 70.

The water heater is completely wired to the junction box at the top of the water heater. An opening for 1/2" electrical fitting is provided for field wiring connections.

The voltage requirements and wattage load for the water heater are specified on the rating label on the front of the water heater.

The branch circuit wiring should include either:

- Metallic conduit or metallic sheathed cable approved for use as a grounding conductor and installed with fittings approved for the purpose.
- Nonmetallic sheathed cable, metallic conduit or metallic sheathed cable not approved for use as a ground conductor shall include a separate conductor for grounding. It should be attached to the ground terminals of the water heater and the electrical distribution box.

To connect power to the water heater:


- 1. Turn the power off at circuit breaker.
- Remove the screw/screws holding the junction box top cover.
- 3. Route the electrical wiring through provided strain relief and opening in the junction box cover.
- 4. Install Line to Line, Neutral to Neutral and Ground to Ground, per illustration on this page.
- Reconnect all screws attaching the junction box covers..

AWARNING Risk of fire or electrical shock.

Ensure both junction box covers and ground screws are securely fastened for proper grounding.

NOTE: Install electric connections according to local codes or latest edition of National Electrical Code ANSI/NFPA 70.

AWARNING
Proper ground connection is essential. The presence of water in the piping and water heater does not provide sufficient conduction for a ground. Nonmetallic piping, dielectric unions, flexible connectors, etc., can cause the water heater to be electrically isolated. Do not disconnect factory ground.



Electrical Connections (cont.)

The manufacturer's warranty does not cover any damage or defect caused by installation, attachment or use of any type of energy-saving or other unapproved devices (other than those authorized by the manufacturer) into, onto or in conjunction with the water heater. The use of unauthorized energy-saving devices may shorten the life of the water heater and may endanger life and property.

The manufacturer disclaims any responsibility for such loss or injury resulting from the use of such unauthorized devices.

If local codes require external application of insulation blanket kits, the manufacturer's instructions included with the kit must be carefully followed.

Application of any external insulation, blankets or water pipe insulation to this water heater will require careful attention to the following:

- Do not cover the temperature and pressure-relief valve.
- Do not cover access panels to the heating elements.
- Do not cover the electrical junction box of the water heater.
- Do not cover the operating or warning labels attached to the water heater or attempt to relocate them on the exterior of the insulation blanket.

BRANCH CIRCUIT SIZING GUIDE

Total Water Heater Wattage	Recommended Over Current Protection (fuse or circuit breaker amperage rating)			Copper Wire Size AWG Basedon N.E.C. Table 310-16 (167°F/75°C.)		
	120V	208V	240V	120V	208V	240V
1500*	20	15	15	12	14	
1700	20	15	15	12	14	
2000	25	15	15	10	14	
2500	30	15	15	10	14	
3000	35	20	20	8	12	
3500	-	25	20	-	10	
3800	-	25	20	-	10	
4000	-	25	25	-	10	
4500	-	30	25	-	10	
5000	-	30	30	-	10	
5500	-	25	30	-	8	
6000	-	40	35	-	8	
9000	-		50	-	-	

^{*}Less than 1500 Watts may be wired 14 gauge with 15 amp protection. Check local electrical codes, as they will also apply.

NOTE: This guide recommends minimum branch circuit sizing based on the National Electric Code. Refer to wiring diagrams in this manual for field wiring connections.

Troubleshooting

Before you call for service....

Save time and money! Review the chart below first and you may not need to call for service.

For your safety, **DO NOT** attempt repair of electrical wiring, controls, heating elements or other safety devices. Refer repairs to qualified service personnel.

Cold water inlet temperature may be colder during the winter months Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadeguate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot **Contact your local installer, plumbing contractor, or previously agreed upon service agency. **Contact your local installer, plumbing contractor, or previously agreed upon service agency. **Contact the local electric utility. **See the Installation Instructions. **Manual reset high limit (ECO) **See the Safety Controls section, see page 5.* **Correct piping connections.** **Contact your local installer, plumbing contractor, or previously agreed upon service agency.**	Problem	Possible Causes	What To do
Cold water inlet temperature may be colder during the winter months Consider increasing the set temperature as described in the Water Temperature Adjustment section.	OPERATION AND PERFO	RMANCE	
Cold water inlet temperature may be colder during the winter months Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water tis too hot Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the latific double will be solved and the heating elements Water dripping down the heater Relief valve producing Pressure buildup caused This is normal. The colder inlet water takes longer to heat. Consider increasing the set temperature as described in the Water Temperature Adjustment section. See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. See the Water Temperature Adjustment section. See the W	Not enough or no hot	Water temperature may be	See the Water Temperature Adjustment and Water Heater
- Consider increasing the set temperature as described in the Water Temperature Adjustment section. Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadeguate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Rumbling noise Water dripping down the vertice with the delating elements Water dripping down the outside of the heater Relief valve producing **Consider increasing the set temperature as described in the Water Temperature as described in the Water Is described. **Contact your local installer, plumbing contractor, or previously agreed upon service agency. **Contact the local electric utility. **See the Installation Instructions.** **See the Installation Instructions.** **See the Water Temperature Adjustment section. **Contact your local installer, plumbing contractor, or previously agreed upon service agency. **See the Water Temperature Adjustment section. **See the Water Temperature Adjustment section. **See the Water Temperature Demonstration of the heating elements.** **Neter dripping down the leasting elements.** Water dripping down the leasting elements. **Water dripping down the leasting elements.** **Water dr	water	set too low	Capacity sections (see pages 4 and 6).
- Consider increasing the set temperature as described in the Water Temperature Adjustment section. Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadeguate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Relief valve producing - Consider increasing the set temperature as described in the Water Temperature as described in the Water Temperature as described in the Water Is accounted. - Contact your local installer, plumbing contractor, or previously agreed upon service agency. - Contact the local electric utility. - Contact the local electric utility. - See the Installation Instructions See the Safety Controls section, see page 5. - Correct piping connections Contact your local installer, plumbing contractor, or previously agreed upon service agency. - See the Water Temperature Adjustment section See the Water Temperature Demonstrator See the Water Temperature Adjustment section See the Water Temperature Demonstrator See the Water Temperature Adjustment section See			
- Consider increasing the set temperature as described in the Water Temperature Adjustment section. Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadeguate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Relief valve producing - Consider increasing the set temperature as described in the Water Temperature as described in the Water Temperature as described in the Water Is accounted. - Contact your local installer, plumbing contractor, or previously agreed upon service agency. - Contact the local electric utility. - Contact the local electric utility. - See the Installation Instructions See the Safety Controls section, see page 5. - Correct piping connections Contact your local installer, plumbing contractor, or previously agreed upon service agency. - See the Water Temperature Adjustment section See the Water Temperature Demonstrator See the Water Temperature Adjustment section See the Water Temperature Demonstrator See the Water Temperature Adjustment section See		Cold water inlet temperature	This is normal. The colder inlet water takes longer to heat.
Winter months Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall			
Leaking or open hot water faucets Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the Okletion of the heater of Relief valve producing Long runs of exposed pipe, insulate piping. • Make sure all faucets are closed. • Insulate piping. • Contact your local installer, plumbing contractor, or previously agreed upon nections. • See the Installation Instructions. • Correct piping connections. • See the Water Temperature Adjustment section. • Contact your local installer, plumbing contractor, or previously agreed upon service agency. • Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. • Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. • Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. • Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. • Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. • Tighten the loose connections or plumbing contractor.		•	
Faucets Long runs of exposed pipe, or hot water piping on outside wall			
Long runs of exposed pipe, or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Dip tube damaged - Contact your local installer, plumbing contractor, or previously agreed upon service agency. - Replace fuse or reset circuit breaker. - Contact the local electric utility. - See the Installation Instructions. - See the Safety Controls section, see page 5. - Correct piping connections. - Correct piping connections. - See the Water Temperature Adjustment section. - Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. - Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. - Tighten the loose connections or plumbing contractor. - Tighten the loose connections and must be corrected. See			
or hot water piping on outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed DTHER Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the louse installer, plumbing contractor, or previously agreed upon service agency. Contact the local electric utility. See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. Contact your local installer, plumbing contractor, or previously agreed upon service agency. Pressure buildup of scale or mineral deposits on the heating elements Pressure buildup caused This is an unacceptable condition and must be corrected. See			Insulate piping.
outside wall Dip tube damaged A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Pressure buildup or scale or mineral deposits on the heater Water dripping down the Pressure buildup caused Value is blown, circuit Scale or mineral deposite on the lacting elements Contact your local installer, plumbing contractor, or previously agreed upon service agency. See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. Correct piping connections. Contact your local installer, plumbing contractor, or previously agreed upon service agency. Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. This is an unacceptable condition and must be corrected. See			
A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring			
A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Inadequate wiring See the Installation Instructions. Manual reset high limit (ECO) See the Safety Controls section, see page 5. Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed See the Water Temperature Adjustment section. See the Vater Temperature Adjustment section. See the Vater Temperature definition in the least section. See the Water Temperature Adjustment section. See the Vater Temperature Adjustment section. See the Vater Temperature Adjustment section. See the Vater Temperature definitions. See the Vater Temperature Adjustment section. See the Vater Temperature definitions. See the Vater Temperatu			Contact your local installer, plumbing contractor, or previously
A fuse is blown, circuit breaker tripped, or electric service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the Poutside of the heater Relief valve producing A fuse is blown, circuit breaker tripped, or electric contact the local electric utility. See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. Correct piping connections. Contact your local installer, plumbing contractor, or previously agreed upon service agency. Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections or plumbing contractor. This is an unacceptable condition and must be corrected. See			
service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Thermostat has failed Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Water virious to your home may be interrupted See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. See the Water Temperature Adjustment section. See the Vater Temperature Adjustment section.		A fuse is blown, circuit	
service to your home may be interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed Thermostat has failed Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the putside of the heater Water virious to your home may be interrupted See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. Correct piping connections. See the Water Temperature Adjustment section. See the Vater Temperature Adjustment section.		breaker tripped, or electric	Contact the local electric utility.
interrupted Inadequate wiring Manual reset high limit (ECO) Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed OTHER Rumbling noise Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the total temperature based of the heater Relief valve producing Inadequate wiring See the Installation Instructions. See the Safety Controls section, see page 5. Correct piping connections. See the Water Temperature Adjustment section. See the Water Temperature agency. See the Water Temperature agency. See the Water Temperature agency. See the Vater Temperature agency.			,
Inadequate wiring		•	
Manual reset high limit (ECO) • See the Safety Controls section, see page 5. Water Connections to unit reversed Water is too hot Water temperature is set too high Thermostat has failed **Contact your local installer, plumbing contractor, or previously agreed upon service agency. **OTHER** Rumbling noise Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the putside of the heater **Relief valve producing** Manual reset high limit (ECO) • See the Safety Controls section, see page 5. **Correct piping connections. **See the Water Temperature Adjustment section. **See the Water Temperature adjustment section. **See the Water Temperature adjustment section. **Remove agency.* **Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections or plumbing contractor. **Tighten the loose connections. **Tighten the loose connections or plumbing contractor. **Tighten the loose connections. **Tig			See the Installation Instructions.
Water is too hot Water temperature is set too high Thermostat has failed **Correct piping connections.** **See the Water Temperature Adjustment section.** **Contact your local installer, plumbing contractor, or previously agreed upon service agency.* **Thermostat has failed temperature Adjustment section.** **Contact your local installer, plumbing contractor, or previously agreed upon service agency.* **Remove and clean the heating elements.** This should only be done by a qualified service person or plumbing contractor.* **Atter dripping down the boutside of the heater Relief valve producing** **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor.* **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor.* **Tighten the loose connections.** **Tighten the loose connections.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.** **This is an unacceptable condition and must be corrected.**		Manual reset high limit (ECO)	See the Safety Controls section, see page 5.
 Water is too hot high Thermostat has failed Contact your local installer, plumbing contractor, or previously agreed upon service agency. DTHER Rumbling noise Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Relief valve producing See the Water Temperature Adjustment section. Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. This is an unacceptable condition and must be corrected. See		Water Connections to unit	Correct piping connections.
high Thermostat has failed Contact your local installer, plumbing contractor, or previously agreed upon service agency. Party agreed upon service agency. Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. Relief valve producing Pressure buildup caused Contact your local installer, plumbing contractor, or previously agreed upon service agency. Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. This is an unacceptable condition and must be corrected. See		reversed	
Thermostat has failed Contact your local installer, plumbing contractor, or previously agreed upon service agency. Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Relief valve producing Thermostat has failed Contact your local installer, plumbing contractor, or previously agreed upon service agency. Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections or plumbing contractor. This is an unacceptable condition and must be corrected. See	Water is too hot	Water temperature is set too	See the Water Temperature Adjustment section.
THER Rumbling noise Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the outside of the heater Relief valve producing Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements **Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections or plumbing contractor. **Tighten the loose connections or plumbing contractor. **This is an unacceptable condition and must be corrected. See			
THER Rumbling noise Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements Water dripping down the butside of the heater Relief valve producing Water conditions in your home caused a buildup of scale or mineral deposits on the heating elements **Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections or plumbing contractor.		Thermostat has failed	Contact your local installer, plumbing contractor, or previously
Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. **Nater dripping down the butside of the heater Relief valve producing **Nater conditions in your home caused a buildup of scale or mineral deposits on the heating elements **Nater dripping down the butside of the heater or other parts have loosened Relief valve producing** **Remove and clean the heating elements. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. **Tighten the loose connections or plumbing contractor.*			agreed upon service agency.
home caused a buildup of scale or mineral deposits on the heating elements Nater dripping down the butside of the heater Relief valve producing Note the description of the heater Relief valve producing Note the heater or other parts have loosened Relief valve producing Note the heater or other parts have loosened relief valve producing How the done by a qualified service person or plumbing contractor. Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Tighten the loose connections or plumbing contractor. Tighten the loose connections or plumbing contractor. Tighten the loose connections or plumbing contractor.	OTHER		
scale or mineral deposits on the heating elements Water dripping down the butside of the heater or other parts have loosened Relief valve producing scale or mineral deposits on the heating elements • Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. • This is an unacceptable condition and must be corrected. See	Rumbling noise		
the heating elements Nater dripping down the or other parts have loosened or other parts have loosened Relief valve producing The heating elements Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. This is an unacceptable condition and must be corrected. See			done by a qualified service person or plumbing contractor.
Water dripping down the butside of the heater Hot/Cold water connections or other parts have loosened • Tighten the loose connections. This should only be done by a qualified service person or plumbing contractor. Relief valve producing Pressure buildup caused • This is an unacceptable condition and must be corrected. See		•	
putside of the heater or other parts have loosened qualified service person or plumbing contractor. Relief valve producing Pressure buildup caused • This is an unacceptable condition and must be corrected. See			
Relief valve producing Pressure buildup caused • This is an unacceptable condition and must be corrected. See	•		
Dopping sound or by thermal expansion to a I hermal Expansion section on page 14. Do not plug the relief		•	
	draining		
, , ,	Hot water has a rotten		
	egg or sulfur smell	•	
with the anode rod that is Adjustment section of the Important Safety Information of this			
present in all water heaters manual for procedure and dangers of scalding water. Installation of		•	
for corrosion protection of temperature limiting valves can be used to reduce risk of scalding.			temperature limiting valves can be used to reduce risk of scalding.
the tank		the tank	

Fault Codes

Replacement Parts

For GE Branded Thermostat Control Point of Use Electric Water Heater Models.


Instructions for Placing a Parts Order

To place orders using a Visa/MasterCard or Discover contact GEApplianceparts.com.

All parts orders should include:

- 1. The model and serial number of the water heater from the rating plate.
- 2. Specify voltage and wattage as marked on the rating plate.
- 3. Part description (as noted below) and number of parts desired.

ACAUTION For your safety, DO NOT attempt repair of electrical wiring, thermostat(s), heating elements or other operating controls. Refer repairs to qualified service personnel.




Appearance may vary by model.

Wiring Diagram


120 Volt Supply:

GE10P08BA* GE20P08BA*



240 Volt Supply:

GE20L08BA*



21

GE Appliances Electric Water Heater Limited Warranty

All warranty service is provided by our Factory Service Centers, or an authorized Customer Care® technician. To schedule service for your GE water heater call GE Water Heaters at 1-800-943-8186. Please have your serial number and your model number available when calling for service. Servicing your appliance may require the use of the onboard data port for diagnostics. This gives a GE Appliances factory service technician the ability to quickly diagnose any issues with your appliance and helps GE Appliances improve its products by providing GE Appliances with information on your appliance. If you do not want your appliance data to be sent to GE Appliances, please advise your technician not to submit the data to GE Appliances at the time of service

For The Period Of:	We Will Replace:
One Year From the date of the original purchase, if used in residential home	Any factory specified part of the water heater which fails due to a defect in materials or workmanship. During this <i>limited one-year warranty</i> , we will also provide, free of charge, all labor and related service to replace the defective part.
Second through Eighth Year From the date of the original purchase if used in residential home	Any part of the Water Heater which fails due to a defect in materials or workmanship. During this warranty period, labor and related service to replace the defective part are not included.
One Year From the date of the original purchase, if used in residential vehicle	aro not morado.

What Is Not Covered:

- Service trips to your home to teach you how to use the product.
- Improper installation, delivery or maintenance.
- Replacement parts shipping and handling and cost to remove defective part or tank after the first year limited warranty are NOT covered.
- Failure of the product if it is abused, misused, altered, or used for other than the intended purpose.
- Use of this product where water is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.
- Replacement of house fuses or resetting of circuit breakers.
- Damage to the product caused by accident, lightning, fire, flood or acts of God.
- Incidental or consequential damage caused by possible defects with this appliance, its installation or repair.
- Product not accessible to provide required service in a safe manner. Attic installation must have flooring and accessible stairs
- If product removed from original installation location.
- If product or other appliance must be moved for service access.

- Damage, malfunction or failure caused by the use of repair service not approved by GE Appliances.
- Damage, malfunction or failure caused by the use of unapproved parts or components.
- Damage, malfunction or failure caused by operating the water heater with the anode rod removed.
- Anode Rod inspection and replacement.
- Damage, malfunction or failure resulting from operating the water heater with an empty or partially empty tank.
- Damage, malfunction or failure caused by subjecting the tank to pressure greater than those shown on the rating label.
- Damage, malfunction or failure caused by operating the water heater with electrical voltage outside the voltage range listed on the rating label.
- Water heater failure due to the water heater being operated in a corrosive atmosphere.
- If this water heater is used for other than private family use, labor will not be covered under warranty, and the parts warranty is reduced to 1 year from the date of purchase.

EXCLUSION OF IMPLIED WARRANTIES—Your sole and exclusive remedy is product repair as provided in this Limited Warranty. Any implied warranties, including the implied warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest period allowed by law.

This limited warranty is extended to the original purchaser and any succeeding owner for products purchased within the USA. If the product is located in an area where service by a GE Appliances Authorized Servicer is not available, you may be responsible for a trip charge or you may be required to bring the product to an Authorized GE Appliances Service location for service. In Alaska, the limited warranty excludes the cost of shipping or service calls to your home.

Some states do not allow the exclusion or limitation of incidental or consequential damages. This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state. To know what your legal rights are, consult your local or state consumer affairs office or your state's Attorney General.

For product purchased outside of the US, contact your dealer for Warranty and Service information.

Warrantor for Products Purchased in the United States:

GE Appliances, a Haier company

Louisville, KY 40225

Consumer Support

Register Your Appliance

Register your new appliance on-line at your convenience! Timely product registration will allow for enhanced communication and prompt service under the terms of your warranty, should the need arise.

· Scan QR Code on product registration card, or on product.



NOTE: This is just an example of what a QR code represents.

- Or go to GEAppliances.com/register
- · Or mail in your pre-printed registration card included in the packing material

Consumer Service

If you have a question or need assistance with your new water heater on adjustments, repairs, or routine maintenance:

- · Review the Troubleshooting Tips or Care and Cleaning sections of this Owner's Manual.
- Contact your local installer, plumbing contractor, or call GE Appliances Service and Support at 1-800-943-8186.

NOTE: Your installer phone number may be located on the product label.

If you still have issues, contact the GEA Customer Support at GEAppliances.com/waterheater

Parts and Accessories

Individuals qualified to service their own appliances can have parts or accessories sent directly to their homes. (VISA, MasterCard and Discover cards are accepted). Order on-line today 24 hours every day.

In the US, go to GEApplianceparts.com

Contact Us

If you are ultimately not satisfied with the service you receive, contact us on our Website with all the details including your phone number, or write to:

In the US: General Manager, Customer Relations |GE Appliances, Appliance Park |Louisville, KY 40225 GEAppliances.com/contact