

# dishwashers

Retail Sales New dishwashers from GE® – Fall 2005







# GE® dishwasher quick pitch

High-performance and convenience with a fresh new style.




Stylish appearance

A full-length door, easy-to-read, angled control panel, and bright white racks with silver touchpoints create a modern look.



High-performance

New **BrilliantClean™ towerless wash system** with **CleanSensor™** directs water where it belongs—on the dishes. With BrilliantClean, nothing gets in the way of cleaning.



Peacefully quiet

**GE QuietPower™ motor** and BrilliantClean wash system work together to reduce noise.



Convenient flexibility

A **giant tub** with maximum capacity **Duron™ racks, three-digit countdown display**, and **SpeedCycle™** make this dishwasher flexible even when you can't be!

#### What's new: GE® tall tub built-in dishwashers



#### BrilliantClean™ wash system

- Sprays powerful jets of water focused directly on dishes, not on the dishwasher door or tub, so dishes get very clean, very quietly.
- Virtually eliminates time-consuming chores such as prerinsing, soaking and scrubbing.
- Reduces water, energy and sound by directing water precisely onto the dishes where it's needed.



#### Towerless wash design

- Removes obstructive wash towers from the racks for fast, simple loading.
- Allows loading of platters, pots and pans in both the top and bottom racks at once.



#### Stylish appearance

- Offers the clean lines of a full-length, flat door.
- Features a redesigned, angled control panel that is easy to read and easy to use.
- A squeeze latch opens the dishwasher door with ease.
- GE badge promises consumers the quality they expect from products manufactured by GE.



#### Light-touch electronic controls

- Provide a smooth, sleek surface and require only a light touch to operate.
- A three-digit countdown display signals remaining cycle time.
- The 1–9-hour Delay Start feature makes it easy to wash dishes at any hour, taking advantage of reduced energy rates or washing the dishes even while the family is asleep.

(Available on GLD6000L series models.)



#### SpeedCycle™

• Saves time by washing and drying dishes in 45 minutes or less, about half the time of a normal cycle.

(Available on GLD6000L series models.)



## QuietPower<sup>™</sup> sound packages

- Quieter than ever!
- Reduce noises, rather than hide them.
- Available with QuietPower 1, 2 and 3 levels of sound reduction.



#### Duron<sup>™</sup> racks

- Bright white racks hold up to heavy use, featuring a special protective coating that's extra durable.
- 5-year limited warranty (see written warranty for details) (Available on GLD6000L series models.)



#### Electronic controls

• Provide a smooth, easy-to-use, easy-to-clean surface. (Available on GLD5000L and GLD4000L series models.)

# Feature gallery: GE® tall tub built-in dishwashers GLD6000L series





Light-touch electronic controls Require only gentle pressure to start your preferred cycle. Wipes clean easily.



CleanSensor<sup>™</sup>
Continually monitors the temperature and soil level in every cycle, adjusting for the optimal clean.



3-digit countdown display with 1-9-hour Delay Start Signals remaining cycle time at a glance and makes it easier than ever to wash dishes at any hour.



SpeedCycle<sup>™</sup>
Cuts the length of the normal cycle in half, effectively washing and drying lightly soiled dishes in 45 minutes or less.



Maximum capacity Duron™ racking with StemSafe™

Washes even the largest cookware in durable racks guaranteed to hold up to heavy use with a 5-yr. limited warranty.



Maximum capacity 3-pc. silverware basket with 3 silver cell covers and ExtraBasket™

Provides the ultimate flexibility, keeping silverware and small items separate and secure while allowing the baskets to be placed in either the upper or lower rack.

# Feature gallery: GE tall tub built-in dishwashers GLD5000L series





Electronic controls Provide a smooth, easy-to-use, easy-to-clean surface.



SaniSensor<sup>™</sup>
NSF-certified to continually measure water temperature to assure dishes are sanitized.



2/4/8-hour Delay Start Makes it easier than ever to wash dishes at any hour.



SaniWash cycle Will reduce bacteria found on dishes by 99.999%.





Super capacity racking with 2 silver utility shelves in upper rack Washes up to 15 place settings at once, with room for cookie sheets, platters and other tall items.



Super capacity 1-pc. silverware basket with 3 silver cell covers
Provides extra room for washing silverware, measuring spoons and other utensils.

# Feature gallery: GE® tall tub built-in dishwashers GLD4000L series





Electronic controls
Easy-to-clean surface
makes it easy to select
from a wide range
of cycles.



2/4-hour Delay Start\* Makes it easier than ever to wash dishes at any hour.

\*2/4/8-hour Delay Start on GLD4300L series



Light wash Cleans lightly soiled and delicate dishware in a shorter, cooler cycle.



Deluxe silverware basket with silver cell cover Provides convenient space and capacity to clean silverware efficiently and effectively.



Deluxe capacity racking
Washes up to 14 place settings at once.

# Feature gallery: GE tall tub built-in dishwashers Features available on all GLD6000L, GLD5000L and GLD4000L series models



Full-length flat door Blends almost seamlessly with adjacent cabinetry.



Angled control panel Angled, modern design makes it easy to read and select cycles.



Giant tub
Holds tall and oversized
dishware, with plenty
of room to wash large
items in both the top
and bottom racks.



Squeeze latch
Opens and closes the door with a light touch.



ENERGY STAR®qualified Can reduce utility bill by using less energy to get dishes clean.



Last Cycle Memory Recalls last cycle run with the touch of a button for a quick and easy start.



Wood panel capabilities Accepts custom wood panels for a complete designer look. Requires trim kit.



Low profile installation Easy to install, even with built-up flooring.

# The inside story.

BrilliantClean™ wash system. It's all about clean dishes.

What a brilliant idea - directing water onto dishes from every spray arm to get the entire load incredibly clean. This powerful wash action provides better cleaning performance, while the towerless design assures nothing gets in the way of simply spotless dishes.





6-level towerless wash system
Quietly powers dishes clean with six wash levels and three wash arms washing every dish precisely.
(GLD6000L and GLD5000L series models.)



4-level towerless wash system
Four wash levels and two wash arms direct water onto dishes for an efficient and quiet clean.
(GLD4000L series models.)



100% triple filtration Water stays clean, so justwashed dishes do, too.



Multi-wattage
Calrod® heater
Quickly heats water to
dissolve detergent and
clean dishes, then cools
down to dry dishes gently.



Piranha<sup>™</sup> hard food disposer Grinds leftover food into small particles that are easily washed away.




HotStart<sup>™</sup>
Preheats water and dishes before the main wash cycle for dependable performance every time.



Improved pump
Uses only 15 gallons of
water per minute.
The result is cleaner dishes
using 30% less water.



GE QuietPower<sup>™</sup> motor Runs quietly and efficiently to keep the kitchen peaceful.



Dual pumps and motors Provide excellent wash performance by circulating water throughout the wash system and removing food soils during drain.

### GE tall tub dishwashers—sound packages

	QuietPower <sup>1</sup>	QuietPower <sup>2</sup>	QuietPower <sup>3</sup>
BrilliantClean™ wash system	•	•	•
GE QuietPower™ motor	•	•	•
Quiet drain pump	•	•	•
Toe kick insulation	•	•	•
Tub blanket	•	•	•
Door mastic	•	•	•
Door insulation		•	
Door insulation with soundcoat			•
Quiet water valve			•

#### Dare to compare

#### **Appearance**





- Angled control panel has been redesigned with a larger, easier-to-read display.
- Sleek lines make the vent a design element, as fashionable as it is functional.
- Individual cycle controls provide versatility and are easy to use
- Full-length flat door enhances any kitchen.
- All GLD6000L, GLD5000L and GLD4000L series models accept custom panels.
- \*Research by The Stevenson Company.



- Controls are relegated to one corner of the control panel.
- Control panel is larger and bulkier.

## Competitive comparison

	Appearance	
GE	63%*	
Maytag	20%	
Whirlpool	17%	

<sup>\*</sup>Preferred in research by 63% of respondents.

# Dare to compare

# Capacity



• GLD6000L series holds up to 16 place settings



ullet Holds up to 14 place settings — 14% less than GE's GLD6000L series.


# Competitive comparison

	Capacity place settings*
GE GLD6000L series	16
Whirlpool	14
Frigidaire	14
Maytag	14

<sup>\*</sup>As shown in competitive literature

# Dare to compare

# Sensor



• GE's CleanSensor™ senses throughout the entire cycle.

Cycle	GE CleanSensor	Maytag PrecisionClean Sensor
Pots & Pans	Sensor	Timed only
Normal	Sensor	Sensor
Light Wash	Sensor	Timed only
Rinse Only	Sensor	Timed only

#### GE tall tub built-in dishwashers

#### Available new models





- ENERGY-STAR®-qualified
- Giant tub with maximum capacity Duron™ racking
- 4 silver utility shelves in tiered upper rack with StemSafe™
- 6-level BrilliantClean™ towerless wash system with CleanSensor™
- Light-touch electronic controls with 6 cycles/4 options
- Countdown display with 1-9-hour Delay Start
- QuietPower<sup>™</sup>3 sound package
- PreScrub option
- Available in stainless steel, white on white, bisque on bisque and black on black



GE tall tub built-in dishwasher—GLD5860L

- ENERGY-STAR-qualified
- Giant tub with super capacity racking
- Electronic controls with 6 cycles/4 options
- 6-level BrilliantClean towerless wash system
- SaniSensor™
- 2 silver utility shelves in upper rack
- QuietPower<sup>2</sup> sound package
- 2/4/8-hour Delay Start
- Available in stainless steel, CleanSteel™, white on white, bisque on bisque and black on black


# GE® tall tub built-in dishwashers

Available new models



GE tall tub built-in dishwasher—GLD4100L

- ENERGY-STAR®-qualified
- Full-length flat door
- Electronic controls with 4 cycles/4 options
- Giant tub with deluxe capacity racking
- 4-level BrilliantClean™ towerless wash system
- 100% triple water filtration
- QuietPower<sup>™</sup>1 sound package
- 2/4-hour Delay Start





#### GE standard tub built-in dishwashers

Available new models







- ENERGY-STAR-qualified
- PowerScrub™ wash system
- Electronic controls Newfor 2005!
- Hi-Temp Wash option
- QuietPower sound package
- Deluxe upper rack
- Dual filtration
- Piranha™ hard food disposer
- Trimless door design
- Available in stainless steel, white on white, bisque on bisque and black on black.



Electronic controls Provides a smooth easy-to-use, easy-to-clean surface.



PowerScrub wash system Cleans thoroughly with two wash arms.



Hi-Temp Wash option Allows detergent to work better so dishes come out clean.



QuietPower sound package Softens the sound of the dishwasher for a more peaceful kitchen.



# GE® tall tub built-in dishwashers

GE	
GLD6560LSS GLD6500LWW GLD6500LCC GLD6500LCS GLD6500LBB  Features  Tub and door liner PermaTuf® Giont tub  Front appearance Flat door Full-length door design  Wash system Towerless Wash arms 3 direct-feed Wash levels 6	
GLD6500LWW GLD6500LCC GLD6500LBB  Features  Tub and door liner PermaTuf® Giant tub  Front appearance Flat door Full-length door design  Wash system Towerless Wash arms 3 direct-feed Wash levels 6	
GLD6500LCC   GLD6500LBB	
GLD6500LBB  Features  Tub and door liner Giant tub  Front appearance Full-length door design  Wash system Wash arms Wash levels  GLD6500LBB  PermaTuf®  Front appearance Flat door Flat door Full-length door design  Wash system Towerless  Wash levels  6	
Features       Tub and door liner     PermaTuf®       Giant tub     ●       Front appearance     Flat door       Full-length door design     ●       Wash system     Towerless       Wash arms     3 direct-feed       Wash levels     6	_
Tub and door liner PermaTuf® Giant tub ● Front appearance Flat door Full-length door design ● Wash system Towerless Wash arms 3 direct-feed Wash levels 6	_
Giant tub  Front appearance Flat door Full-length door design  Wash system Towerless Wash arms 3 direct-feed Wash levels 6	
Front appearance Flat door Full-length door design  Wash system Towerless Wash arms 3 direct-feed Wash levels 6	_
Full-length door design  Wash system  Towerless  Wash arms  3 direct-feed  Wash levels  6	
Wash system Towerless Wash arms 3 direct-feed Wash levels 6	_
Wash arms 3 direct-feed Wash levels 6	
Wash levels 6	_
1000/ 4-1-1-1	
100% triple with Water filtration ExtraFine™ filter	
Dual pumps and motors	_
Hard food disposer Piranha™	_
Sensor CleanSensor™	_
Automatic Cleansensor	
temperature control	
Calrod® heater Multi-wattage	
W/Indicator	
Rinse aid dispenser & adjustment	
Electronic controls Light-touch	
Countdown displa	
Cycle progress indicators with 6 status light	5
Touchpads 10	
Cycles/Options 6/4	
Last cycle memory •	_
Cycles	
Anti-bacteria (NSF**)	
Pots & Pans	
Normal Wash •	_
China/Crystal •	
SpeedCycle™ (wash & dry)	
Rinse Only •	
Options	
Delay Start 1-9-hour	_
Hi-Temp Wash ExtraHot Wash	
	_
Auto with	
Auto with Hi-Temp Rinse ExtraHot Wash	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry	_
Hi-Temp Rinse Auto with Heated Dry  HotStart" Automatic	_
Hi-Temp Rinse ExtraHot Wash Heated Dry ● HotStart* Automatic Child lock ●	
Auto with Hi-Temp Rinse ExtraHot Wash Heated Dry ● HotStart™ Automatic Child lock ● PreScrub ●	
Auto with  Hi-Temp Rinse  Heated Dry  HotStort™  Child lock  PreScrub  Racking	
Auto with Hi-Temp Rinse ExtraHot Wash Heated Dry ● HotStart™ Automatic Child lock ● PreScrub ●	
Auto with Hi-Temp Rinse ExtraHot Wash Heated Dry  HotStart* Automatic Child lock  PreScrub  Racking Maximum capacity racking	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart™ Automatic Child lock ● PreScrub Racking Maximum capacity racking ● Upper rack Duron™ deep-tiere	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lock ● PreScrub Racking Maximum capacity racking ● Upper rack Duron** deep-tiere 4 upper w/2	d
Auto with Hi-Temp Rinse Heated Dry HotStart™ Automatic Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves  Automatic  Automatic	
Auto with Hi-Temp Rinse ExtraHot Wash Heated Dry • HotStart* Automatic Child lock • PreScrub • Racking Maximum capacity racking Upper rack Duron* deep-tiere 4 upper w/2 Utility shelves StemSafe Maximum capacity	
Auto with Hi-Temp Rinse Heated Dry HotStart™ Automatic Child lock PreScrub Racking Maximum capacity racking Upper rack Duron™ deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● Automatic Child lock ● PreScrub ● Racking Maximum capacity racking Upper rack Duron™ deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and	
Auto with Hi-Temp Rinse Heated Dry HotStart™ Automatic Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves Duron™ deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and Silverware basket ExtraBasket™	
Auto with Hi-Temp Rinse Heated Dry HotStart** Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacity StemSafe Maximum capacity StemSafe Maximum capacit 3-pc. w/3 silver cell covers and ExtraBasket* Hard countertop installation GPF65	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lack ● PreScrub ● Racking Maximum capacity racking ● Upper rack Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and ExtraBasket* Hard countertop installation ● PreSc Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and ExtraBasket** Hard countertop installation ● PreSS Duron**	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lack ● PreScrub ● Racking Maximum capacity racking ● Upper rack Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and ExtraBasket* Hard countertop installation Low profile installation ● Latch Squeeze	
Auto with ExtraHot Wash Heated Dry   HotStart*   Automatic   Child lock   PreScrub   Maximum capacity racking   Upper rack   Duron* deep-tiere   4 upper w/2   StemSofe   Maximum capacit   3-pc. w/3 silver cell covers and   Silverware basket   ExtraBasket*   Hard countertop installation   Lotch   Quiet	
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lock ● PreScrub ● Racking ■ Upper rack Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacity stemSafe Maximum capacity stemSafe ExtraBasket* Hard countertop installation ExtraBasket* Hard countertop installation Latch Squeeze Quiet Sound insulation package QuietPower³ Outper State Automatic Aut	y
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lack ● PreScrub ● Racking Maximum capacity racking ● Upper rack Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 sliver cell covers and ExtraBasket* Hard countertop installation Low profile installation ■ Latch Squeeze QuietPower³  Tub insulation Automatic Pull wrap blanket* Full wrap blanket* Full wrap blanket* Pull wrap blanket* Pull wrap blanket* Full wrap blanket* Pull wrap blanket* Pul	y
Hi-Temp Rinse	y
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lock ● PreScrub ● Maximum capacity racking ● Upper rack Duron* deep-tiere 4 upper w/2 StemSofe Maximum capacity 3-pc. w/3 silver cell covers and Silverware basket ExtraBasket* Hard countertop installation Low profile installation ● Cult Cover Sund Latch Squeeze Quiet Sound insulation package QuietPower3 Tub insulation Full wrap blanket with mastic and Door insulation ● Squeeze Sound coot sound soun	y
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lack ● PreScrub ● Racking Maximum capacity racking ● Upper rack Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacity racking - 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and ExtraBasket* Hard countertop installation □ ExtraBasket* Hard countertop installation □ QuietPower³ Tub insulation Full wrap blanket with mastic and sound coat QuietPower* motor ● ●	y
Hi-Temp Rinse Auto with ExtraHot Wash Heated Dry ● HotStart* Automatic Child lock ● PreScrub ● Racking Maximum capacity racking ● Upper rack Duron** deep-tiere 4 upper w/2 StemSafe Maximum capacit 3-pc. w/3 silver cell covers and ExtraBasket* Hard countertop installation Low profile installation Loth Squeeze Quiet Power* Tub insulation Full wrap blanket with mastic and sound coat QuietPower* motor ■ Electronic control system ●	y
Hi-Temp Rinse	y
Hi-Temp Rinse Heated Dry HotStart™ Automatic Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves  Silverware basket Hard countertop installation Low profile installation Low profile installation Low profile installation Low profile installation Full wrap blanket With mastic and sound coat Quiet Sound insulation package Tub insulation Door insulation Door insulation Pellectronic control system Appearance Colors available***  Sy, WW, CC, BB Weights & Dimensions Height w/legs retracted (in.) Height w/legs removed (in.) Automatic Automatic Vash Automatic Automatic Vash Automatic Automatic Vash Automatic	y
Hi-Temp Rinse Heated Dry HotStart* Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves Utility sh	y
Hi-Temp Rinse	y
Hi-Temp Rinse  Heated Dry  HotStart**  Auto with ExtraHot Wash  Heated Dry  HotStart**  Automatic  Child lock  PreScrub  Racking  Maximum capacity racking  Upper rack  Utility shelves  Silverware basket  Hard countertop installation  Lotch  Squeeze  Quiet  Sound insulation package Tub insulation  Door insulation  QuietPower*  Tub insulation  QuietPower*  Tub insulation  QuietPower*  Tub insulation  QuietPower*  Tub insulation  SS, WW, CC, BB  Weights & Dimensions  Height w/legs removed (in.)  Overall with (in.)  Quet Door  SS, WW, CC, BB  Weights & Dimensions  Height w/legs removed (in.)  Approx. shipping weight (lbs.)  90	y
Hi-Temp Rinse Heated Dry HotStart™ Automatic Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves  Silverware basket Hard countertop installation Low profile installation Low profile installation Low profile installation Full wrap blanket With mastic and sound coat Quiet Sound insulation package Tub insulation Door insulation Correct Colors available*  Appearance Colors available***  SS, WW, CC, BB Weights & Dimensions Height w/legs removed (in.) Height w/legs removed (in.) Approx. shipping weight (lbs.) Accessories	y
Hi-Temp Rinse Heated Dry HotStart** Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves Utility s	y
Hi-Temp Rinse Heated Dry HotStart™ Automatic Child lock PreScrub Racking Maximum capacity racking Upper rack Utility shelves  Silverware basket Hard countertop installation Low profile installation Low profile installation Low profile installation Full wrap blanket With mastic and sound coat Quiet Sound insulation package Tub insulation Door insulation Correct Colors available*  Appearance Colors available***  SS, WW, CC, BB Weights & Dimensions Height w/legs removed (in.) Height w/legs removed (in.) Approx. shipping weight (lbs.) Accessories	y

#### GE tall tub built-in dishwashers

	GE	
	ENERGY STAR	ENERGY STAR
	GLD5860LSS	GLD4160LSS
	GLD5850LCS	GLD4150LCS
	GLD5800LWW	GLD4100LWW
	GLD5800LCC	GLD4100LCC
	GLD5800LBB	GLD4100LBB
Features		
Tub and door liner	PermaTuf	PermaTuf
Giant tub	•	<u> </u>
Front appearance	Flat door	Flat door
Full-length door design		Townships
Wash system Wash arms	Towerless 3 direct-feed	Towerless 2 direct-feed
Wash levels	3 direct-leed	2 direct-leed
Water filtration	100% triple w/ExtraFine filter	100% triple w/ExtraFine filter
Dual pumps and motors	100% triple W/Extrair frie filter	100% triple w/Extrur line filter
Hard food disposer	Piranha	Piranha
Sensor	SaniSensor™	. Individe
Calrod heater	Multi-wattage	Multi-wattage
Rinse aid dispenser	w/indicator and adjustment	•
Control type	Electronic	Electronic
Cycle progress indicators	1 "Clean" and 1 "Sanitized"	1 "Clean"
Touchpads	11	9
Cycles/Options	6/4	4/4
Last cycle memory	•	•
Cycles		
SaniWash (NSF*)	•	
Pots & Pans	•	
Heavy Wash	•	•
Normal Wash Light Wash		
China/Crystal	•	•
Rinse Only	•	•
Options		
Delay Start	2/4/8-hour	2/4-hour
Heated Dry	•	•
HotStart	•	•
Child lock	•	
Racking		
Racking	Super capacity	Deluxe capacity
Upper rack	Super	Deluxe
Lower rack	Super	Deluxe
	1	Deluke
Utility shelves	2	
	2 Super capacity	Deluxe
Silverware basket	2 Super capacity 1-pc. w/3 silver cell covers	Deluxe with silver cell cover
Silverware basket Hard countertop installation	2 Super capacity	Deluxe
Silverware basket Hard countertop installation Low profile installation	2 Super capacity 1-pc. w/3 silver cell covers GPF65	Deluxe with silver cell cover GPF65
Silverware basket Hard countertop installation Low profile installation Latch	2 Super capacity 1-pc. w/3 silver cell covers	Deluxe with silver cell cover
Silverware basket Hard countertop installation Low profile installation Latch Quiet	2 Super capacity 1-pc. w/3 silver cell covers GPF65 Squeeze	Deluxe with silver cell cover GPF65 ● Squeeze
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package	2 Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze QuietPower <sup>2</sup>	Deluxe with silver cell cover GPF65  ■ Squeeze  QuietPower¹
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation	2 Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze  QuietPower <sup>2</sup> Full wrap blanket	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package	2 Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze QuietPower <sup>2</sup>	Deluxe with silver cell cover GPF65  ■ Squeeze  QuietPower¹
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation	2 Super capacity 1-pc. w/3 silver cell covers GPF65 Squeeze QuietPower <sup>2</sup> Full wrap blanket with mastic and insulation	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system	2 Super capacity 1-pc. w/3 silver cell covers GPF65 Squeeze QuietPower² Full wrap blanket with mastic and insulation	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance	2 Super capacity 1-pc. w/3 silver cell covers GPF65 Squeeze QuietPower² Full wrap blanket with mastic and insulation	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system	2 Super capacity 1-pc. w/3 silver cell covers GPF65 Squeeze QuietPower² Full wrap blanket with mastic and insulation	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available**	2 Super capacity 1-pc. w/3 silver cell covers GPF65 Squeeze QuietPower² Full wrap blanket with mastic and insulation	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available** Weights & Dimensions Height w/legs retracted (in.) Height w/legs removed (in.)	Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze  QuietPower² Full wrap blanket with mastic and insulation  SS, CS, WW, CC, BB	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic  SS, CS, WW, CC, BB
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available** Weights & Dimensions Height w/legs retracted (in.) Height w/legs removed (in.) Overall width (in.)	Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze  QuietPower² Full wrap blanket with mastic and insulation  SS, CS, WW, CC, BB  34 33-5/16 24	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic   SS, CS, WW, CC, BB  34 33-5/16 24
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available** Weights & Dimensions Height w/legs retracted (in.) Height w/legs removed (in.) Overall width (in.) Overall depth (in.)	2 Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze  QuietPower <sup>2</sup> Full wrap blanket with mastic and insulation  SS, CS, WW, CC, BB  34 33-5/16 24 25 max.	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic  SS, CS, WW, CC, BB  34 33-5/16 24 25 max.
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available** Weights & Dimensions Height w/legs removed (in.) Overall width (in.) Overall width (in.) Approx. shipping weight (lbs.)	Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze  QuietPower² Full wrap blanket with mastic and insulation  SS, CS, WW, CC, BB  34 33-5/16 24	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic   SS, CS, WW, CC, BB  34 33-5/16 24
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available** Weights & Dimensions Height w/legs retracted (in.) Height w/legs removed (in.) Overall width (in.) Overall depth (in.) Approx. shipping weight (lbs.) Accessories	Super capacity 1-pc. w/3 silver cell covers GPF65  QuietPower² Full wrap blanket with mastic and insulation  SS, CS, WW, CC, BB  34 33-5/16 24 25 max. 90	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic  SS, CS, WW, CC, BB  34 33-5/16 24 25 max. 90
Silverware basket Hard countertop installation Low profile installation Latch Quiet Sound insulation package Tub insulation Door insulation QuietPower motor Electronic control system Appearance Colors available** Weights & Dimensions Height w/legs removed (in.) Overall width (in.) Overall width (in.) Approx. shipping weight (lbs.)	2 Super capacity 1-pc. w/3 silver cell covers GPF65  Squeeze  QuietPower <sup>2</sup> Full wrap blanket with mastic and insulation  SS, CS, WW, CC, BB  34 33-5/16 24 25 max.	Deluxe with silver cell cover GPF65  Squeeze  QuietPower¹ U-shaped blanket with mastic  SS, CS, WW, CC, BB  34 33-5/16 24 25 max.

<sup>1/4&</sup>quot; panel kit GPF525W/C/B
3/4" panel kit GPF575
All GE dishwashers are equipped with the following: 120°F inlet water capacity,
Easy-Glide roller system, convection drying, horizontal mechanism, leveling
screws.
\*\*Certified by National Sanitation Foundation.
\*\*SS = Stainless steel, CS = CleanSteel\*\*, WW = White on white, CC = Bisque on
bisque, BB = Black on black.

<sup>\*\*</sup>Certified by National Sanitation Foundation.

\*\*SS = Stainless steel, WW = White on white,
CC = Bisque on bisque, BB = Black on black.

# GE built-in dishwashers

(	GE
	ENERGY STAR
Γ	GSD3960LSS
l	GSD3900LWW
l	GSD3900LCC
ı	GSD39001 RR

	GSD3900LCC GSD3900LBB	
Features		
Wash system	PowerScrub™	
Wash levels	5	
Water filtration	Dual	
Hard food disposer	Piranha™	
Rinse aid dispenser	w/indicator	
Control type	Electronic	
Cycle progress indicator(s)	1 "Clean"	
Touchpads	11	
Cycles/Options	5/4	
Cycles		
Pots & Pans	•	
Normal Wash	•	
Light Wash	•	
Rinse Only	•	
Options		
Delay Start	2/4/8-hour	
Heated Dry	•	
Hi-Temp Wash	•	
Hi-Temp Rinse	•	
Child lock	•	
Racking		
Upper rack	Deluxe	
Lower rack	Deluxe	
Silverware basket	Deluxe	
Hard countertop installation	GPF65	
Optional heavy door spring	GPF100	
Latch	•	
Quiet		
Sound insulation package	QuietPower	
PermaTuf tub and door liner	•	
QuietPower motor	•	
Appearance		
Colors available*	SS, WW, CC, BB	
Color panels—door & access	Trimless	
Weights & Dimensions		
Height w/legs retracted (in.)	34	
Height w/legs removed (in.)	33-13/16	
Overall width (in.)	24	
Overall depth (in.)	25-3/4	
Approx. shipping weight (lbs.)	80	
Accessories		
Requires kit for 1/4" panel		
capability with trim	GPF425W/B	
Requires kit for trimless		
3/4" panel capability	GPF475	
All GE dishwashers are equipped with the following:		

All GE dishwashers are equipped with the following: 120°F inlet water capacity, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws. \*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.



Stylish appearance

A full-length door, easy-to-read, angled control panel, and bright white racks with silver touchpoints create a modern look.



High performance

New BrilliantClean™ towerless wash system with CleanSensor™ directs water where it belongs—on the dishes. With BrilliantClean, nothing gets in the way of cleaning.



Convenient flexibility

A **giant tub** with maximum capacity **Duron™** racks, three-digit countdown display, and SpeedCycle™ make this dishwasher flexible even when you can't be!



#### A century of quality and innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.

Appliances General Electric Company Louisville, KY 40225 ge.com