



# microwave ovens

2005 GE Profile Spacemaker®  
Convection Oven



*Profile™*

## sell: performance



### Convection bake

The convection fan combined with the 1550-watt convection heating element browns pies, cakes, rolls, cookies, and bread. 225 to 450 degree baking & roasting.



### Convection roast

Hot air circulates around the meat browning it on all sides. Meats convection roast up to 25% faster than when conventionally cooked.



### Fast bake

Delivers oven quality results up to 25% faster than conventional cooking by combining convection bake and microwave cooking.



### Multi-level cooking

Convection baking or microwave cooking multiple dishes is possible using the two full-width racks and the oven floor. Microwave delivers 1000 watts.



### Stainless steel interior

Reflects heat—durable surface cleans quickly and easily.

## sell: versatility



### Convection oven

Produces flavorful, beautifully browned results, for the consumer who wants a second oven.



### Warming oven

Keeps prepared foods warm and fresh and ready to serve.



### 1000-watt Sensor microwave oven

Uses built-in sensor to automatically set power and time based on food moisture levels.



### Two full-width oven racks

Two fixed, full-width oven racks permit simultaneous cooking of multiple dishes.



### Large capacity

1.7 cu ft oven with 13-1/3" turntable.

## sell: easy to use



### Two line scrolling display

Provides easy-to-read cooking tips and oven-use instructions.



### Bilingual display

Provides helpful cooking tips and oven use instructions in easy-to-read English or Spanish.



### Touch controls and dial

Simply, **Touch Turn** and **Tap** to set the oven to cook.



### Auto Recipe™ conversion

Automatically converts standard recipe temperatures to proper convection settings, eliminating the guesswork.




### Demo mode

Will not allow the oven to heat or produce microwave energy. To put oven in demo mode: Unplug for at least 3 minutes, when control prompts to set clock touch and hold both the **"Power Level"** pad and the **"Start"** pad for at least 3 seconds. To exit demo mode repeat these steps.

# features

|  | GE Profile™           |                       |                       |                       |
|--|-----------------------|-----------------------|-----------------------|-----------------------|
| Feature  | JVM1790SK             | JVM1790WK             | JVM1790CK             | JVM1790BK             |
| Microwave Watts (IEC-705 Test Procedure)               | 1000                  | 1000                  | 1000                  | 1000                  |
| Convection Roast                                       | •                     | •                     | •                     | •                     |
| Convection Bake  | •                     | •                     | •                     | •                     |
| Fast Bake  | •                     | •                     | •                     | •                     |
| Auto Recipe™ conversion                                | •                     | •                     | •                     | •                     |
| Convection heating element                             | 1550 watts            | 1550 watts            | 1550 watts            | 1550 watts            |
| Auto/Time defrost                                      | • / •                 | • / •                 | • / •                 | • / •                 |
| Fast defrost   | •                     | •                     | •                     | •                     |
| Power levels   | 10                    | 10                    | 10                    | 10                    |
| Sensor   |                       |                       |                       |                       |
| Cook   | Chicken, Fish, Potato | Chicken, Fish, Potato | Chicken, Fish, Potato | Chicken, Fish, Potato |
| Beverage   | •                     | •                     | •                     | •                     |
| Popcorn  | •                     | •                     | •                     | •                     |
| Reheat   | •                     | •                     | •                     | •                     |
| Vegetables (canned/fresh/frozen)                       | •                     | •                     | •                     | •                     |
| Controls   | Membrane/dial         | Membrane/dial         | Membrane/dial         | Membrane/dial         |
| SmartControl system w/interactive display              | •                     | •                     | •                     | •                     |
| Electronic scrolling digital display w/clock and AM/PM | 2-line                | 2-line                | 2-line                | 2-line                |
| Variable scroll speed                                  | •                     | •                     | •                     | •                     |
| Help pad   | •                     | •                     | •                     | •                     |
| Display On/Off   | •                     | •                     | •                     | •                     |
| Bilingual display (English/Spanish)                    | •                     | •                     | •                     | •                     |
| Cavity lighting  | Halogen               | Halogen               | Halogen               | Halogen               |
| Cooktop lighting                                       | Halogen               | Halogen               | Halogen               | Halogen               |
| Instant On controls                                    | •                     | •                     | •                     | •                     |
| Add 30 Seconds   | •                     | •                     | •                     | •                     |
| Programmable night light                               | •                     | •                     | •                     | •                     |
| Timer On/Off   | •                     | •                     | •                     | •                     |
| Variable beeper volume control                         | •                     | •                     | •                     | •                     |
| Cooking complete reminder                              | •                     | •                     | •                     | •                     |
| Child lockout  | •                     | •                     | •                     | •                     |
| Three-speed 300 CFM venting                            | •                     | •                     | •                     | •                     |

# reading microwave oven nomenclature



**GE Consumer & Industrial**  
 Appliances  
 General Electric Company  
 Louisville, KY 40225  
[ge.com](http://ge.com)