A dishwasher for every home.

the great indoors

and the state of t



We bring good things to life.

GE Nautilus^m Convertible Dishwashers

Available through Easy Order

Both models include ● PowerScrub[™] wash system ● Five wash levels ● Piranha[™] hard food disposer ● Pots & Pans cycle ● Normal wash cycle ● Short Wash cycle (on dial) ● Plate Warmer cycle (on dial)

- Rinse Only cycle (on dial) Heated Dry option Hi-Temp Wash option
- HotStart[™] option Deluxe rack system QuietDesign[™] sound package
- QuietPower[™] motor Candlelight laminate top Trimless design



Portable now

GE Nautilus 1562/GSC3400GWW White on white 1569/GSC3400GBB Black on black (not shown)

Additional features:

- 7 cycles/39 options
- TouchTap[™] controls
- China/Crystal cycle
- 6-hour Delay Start option
- Deluxe split silverware basket
- Rinse aid dispenser with indicator



Built-in later

GE Nautilus 1559/GSC3200GBB Black on black 1552/GSC3200GWW White on white (not shown)

Additional features:

- 5 cycles/22 options
- Deluxe silverware basket

Available through Easy Order. Ask Sales Associate for details.

Spacemaker[®] Under-the-Sink Dishwashers

Available through Easy Order



Installed under a single sink



Installed under a cooktop



As an ENERGY STAR® partner, GE has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency.

Spacemaker **Under-the-Sink** Dishwashers 1572/GSM2100GCC Bisque on bisque 1574/GSM2100GWW White on white

These models include:

- ENERGY STAR[®]-qualified
- 5 cycles/12 options
- Two wash levels
- Pots & Pans cycle
- Normal Wash cycle
- Short Wash cycle (on dial)
- Plate Warmer cycle (on dial)
- Rinse Only cycle (on dial)
- HotStart option
- PermaTuf[®] tub
- Spacemaker upper rack
- Deluxe lower rack
- Deluxe silverware basket
- QuietPower motor

Note: Under-the-Sink dishwashers can be installed under GE cooktop models JP202D and JP201CB. See Sales Associate for details.

Spacemaker[®] 18" Built-In Dishwashers

Available through Easy Order



Spacemaker 18" Built-In Dishwasher 37369/GSS1800Z

This model includes:

- 4 cycles/7 options
- Two wash levels
- Pots & Pans cycle
- Normal Wash cycle (on dial)
- Light Wash cycle (on dial)
- Heated Dry option
- Standard silverware basket
- Reversible color panels in Black, Almond and White

Available through Easy Order. Ask Sales Associate for details.

GE Profile[™] Built-in Dishwashers

	GE Profile		
	Energy Star®	Energy Star	ENERGY STAR
	1903/1910-1-5/	1582-4-9/	18632-4-9/
	PDW7880/7800G	PDW7700G	PDW7300G
Features			
Front appearance	Contoured door	Flat door	Contoured door
Upscale flush design	•	•	•
Long door design	•	•	•
Wash system	ExtraClean™	ExtraClean	ExtraClean
Wash arms	3	3	3
Wash levels	6-direct feed	6-direct feed	6-direct feed
	100% triple with	100% triple with	100% triple with
Water filtration	ExtraFine [™] filter	ExtraFine filter	ExtraFine filter
Dual pumps and motors	•	•	•
Hard food disposer	Piranha™	Piranha	Piranha
Sensor	ExtraClean	ExtraClean	ExtraClean
Automatic temperature control	•	•	•
Electronic controls	Light-touch	Light-touch	Light-touch
	Countdown display	Countdown display	
Cycle progress indicators	6 status lights	6 status lights	6 status lights
Touchpads	12	12	11
Cycles/Options	Variable*	Variable*	Variable*
Last cycle memory	•	•	•
Cycles/Selections/Options			
Anti-bacteria (NSF**)	•	•	•
Cookware	•	•	•
Normal wash	•	•	•
China/Crystal	•	•	•
Glasses cycle	•	•	
SpeedCycle [™] (wash & dry)	•	•	•
Rinse only	•	•	•
Delay Start option	1-9-hour	1-9-hour	2/4/8-hour
Hi-Temp Wash	Added heat	Added heat	Added heat
Hi-Temp Rinse	Auto w/added heat	Auto w/added heat	Auto w/added heat
PreWash option	•	•	•
Heated Dry	•	•	•
HotStart™	Automatic	Automatic	Automatic
Child lock option	•	•	•
Racking system	Tall-Over-Tall	Tall-Over-Tall	Tall-Over-Tall
Upper rack w/CleanTip [™] tines	Nylon deep tiered	Nylon deep tiered	Nylon deep tiered
Lower rack w/CleanTip tines	Nylon towerless	Nylon towerless	Nylon towerless
· · · · ·	4 upper with	4 upper with	2 upper with
	2 multi-position/	2 multi-position/	1 multi-position/
Fold-down tine flexibility	4 lower	4 lower	2 lower
	4 w/StemSafe upper,	4 w/StemSafe upper,	
Utility shelves	ExtraShelf lower	ExtraShelf lower	2 w/StemSafe upper
Cilcumum hashed	Super capacity	Super capacity	Super capacity
Silverware basket	3-piece	3-piece	3-piece
Hard countertop installation Calrod [®] heater	Ready Multi wettogo	Ready Multi wattaga	Ready Multi wattaga
Carrod [®] neater	Multi-wattage	Multi-wattage	Multi-wattage w/Indicator
Rinse aid dispenser	w/Indicator and adjustment	w/Indicator and adjustment	and adjustment
Latch	Squeeze	Squeeze	Squeeze
	oqueeze	Squeeze	oqueeze
Quiet			1
Sound insulation package	QuietPower™ IV	QuietPower IV	QuietPower IV
Tub insulation	Thinstall™ w/mastic	Thinstall w/mastic	Thinstall w/mastic
Door insulation and mastic	•	•	•
QuietPower™ motor	•	•	•
ActiveVent II system	•	•	•
Tub collar trim	•	•	•
Electronic control system	•	•	•
Quiet water valve	•	•	•
PermaTuf® tub and door liner	•	•	•
*Sonsor controlled	-		

*Sensor controlled. **Certified by National Sanitation Foundation.

All GE dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.



As an ENERGY STAR[®] partner, GE has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency.



Listed by Underwriters Laboratories

Ű

GE Triton XL[™] Built-In Dishwashers

	GE	
	ENERGY STAR	ENERGY STAR
	1916/1920-1-8/	18622-4-9/
	GSD6660/6600G	GSD6200G
Features		
Front appearance	Flat door	Flat door
Upscale flush design	•	•
Long door design	•	•
Wash system	XtraClean™	XtraClean
Wash arms	3	3
Wash levels	6-direct feed	6-direct feed
XtraFine [™] filter	100% triple with water filtration	100% triple with water filtration
Dual pumps and motors		
Hard food disposer	Piranha	Piranha
Sensor	XtraClean	XtraClean
Automatic temperature control	AlldCiedii	AllaGleall
Electronic controls	Light-touch	Light-touch
	Light touch	1 "Clean" light,
Cycle progress indicators	6 status lights	1 "Sanitized" light
Touchpads	10	9
Cycles/Options	Variable*	Variable*
Last cycle memory	•	•
Cycles/Selections		
Anti-bacteria (NSF**)	•	•
Pots & Pans cycle	•	•
Normal wash	•	•
China/Crystal	•	•
SpeedCycle (wash & dry)	•	
Rinse only	٠	•
Extras		
Delay Start option	2/4/8-hour	2/4/8-hour
Hi-Temp Wash	XtraHot wash	XtraHot wash
Hi-Temp Rinse		Auto w/XtraHot wash
Heated Dry	•	•
HotStart	Automatic	Automatic
Child lock option	•	•
Racking	T.II.O. T.IITM	T.I. O . T.I.
Racking system	Tall-Over-Tall™	Tall-Over-Tall
Upper rack	Nylon deep tiered	Deep tiered Towerless
Lower rack	Nylon towerless	
Utility shelves	2 upper Super capacity	2 upper Super capacity
Silverware basket	3-piece	w/2 cell covers
Hard countertop installation	GPF65 Kit	GPF65 Kit
Calrod heater	Multi-wattage	Multi-wattage
	w/Indicator	w/Indicator
Rinse aid dispenser	and adjustment	and adjustment
Latch	Squeeze	Squeeze
Quiet		
Sound insulation package	QuietPower IV	QuietPower IV
Tub insulation	Thinstall w/mastic	Thinstall w/mastic
Door insulation and mastic	•	•
QuietPower motor	•	•
ActiveVent II system	•	•
Tub collar trim	•	•
Electronic control system	•	•
PermaTuf tub and door liner	•	•
*Sensor controlled		

*Sensor controlled.

**Certified by National Sanitation Foundation.

All GE dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.







Listed by Underwriters Laboratories

GE Triton[™] Built-In Dishwashers

	GE
	Energy Star®
	18612-4-9/
	<u>GSD5500G</u>
	18613/ GSD5560G
Features	0000000
Wash system	TriClean™
Dual pumps and motors	•
Wash levels	6
Water filtration	100% Triple
Hard food disposer	Piranha™
CleanSensor	•
Cycles	Variable
Pots & Pans	•
Normal Wash	•
Light Wash	•
China/Crystal	•
SaniWash	•
Rinse only	•
Options	Variable
Delay Start option	2/4/8-hour
Heated Dry	•
Child lock option	•
Racks, shelf & basket	
Upper rack	Super
Lower rack	Super
Utility shelves	2
	Super capacity
Silverware basket	w/1 cell cover
Control type	Electronic
Cycle progress indicators	6 LEDs
Touchpads	10
Rinse aid dispenser	w/Indicator
Steel door	•
Center throw door latch	•
Quiet	
Sound insulation package	QuietPower™ II
PermaTuf [®] tub and door liner	•
QuietPower motor	•

All GE dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.







Listed by Underwriters Laboratories

GE Nautilus[™] Built-In Dishwashers

	GE		
	1890-1-4/ GSD4500G	18602-4-9/ GSD3400G	Energy Star 1871-5/ GSD2600G
Features		40201004	
Wash system	PowerScrub™	PowerScrub	Standard
Wash levels	5	5	2
Water filtration	Dual	Dual	
Food disposer	Piranha	Piranha	•
Cycles	4	6	5
Pots & Pans	•	•	
Heavy Wash			•
Normal Wash	•	•	•
Light Wash	•	•	Dial
Short Wash		Dial	
Plate Warmer		Dial	Dial
Rinse only	•	Dial	Dial
Options	26	31	22
Delay Start option	4/6/8-hour	1 to 6-hour	
Heated Dry	•	•	•
Hi-Temp Wash	•	•	•
Hi-Temp Rinse	•		
HotStart™		•	Dial
Child lock option	•		
Racks, shelf & basket			
Upper rack	Deluxe Plus	Deluxe	Standard
Lower rack	Deluxe	Deluxe	Deluxe
Utility shelves	2		
Silverware basket	Deluxe	Deluxe	Deluxe
Control type	Electronic	TouchTap™	Turn-to-start
Cycle progress indicator(s)	1 "Clean"	1 "Cycle On"	Dial
Touchpads	10	7	
Pushbuttons			6
Rinse aid dispenser	w/Indicator	•	•
Steel door	•	•	•
Center throw door latch	•	•	•
Quiet		•	
Sound insulation package	QuietPower I	QuietDesign™	QuietDesign
PermaTuf tub/door liner	•	•	•
QuietPower motor	•	•	•

All GE Dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.



GE® Built-In Dishwashers

Energy Star® 1880-6-7/ GSD3800G SureClean™ 3 Dual ● 6 ●
GSD3800G SureClean™ 3 Dual ●
3 Dual
3 Dual
Dual •
•
• 6 •
6 •
•
•
•
•
Dial
Dial
35
1 to 6-hour
•
•
•
Deluxe Plus
Deluxe
2
Deluxe
TouchTap™
1 "Cycle On"
8
w/Indicator
•
ĕ
QuietPower™ I
•
•

All GE dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.



GE Nautilus[™] Convertible Dishwashers

	GE	
	1562-9/ GSC3400G	1552-9/ GSC3200G
Features		
Wash system	PowerScrub™	PowerScrub
Wash levels	5	5
Water filtration	Dual	Dual
Hard food disposer	Piranha™	Piranha
Cycles	7	5
Pots & Pans	•	•
Normal Wash	•	•
Light Wash	•	
China/Crystal	•	
Short Wash	Dial	Dial
Plate Warmer	Dial	Dial
Rinse Only	Dial	Dial
Options	39	22
Delay Start option	1 to 6-hour	
Heated Dry	•	•
Hi-Temp wash	•	•
HotStart	•	Dial
Racks (upper/lower)	Deluxe	Deluxe
Silverware basket	Deluxe split w/2 cell covers	Deluxe
Cycle progress indicator	1 "Cycle On"	Dial
TouchTap controls	8	
Pushbuttons		6
Rinse aid dispenser	w/Indicator	•
Steel door	•	•
Center throw door latch	•	•
Quiet		
Sound insulation package	QuietDesign™	QuietDesign
PermaTuf tub and door liner	•	•
QuietPower motor	•	•
Sealed toekick	•	•
Appearance		
Decorative wood laminate top	Candlelight	Candlelight

 Decorative wood laminate top
 Candlelight
 Candlelight

 All GE dishwashers are equipped with the following: 120°F inlet water capability, Easy-Glide roller system, convection drying, horizontal mechanism, leveling screws.



GE Spacemaker® Under-the-Sink Dishwashers

	GE
	Energy Star® 1572-4/ GSM2100G
Features	
Wash levels	2
Food disposer	•
Cycles	5
Pots & Pans	•
Normal Wash	•
Short Wash	Dial
Plate Warmer	Dial
Rinse Only	Dial
Options	12
Heated Dry	•
HotStart™	Dial
Racks, shelf & basket	
Upper rack	Spacemaker
Lower rack	Deluxe
Silverware basket	Deluxe
Control type	Turn-to-start
Cycle progress indicator	Dial
Pushbuttons	4
Rinse aid dispenser	•
Steel door	•
Center throw door latch	•
Quiet	
PermaTuf [®] tub and door liner	•
QuietPower™ motor	•



As an ENERGY STAR* partner, GE has determined that this product meets the ENERGY STAR* guidelines for energy efficiency.

GE Spacemaker Built-In 18" Dishwasher

	GE
	37369/ GSS1800Z
Features	
Wash levels	2
Cycles	4
Pots & Pans	Dial
Normal Wash	Dial
Light Wash	Dial
Rinse & Hold	Dial
Options	7
Heated Dry	Rocker
Racks (upper/lower)	Standard
Silverware basket	Standard
Control type	Turn-to-start
Cycle progress indicator	Dial
Rinse aid dispenser	•
120°F inlet water capability	•
Leveling screws	•
Economical/Quiet	
Tub insulation	Standard



Listed by Underwriters Laboratories

Dishwasher Feature Guide

Feature	Description
ActiveVent II	The air vent located in the control panel closes to seal in sound during the wash cycle, then opens to help speed the drying cycle.
Anti-bacteria Cycle- NSF Certified	Heats water to 160°. The National Sanitation Foundation has certified that the GE Profile [™] dishwasher's Anti-bacteria cycle reduces 99.999% of the bacteria found on dishes.
Auto HotStart [™]	Preheats water temperature prior to main wash cycle when inlet water temperature is below 120°.
Contoured Door	A gracefully contoured door with no access panel and smooth, inlaid light-touch electronic controls. Available on GE Profile [®] models.
CustomStyle [™] Dishwashers	A full-length flat door with no access panel and smooth, inlaid controls provide an integrated, flush appearance. A optional panel kit is available to accommodate a custom 1/4" or 3/4" cabinet panel.
Dual Pumps and Motors	The main pump and motor continuously distribute wash water while the secondary pump and motor purge residual food soils and wash water during drains. This ensures a clean water fill every time.
ExtraClean [™] Sensor	Continually monitors every cycle and adjusts for water soil content, water temperature, wash cycle length and the amount of water needed to clean dishes efficiently.
ExtraClean [™] Wash System	Features three direct-feed wash arms that provide six levels of washing action.
ExtraFine [™] Helix Flow Filter	Removes food particles as small as 1/100th of an inch.
ExtraShelf:	Provides flexibility for loading odd-sized items, such as creamers and custard cups, in the lower rack.
PowerScrub [™] Wash System	Has wash arms mounted on top and lower levels, plus a spray tower in the middle.
QuietDesign [™] Sound Insulation Package	Thinstall [™] insulation wrap on top, sides and door combined with a QuietPower motor and sealed toe kick.
QuietPower [™] I Sound Insulation Package	Thinstall insulation wrap on top, sides, door and rear combined with a QuietPower motor and sealed toe kick.
QuietPower II Sound Insulation Package	Thinstall insulation wrap on top, sides, door, rear combined with a toe kick and access panel. QuietPower motor, sealed toe kick and door mastic.
QuietPower IV Sound Insulation Package	Features Thinstall insulation around the top, sides and rear of the dishwasher and inside the door; a steel inner door; tub and door mastic that helps deaden sound and a PermaTuf tub and door liner
Tall-Over-Tall™ Rack Design	Accommodates tall items such as large baking pans, stock pots and tall glasses.
TriClean [™] Wash System	Includes three wash arms, triple water filtration with dual pumps and the Piranha [™] hard food disposer.

GE Profile[™] and GE[®] Dishwasher Warranty Information

(Models PDW7300G, PDW7700G, PDW7800G, PDW7880G)

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the dishwasher which fails due to a defect in materials or workmanship. During this full one-year warranty, GE will provide, free of charge , all labor and related service costs to replace the defective part.
Second Year From the date of the original purchase	Any part in the dishwasher which fails due to a defect in materials or workmanship. During this additional one-year limited warranty , you will be responsible for any labor and related service costs.
Third through Fifth Year From the date of the original purchase	Racks or Electronic Control Board, if the racks or electronic control board should fail due to a defect in materials or workmanship. During this additional three-year limited warranty , you will be responsible for any labor and related service costs.
Lifetime of Product From the date of the original purchase	Tub or Door Liner, if either the tub or door liner should fail due to a defect in materials or workmanship. During this full product lifetime warranty, GE will provide, free of charge, all labor and related service costs to replace the defective part.

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the dishwasher which fails due to a defect in materials or workmanship. During this full one-year warranty, GE will provide, free of charge , all labor and related service costs to replace the defective part.
Second Year From the date of the original purchase	Any part of the water distribution system which fails due to a defect in materials or workmanship. Associated inlet and drain plumbing parts are not covered by this warranty. During this additional one-year limited warranty , you will be responsible for any labor and related service costs.
Third through Fifth Year From the date of the original purchase	Racks* or Electronic Control Board, if either the racks or electronic control board should fail due to a defect in materials or workmanship. During this additional three-year limited warranty , you will be responsible for any labor and related service costs. *Except racks on models GSD4500G, GSD5500G, GSD5560G and GSD6200G.
Ten Years From the date of the original purchase	Tub or Door Liner, if either the tub or door liner should fail due to a defect in materials or workmanship. During this full ten-year warranty, GE will provide, free of charge, all labor and related service costs to replace the defective part.

(Models GSD4500G, GSD5500G, GSD5560G, GSD6200G, GSD6600G, GSD6660G)

(Models GSM2100G, GSC3200G, GSC3400G, GSD2600G, GSD3400G, GSD3800G)

For The Period Of	GE Will Replace
One Year From the date of the original purchase	Any part in the dishwasher which fails due to a defect in materials or workmanship. During this full one-year warranty, GE will provide, free of charge , all labor and related service costs to replace the defective part.
Second Year From the date of the original purchase	Any part of the water distribution system which fails due to a defect in materials or workmanship. Associated inlet and drain plumbing parts are not covered by this warranty. During this additional one-year limited warranty , you will be responsible for any labor and related service costs.
Ten Years From the date of the original purchase	Tub or Door Liner, if either the tub or door liner should fail due to a defect in materials or workmanship. During this full ten-year warranty, GE will provide, free of charge, all labor and related service costs to replace the defective part.

(Model GSS1800Z)

For The Period Of	GE Will Replace
One Year	Any part in the dishwasher which fails due to a defect
From the date of the	in materials or workmanship. During this full one-year
original purchase	warranty, GE will provide, free of charge, all labor
	and related service costs to replace the defective part.

Notes		

Why buy GE at The Great Indoors?

Great Selection

Appliances today can be as much a fashion statement as cabinetry. That's why we offer you such a great assortment at such great prices.

Delivery and Installation

We offer convenient delivery and can professionally install everything we sell...and no job is too big or small.

In-Store Experts

Whether you are ready to buy or just gathering information, our helpful staff is always available to walk you through any decision.

Kitchen Designers

A new appliance can affect your kitchen's character look to our talented designers to help you bring it all together.

Price Promise

We guarantee competitive low prices every day or you will receive 110% of the difference.*

*If you find a lower price on an identical item at any local competitor, bring us their ad or price quote before or within 30 days of your purchase and we'll give you 110% of the difference. See store associate for details. Offer good only on available product of the same brand and model. Price promise does not include special financing, installation, delivery, rebates, free or bonus offers, builder/contractor discounts, or other limited quantity promotions.

the great indoors



GE Appliances

General Electric Company Louisville, Kentucky 40225 GEAppliances.com