


### **SPECIFICATIONS**

Overall Width	17 3/4" (45.1 cm) (Includes tub trim)
Overall Height	32 1/2" (82.6 cm) Min 34 5/8" (87.9 cm) Max
Overall Depth	23 1/2" (59.7 cm)
Door Clearance	23 1/8" (58.7 cm)
Overall Dishwasher Capacity	8 Place Settings
Minimum Cabinet Width	17 3/4" (45.1 cm)
Minimum Cabinet Depth	23 5/8" (60.0 cm)
Cutout Width	17 3/4" (45.1 cm) Min 18" (45.7 cm) Max
Cutout Height	32 1/2" (82.6 cm) Min 34 3/4" (88.3 cm) Max
Electrical Requirements	8.9 A
Hose Length	No more than 12' (3.7 m)
Voltz/Hertz/Amps	120 V, 60 Hz, 15 or 20 amp circuit
Shipping Weight	79 lb (38 kg)

ELEVATE EVERYTHING




# **OVERALL DIMENSIONS**




Dimensions in parentheses are in centimeters unless otherwise noted.

### INSTALLATION



FLUSH CUTOUT INSTALLATION



INSTALLATION CUTOUT FRONT VIEW

## **NOTES**

- A The dishwasher drain hose must be no more than 12 feet in length for proper drainage.
- B A reduced-height installation (32-1/2" min.) beneath a 34" countertop can be accomplished.
- Water and electrical must be routed through the back wall shown in shaded area.
- To prevent siphoning, an air gap or high drain loop must be used.

ELEVATE EVERYTHING"



# FEATURES AND BENEFITS

#### INTEGRATED DESIGN

Offers a stainless steel door and slim tubular handle

HIDDEN, INTEGRATED ELECTRONIC CONTROLS Allow easy activation of wash cycles: heavy wash, light wash and Auto Sense

THREE-LEVEL WASH SYSTEM
Provides effective, yet quiet cleaning power

NYLON GRAY RACKS WITH BALL-TIPPED TINES Provide plenty of space and loading flexibility

PIRANHA™ HARD FOOD DISPOSER Grinds food into small particles that are washed away

#### 46 DBA

Ultra-quiet operation creates a peaceful kitchen environment even as it delivers powerful wash performance





ELEVATE EVERYTHING"

