


GE Profile Arctica® and GE®

### Bottom-Freezer Refrigerators

The Ultimate in Refrigeration.

Rethought. Reinvented. Revolutionized.





#### What's new for 2004.

GE Profile<sup>™</sup> has contemporary style all wrapped up.



# Polished beauty that's a wonderful reflection of good taste.

- A smooth, **high-gloss finish** creates a look that's rich and lustrous to suit virtually any taste and personal style.
- The glossy finish is available in popular colors of white and black.



#### Water, where you want it.

- Conveniently located inside the fresh food compartment, the new **internal water dispenser** puts refreshing water well within reach.
- Consumers can enjoy the benefits of bottled water without the bottled water expense.
- SmartWater<sup>™</sup> filtration system delivers clean, fresh-tasting water through the internal water dispenser.



### A truly brilliant idea.

- Updated **BrightSpace**™ **interior** features GE Reveal<sup>™</sup> lighting which filters out yellow rays, so it's crisper and cleaner than standard lights.
- Improved lighting makes finding what you're looking for easier than ever.

### Feature gallery.

Rethought. Reinvented. Revolutionized.



Slide-out, spillproof glass shelves

Simplify loading, unloading and cleaning.



# Internal Nater dispenser

Provides chilled, great tasting water on demand, from inside the refrigerator.



# Adjustable temperature deli drawer

Provides a convenient, temperature-controlled environment for meats, cheeses and other favorite foods.



# Adjustable ClearLook™ crispers ✓

Provide the ideal storage environment for fruits and vegetables, with humidity controls and transparent fronts.





# Upfront electronic controls with digital temperature readout

Are precise and easy to use. Takes the guesswork out of selecting accurate temperatures.



#### ONLY GE HAS IT!

## ClimateKeeper<sup>™</sup> system

Combines upfront electronic touch controls, multiple electronic sensors and a multiflow air system to keep temperatures consistent and help keep foods fresh.



#### QuickSpace<sup>™</sup> shelf

Quickly slides out of the way to make room for tall items.



## ClearLook™ gallon door bins

Hold gallon-size containers with style and ease.



# ShelfSaver<sup>™</sup> beverage rack

Provides convenient storage for a 12-pack, two egg cartons or a 9"x 13" casserole dish.





#### ONLY GE HAS IT!

# Contoured doors and sculptured handles

Gently contoured doors and GE handles offer a dramatic, kitchen-enhancing look.



**BrightSpace**<sup>™</sup> interior

Offers flexible storage and 160 watts of GE Reveal™ lighting for easy viewing of refrigerator contents.



#### Fresh food first

Fresh food compartment offers full-access storage with full-width convenience.

### The inside story.

Rethought. Reinvented. Revolutionized.



# ENERGY STAR®-qualified

New!

Higher energy efficiency means lower utility bills. Our 20 and 22 cu. ft. models are 33% better than 2004 ENERGY STAR standards.



#### Deluxe quiet design

Significantly reduces operating noise, so the refrigerator doesn't intrude on dinner conversations.



### NeverClean<sup>™</sup> condenser

Condenser coils are encased and don't require cleaning in normal operating environments.



#### ONLY GE HAS IT! FrostGuard™ technology

Reduces freezer burn by monitoring door openings and usage, defrosting only when needed.



# Secure-Close door system

Engineered with an advanced hinge system that securely pulls the door shut, even after you release the handle.





#### ONLY GE HAS IT!

#### Multi-level Slide 'n Store™ system

Three full-extension baskets provide the ultimate usable freezer space. Each basket slides out independently of the other baskets, allowing easy loading and unloading.



#### ONLY GE HAS IT!

#### Integrated icemaker

Combines an icemaker and ice bin in one system to save space and hassle. The ice bin is integrated into the icemaker, not the freezer baskets, so cubes don't fall onto the freezer floor. It slides out with ease, providing ready access to ice.



#### GE SmartWater<sup>™</sup> filtration

Provides 750 gallons of clean, fresh-tasting filtered ice and has a slim, spacesaving design.

### Dare to compare.

GE Profile Arctica® and GE® bottom-freezer refrigerators.





The ultimate combination of food-preservation features.

#### **Exclusive ClimateKeeper™ system**

- Electronic controls with digital temperature readout are precise and easy to use.
- Multiple electronic sensors keep temperatures consistent and help preserve foods.
- Multiflow air tower distributes cool air evenly throughout the fresh food compartment.



Competitive comparison—Temperature Management											
GE Profile™ Amana Kenmore KitchenAid Maytag Whirlpool LG Samsung											
	Electronic		Electronic	Electronic			Electronic	Electronic			
Controls	Touch	Rotary Dial	Touch	Touch	Rotary Dial	Rotary Dial	Touch	Touch			
Digital temperature readout	YES	No	No	No	No	No	No	Yes			
Temperature management	3 Sensors	2 Thermostats	2 Thermostats	2 Thermostats	2Thermostats	2 Thermostats	2 Sensors	2 Sensors			
Air tower	YES	No	No	No	No	No	No	Yes			
	YES										
Adaptive defrost	FrostGuard™	No-Timer	No-Timer	No-Timer	No-Timer	No-Timer	Yes	No			

### Lighting





■ BrightSpace™ interior uses GE Reveal™ lighting to cast a clear, natural-looking glow throughout the refrigerator.

#### Competitive comparison—Lighting

	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung
	120 Watts							
Fresh food	Reveal	80 Watts	80 Watts	80 Watts	80 Watts	80 Watts	120 Watts	30 Watts
Freezer	60 Watts Reveal	40 Watts	40 Watts	40 Watts	40 Watts	40 Watts	40Watts	15 Watts
Total	180 Watts	120 Watts	120 Watts	120 Watts	120 Watts	120 Watts	160 Watts	45 Watts

#### New GE Profile<sup>™</sup> adjustable gallon door storage







#### **Competitive comparison**

	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung
Adj. gallon door storage	YES	No	No	No	No	No	Yes	No
Contoured doors	YES	Yes	No	No	No	No	Yes	Yes
Water filtration	750 gallons	300 gallons	300 gallons	N/A	300 gallons	N/A	300 gallons	N/A

New GE Profile<sup>™</sup> and GE bottom-freezers are turning refrigeration upside down.

#### Dare to compare.

**GE Profile Arctica® and GE® bottom-freezer refrigerators.** 



#### Integrated icemaker

- Innovative ice system integrates an icemaker and ice bin all in one.
- Slide-out ice bin provides easy access to clean, fresh-tasting filtered cubes.
- Ice bin is integrated into the icemaker, not the freezer baskets, so cubes don't fall onto the freezer floor.



All-in-one system gives consumers all the ice—and space—they need.



### Multi-level Slide 'n Store™ system

- Three full-extension baskets maximize available storage space.
- Unique configuration allows easy access to all contents, without removing or rearranging items.
- Open wire design allows air movement and easy viewing of contents.
- Self-closing hinges automatically pull the drawer shut when it's within one inch of the closed position.

Competitive comparison—Freezer Capacity and Flexibility									
	GE Profile	Amana	Kenmore	KitchenAid	Maytag	Whirlpool	LG	Samsung	
Freezer capacity (cu. ft.)	7.04	6.3	6.3	6.5	6.4	6.4	6.9	6.5	
Full-extension baskets	3	2	2	2	2	2	2	2	
		Ice Bucket	Ice Bucket	Ice Bucket					
	Integrated	slides out	slides out	slides out					
Factory-installed icemaker	w/drawer	w/drawer	w/drawer	w/drawer	N/A	N/A	Yes	N/A	
Self-closing drawer	YES	Yes	No	No	Yes	No	No	N/A	
	YES								
Adaptive defrost	FrostGuard™	No	No	No	No	No	Yes	No	

The ultimate in freezer storage flexibility.

#### Show and tell.

**GE** Profile Arctica bottom-freezer refrigerators.



## Internal water dispenser with SmartWater™ filtration



- **Show** your customers the easy reach location of the internal, filtered water dispenser.
- **Tell** your customers how the filtered water dispenser delivers clean, fresh-tasting water with the slightest of touch.
  - —Consumers can enjoy the benefits of bottled water without the bottled water expense.
  - —The GE SmartWater 750 gallon/6 month filter can produce clean, fresh water for under 10¢ per gallon. Think of all the money (buying filtered water), time (to the grocery) and space (big gallon jugs taking up valuable fresh food compartment space) consumers save by using the GE SmartWater dispensing system!





### Rethought. Reinvented. Revolutionized.

GE Profile Arctica® and GE® bottom-freezers are turning refrigeration upside down.



#### Thoughtful design and modern styling.

■ Dramatic new looks include an ultramodern **stainless wrap** that drapes the doors, side panels and top with stainless steel for a spectacular sheen.



A new **high-gloss finish** with its smooth, rich texture is truly radiant in black or white.



■ BrightSpace<sup>™</sup> interior now features GE Reveal<sup>™</sup> lighting to fully illuminate the interior in pure, whiter light.



■ Gently contoured doors with **sculptured Profile™ handles** add a designer touch to enhance a kitchen's beauty.



#### ClimateKeeper<sup>™</sup> system—provides maximum freshness.

- **Upfront digital controls** with temperature readout are precise and easy to use.
- **Multiple electronic sensors** for more consistent temperature control.
- Innovative **multiflow air system** helps keep food fresh by maintaining even cooling.



#### Bottom-freezer convenience puts fresh food first.

- GE SmartWater<sup>™</sup> filtration provides clean, fresh-tasting, filtered ice while the new **internal water dispenser** offers the extra convenience of filtered water from inside the refrigerator.
- Fresh food compartment is uniquely configured to put favorite foods within convenient reach.
  - -Slide-out, spillproof shelving system simplifies loading, unloading and cleaning.
  - -Adjustable gallon-door storage offers added storage flexibility.
  - **-ShelfSaver™ beverage rack** provides convenient storage for a 12-pack, two egg cartons or a 9" x 13" casserole dish.
- Multi-level Slide 'n Store™ system includes three full-extension baskets, providing the ultimate in freezer storage flexibility.

### Bottom-freezer refrigerators.

Rethought. Reinvented. Revolutionized.

#### All Models Include:

NeverClean™ condenser • Deluxe quiet design • ENERGY STAR®-qualified



#### GE® Bottom-Freezer "L" Series

- Offered in 18 cu. ft. capacity
- Brita® filtered water door module
- Four split, spillproof glass shelves
- Clear snack pan
- Adjustable humidity crispers
- Three adjustable gallon door bins
- Freezer light
- Available in White on white, Bisque on bisque, Black on black and Stainless Steel



### ■ Offered in 18 and 22 cu. ft. capacities

- Tollered in 10 and 22 cd. it. capacities
- Contoured doors (22 cu. ft. models only)
- Upfront controls (22 cu. ft. models only)
- Three glass shelves (two split, one full-width)
- Clear snack pan
- Two clear crispers
- Full-width fixed door bins, one w/gallon storage (22 cu. ft. models only)
- Freezer light
- Reversible doors
- Available in White on white, Bisque on bisque, and Black on black



- Offered in 20 and 22 cu. ft. capacities
- **■** Contoured doors
- Upfront illuminated controlsFour adjustable gallon door storage bins
- One full-width, fixed gallon door bin
- **■** GE Reveal<sup>™</sup> lighting

### Bottom-freezer refrigerators.

Rethought. Reinvented. Revolutionized.

#### All Models Include:

NeverClean™ condenser • Deluxe quiet design • ENERGY STAR®-qualified



## **GE Profile Arctica® Bottom-Freezer "M" Series**

- Offered in 20 and 22 cu. ft. capacities
- Contoured doors and sculptured handles
- Electronic controls with digital temperature readout
- **■** QuickSpace<sup>™</sup> shelf
- Four split spillproof, slide-out glass shelves
- **■** ShelfSaver<sup>™</sup> beverage rack
- **■** Exclusive ClimateKeeper<sup>™</sup> system
- Three full-extension freezer baskets
- ClearLook™ adjustable gallon door bins
- Freezer drawer
- Optional integrated icemaker with GE SmartWater™ filtration



### **GE Profile Arctica Bottom-Freezer "S" Series**

- Offered in 20 and 22 cu. ft. capacities
- **■** Sculptured stainless look handles
- **■** Stainless steel



**GE Profile Arctica** Bottom-Freezer "W" Series

- Offered in 22 cu. ft. capacity■ Stainless steel wrapped top, front and sides


### GE Profile $^{\scriptscriptstyle{\text{\tiny M}}}$ and GE $^{\scriptscriptstyle{\text{\tiny 8}}}$ Bottom-Freezer Refrigerators

	GE Profile GE										
	PDW22SHR PDW22SCR	PDF22MCR	PDS22SHR PDS22SBR	PDS22MHR PDS22MBR	PDS22SCR PDS22MCR	PDS20SCR PDS20SBR	PDS20MCR PDS20MBR	GBS22KBR GBS20KBR	GBS22HCR GBS22HBR		
Stainless steel model	•		•		•/-	•					
Capacity											
Total (cu. ft.)	22.2	22.2	22.2	22.2	22.2	19.5	19.5	22.3 / 19.5	22.3		
Fresh food (cu. ft.)	15.21	15.21	15.21	15.21	15.21	13.21	13.21	15.21 / 13.21	15.22		
Freezer (cu. ft.)	7.04	7.04	7.04	7.04	7.04	6.31	6.31	7.05 / 6.32	7.09		
Shelf area (sq. ft.)	27.66	27.66	27.66	27.66	27.66	24.44	24.44	23.99 / 21.43	24.27		
Fresh Food Features	1.01	4.01	1.01	4.01	4.01	4.01	1.01	4.01	0.01		
Cabinet shelves	4 Glass	4 Glass	4 Glass	4 Glass	4 Glass	4 Glass	4 Glass	4 Glass	3 Glass		
Adjustable	4 Split	4 Split	4 Split	4 Split	4 Split	4 Split	4 Split	4 Split	2 Split, 1 F/W		
Slide-out	2	2	2	2	2	2	2	4			
Spillproof	4	4	4	4	4	4	4	4			
QuickSpace shelf	•	•	•	•	•	•	•				
Internal water dispenser	•/-	_	•/-	•/-	-	- /	- /				
GE SmartWater™ filtration	•	•	•/-	•/-	•	•/-	•/-				
ShelfSaver™ rack	0.45.11	0.415.115.5159	0.45.11	0.4.5.11	0.4.5.11	0.45.11	0.4.5.11	0.4.5.11	0.01		
Vegetable/fruit crisper(s)	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Clear		
Deli drawer	Adj. Humidity	Adj. Humidity	Adj. Humidity	Adj. Humidity	Adj. Humidity	Adj. Humidity	Adj. Humidity	Clear	Clear		
Pivot-out pan removal system	•	•	•	•	•	•	•	4	•		
ClearLook™ adjustable gallon door bins	4	4	4	4	4	4	4	4 opaque			
Snugger™ clip	● 1 F/W w/	• • • • • • • • • • • • • • • • • • •	• 1 FAM/	1 5/4//	● 1 F/W w/	● 1 FAM ···/	1 F/M/	1 [[]]	0 [0.4]		
Fixed door bins	1 F/W w/ gallon storage	1 F/W w/ gallon storage	1 F/W w/	1 F/W w/ gallon storage	,,	1 F/W w/	1 F/W w/	1 F/W w/	2 F/W w/		
Dairy compartment	<u> </u>	3	gallon storage		gallon storage	gallon storage	gallon storage	gallon storage	gallon storage		
Interior light (GE Reveal <sup>TM</sup> )	Dual	Dual	Duel	Dual	Dual	Dual	-	Duel	Dual		
	Dual	Dual Deluxe	Dual	Dual	Dual Deluxe	Dual Deluxe	Dual	Dual	Dual		
Quiet Design NeverClean™ condenser	Deluxe		Deluxe	Deluxe			Deluxe	Deluxe	Deluxe		
2004 ENERGY STAR®	•	•	•	•	•	•	•	•	•		
	•	•	•	•	•	•	•	•	•		
Freezer Features			total at at	Later at a f		Internal and	1-111				
Factory-installed icemaker & bin	Integrated	Integrated	Integrated Opt. (IM4A)	Integrated Opt. (IM4A)	Integrated	Integrated Opt. (IM4A)	Integrated Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)		
Ice 'N Easy trays	integrateu	integrateu	- / 2	-/2	integrateu	- / 2	-/2	2	-/2		
Full slide-out wire basket(s)	2 F/W, 1 Split	2 F/W, 1 Split	2 F/W, 1 Split	2 F/W, 1 Split	2 F/W, 1 Split	2 F/W, 1 Split	2 F/W, 1 Split	1 F/W, 1 Split	1 F/W		
Wire compartment shelves	Z 1/VV, 1 Oplit	Z 1/VV, 1 Oplit	Z 1/VV, 1 Opiit	Z 1/VV, 1 Opiit	2 1/VV, 1 Opiit	2 1/VV, 1 Opiit	Z 1/W, 1 Oplit	1 1/vv, 1 Oplit	1 F/W		
Door shelves	+							1 Split	1 Split		
Interior light (GE Reveal)	•	•	•	•	•	•	•	1 Spilt	• Oplit		
Exterior	<u> </u>	_		_	_			_			
		11011 00	SS	WW, CC, BB		SS	14844 00 00		WW, CC, BB		
	22				I CC / \\\\\\ CC RR			\\\\\\\ CC BB			
Color(s) available*	SS	WW, BB			SS / WW, CC, BB  Sculptured Color Matched		WW, CC, BB	WW, CC, BB			
Door handle(s)	Sculptured	Color-Matched	Sculptured	Color-Matched	Sculptured Color-Matched	Sculptured	Color-Matched	Color-Matched	Color-Matched		
	Sculptured •	Color-Matched			Sculptured						
Door handle(s) Customer installed handles  Exterior design	Sculptured  Full-wrap contoured	Color-Matched  Contoured High-Gloss	Sculptured  • Contoured Doors	Color-Matched  Contoured Doors	Sculptured Color-Matched  Contoured Doors	Sculptured  • Contoured Doors	Color-Matched  Contoured Doors	Color-Matched  Contoured Doors	Color-Matched		
Door handle(s) Customer installed handles  Exterior design Door stops	Sculptured  Full-wrap	Color-Matched  Contoured High-Gloss	Sculptured	Color-Matched  Contoured Doors	Sculptured Color-Matched  Contoured Doors	Sculptured •	Color-Matched  Contoured Doors	Color-Matched  Contoured Doors	Color-Matched  Contoured Doors		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors	Sculptured  Full-wrap contoured	Color-Matched  Contoured High-Gloss	Sculptured  Contoured Doors	Color-Matched  Contoured Doors	Sculptured Color-Matched  Contoured Doors  -/  /	Sculptured  Contoured Doors	Color-Matched  Contoured Doors	Color-Matched  Contoured Doors	Color-Matched		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening	Sculptured  Full-wrap contoured  Right only	Color-Matched  Contoured High-Gloss	Sculptured  Contoured Doors	Contoured Doors	Sculptured Color-Matched  Contoured Doors  -/-	Sculptured  Contoured Doors	Color-Matched  Contoured Doors	Contoured Doors	Contoured Doors		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers	Sculptured  Full-wrap contoured	Color-Matched  Contoured High-Gloss	Sculptured  Contoured Doors	Color-Matched  Contoured Doors	Sculptured Color-Matched  Contoured Doors  -/  /	Sculptured  Contoured Doors	Color-Matched  Contoured Doors	Color-Matched  Contoured Doors	Color-Matched  Contoured Doors		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions	Sculptured  Full-wrap contoured  Right only Front	Color-Matched Contoured High-Gloss Front	Sculptured  Contoured Doors  Front	Color-Matched  Contoured Doors  Front	Sculptured Color-Matched  Contoured Doors  -/  -/  -/  Front	Sculptured  Contoured Doors  Front	Color-Matched  Contoured Doors  Front	Color-Matched  Contoured Doors  Front	Contoured Doors  Front		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A	Sculptured  Full-wrap contoured  Right only Front  68-5/8	Color-Matched Contoured High-Gloss Front  68-5/8	Sculptured  Contoured Doors  Front  68-5/8	Color-Matched  Contoured Doors  Front  68-5/8	Sculptured Color-Matched  Contoured Doors  -/ - Front  68-5/8	Sculptured  Contoured Doors  Front  68	Color-Matched  Contoured Doors  Front  68	Color-Matched  Contoured Doors  Front  68-5/8 / 68	Color-Matched  Contoured Doors  Front  68-5/8		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70	Color-Matched Contoured High-Gloss Front  68-5/8 67-7/8	Sculptured  Contoured Doors  Front  68-5/8 67-7/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8	Sculptured Color-Matched  Contoured Doors  -/  -/  Front  68-5/8  67-7/8	Sculptured  Contoured Doors  Front  68 67-1/4	Color-Matched  Contoured Doors  Front  68 67-1/4	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4	Contoured Doors  Front  68-5/8 67-7/8		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of finge (in.) A Height to top of case (in.) B Case depth without door (in.) C	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70  28-1/2	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4	Sculptured  Contoured Doors  Front  68-5/8  67-7/8  28-1/4	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4	Sculptured Color-Matched  Contoured Doors  -//- Front  68-5/8 67-7/8 28-1/4	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth less door handle (in.) D	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70  28-1/2  32	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4	Sculptured Color-Matched  Contoured Doors  -/ - Front  68-5/8 67-7/8 28-1/4 31-3/4	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4	Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth less door handle (in.) D Case depth with door handle (in.) E	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70  28-1/2  32  34-1/4	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Sculptured Color-Matched  Contoured Doors  -/ ◆ -/ - Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth with door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F	Sculptured  Full-wrap contoured  Right only Front  68-5/8 70 28-1/2 32 34-1/4 59-1/4	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 33-7/8 62	Sculptured  Contoured Doors  Front  68-5/8  67-7/8  28-1/4  33-7/8  62	Color-Matched  Contoured Doors  Front  68-5/8  67-7/8  28-1/4  31-3/4  33-7/8  62	Sculptured Color-Matched  Contoured Doors  -/ ◆	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59	Color-Matched  Contoured Doors  Front  68  67-1/4  28-1/4  31-3/4  33-7/8  59	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 28-1/4 31-3/4 34-1/8 62 / 59	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8 62		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of sase (in.) B Case depth without door (in.) C Case depth less door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70  28-1/2  32  34-1/4	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Sculptured Color-Matched  Contoured Doors  -/ ◆ -/ - Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth without door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G Width with door open 90°	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70  28-1/2  32  34-1/4  59-1/4  33	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8	Sculptured Color-Matched  Contoured Doors  -/ - Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8 62 / 59 32-7/8 / 29-7/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8 62 32-7/8		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth less door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G Width with door open 90° w/door handle (in.) H	Sculptured  Full-wrap contoured  Right only Front  68-5/8  70  28-1/2  32  34-1/4  59-1/4  33  36-3/4	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4	Sculptured Color-Matched  Contoured Doors  -/ ◆ -/ - Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4	Sculptured  Contoured Doors  Front  68  67-1/4  28-1/4  31-3/4  33-7/8  59  29-7/8  33-1/4	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8 62 / 59 32-7/8 / 29-7/8 36-1/2 / 33-1/2	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8 62 32-7/8 36-1/2		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth less door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G Width with door open 90° w/door handle (in.) H Air clearances Each side (in.)	Sculptured  Full-wrap contoured  Right only Front  68-5/8 70 28-1/2 32 34-1/4 59-1/4 33 36-3/4 1/8	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Sculptured Color-Matched  Contoured Doors  -/  -/  -/  Front  68-5/8  67-7/8  67-7/8  31-3/4  33-7/8  62  32-7/8  36-1/4  1/8	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4 1/8	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4 1/8	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8 62 / 59 32-7/8 / 29-7/8 36-1/2 / 33-1/2 1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8 62 32-7/8 36-1/2 1/8		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of sase (in.) B Case depth without door (in.) C Case depth less door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G Width with door open 90° w/door handle (in.) H Air clearances Each side (in.)	Sculptured  Full-wrap contoured  Right only Front  68-5/8 70 28-1/2 32 34-1/4 59-1/4 33 36-3/4 1/8	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8 1	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8 1	Sculptured Color-Matched  Contoured Doors  -//- Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8 1	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4 1/8 1	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4 1/8	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8 62 / 59 32-7/8 / 29-7/8 36-1/2 / 33-1/2 1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8 62 32-7/8 36-1/2 1/8 1		
Door handle(s) Customer installed handles  Exterior design Door stops Reversible doors Choose left or right door opening Adjustable rollers  Weights & Dimensions Height to top of hinge (in.) A Height to top of case (in.) B Case depth without door (in.) C Case depth less door handle (in.) D Case depth with door handle (in.) E Depth w/fresh food door open 90° (in.) F Width (in.) G Width with door open 90° w/door handle (in.) H Air clearances Each side (in.)	Sculptured  Full-wrap contoured  Right only Front  68-5/8 70 28-1/2 32 34-1/4 59-1/4 33 36-3/4 1/8	Color-Matched  Contoured High-Gloss  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Sculptured  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 33-7/8 62 32-7/8 36-1/4 1/8	Sculptured Color-Matched  Contoured Doors  -/  -/  -/  Front  68-5/8  67-7/8  67-7/8  31-3/4  33-7/8  62  32-7/8  36-1/4  1/8	Sculptured  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4 1/8	Color-Matched  Contoured Doors  Front  68 67-1/4 28-1/4 31-3/4 33-7/8 59 29-7/8 33-1/4 1/8	Color-Matched  Contoured Doors  Front  68-5/8 / 68 67-7/8 / 67-1/4 28-1/4 31-3/4 34-1/8 62 / 59 32-7/8 / 29-7/8 36-1/2 / 33-1/2 1/8	Color-Matched  Contoured Doors  Front  68-5/8 67-7/8 28-1/4 31-3/4 34-1/8 62 32-7/8 36-1/2 1/8		

<sup>\*</sup>Color(s) available: SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

ALL MODELS AVAILABLE IN U.S. AND CANADA.

#### **Bottom-Freezer Refrigerators**





Total volume and shelf area are calculated by the Association of Home Appliance Manufacturers' standards.






### GE Bottom-Freezer Refrigerators

	GE				
	GDS18SCR	GDS18LCR	GDS18SBR	GDS18LBR	GBS18HBR
Stainless steel model	•		•		
Capacity					
Total (cu. ft.)	18.1	18.1	18.1	18.1	18.1
Fresh food (cu. ft.)	13.44	13.44	13.44	13.44	13.44
Freezer (cu. ft.)	4.64	4.64	4.64	4.64	4.64
Shelf area (sq. ft.)	21.0	21.0	21.0	21.0	22.2
Fresh Food Features					
Brita® Filtered Water Door Module	•	•	•	•	
Cabinet shelves	4 Glass	4 Glass	4 Glass	4 Glass	3 Glass
Adjustable	4 Split	4 Split	4 Split	4 Split	2 Split, 1 F/W
Slide-out	2	2	2	2	2 Opiit, 1 1744
Spillproof	4	4	4	4	
ShelfSaver rack	•	•	•	•	
Vegetable/fruit crisper(s)	2 Adi. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Adj. Humidity	2 Clear
Snack pan	Clear	Clear	Clear	Clear	Clear
энаск ран	Slide over.	Slide over.	Slide over.	Slide over.	Slide over.
Pan removal system	slide over,	slide over,	slide over,	slide over,	slide over,
Adjustable gallon door bins	3	3	3	3	Silue out
Snugger clip	•	•	•	•	
Shugger clip	1 F/W w/	1 F/W w/	1 F/W w/	1 F/W	2 F/W w/
Fixed door bins	gallon storage	gallon storage	gallon storage	w/gallon storage	gallon storage
Dairy compartment	yallon storage	yanon storage	yallon storage	w/galloff Storage	yalloli Storaye
Interior light	Dual	Dual	Dual	Dual	Dual
Quiet Design					
	Deluxe	Deluxe	Deluxe	Deluxe	Deluxe
NeverClean condenser	•	•	•	•	•
2004 ENERGY STAR®	•	•	•	•	•
reezer Features					
Factory-installed icemaker & bin	•	•	Opt. (IM4A)	Opt. (IM4A)	Opt. (IM4A)
Ice 'N Easy trays			2	2	2
Ice storage bin			•	•	•
Full slide-out wire basket(s)	1 F/W, 2 Split	1 F/W			
Wire compartment shelves					1 F/W
Interior light	•	•	•	•	•
xterior					
Color(s) available*	SS	WW, CC, BB	SS	WW, CC, BB	WW, CC, BB
Door handle(s)	SS Tubular	Color-Matched	SS Tubular	Color-Matched	Color-Matched
Exterior design	Rounded Doors	Rounded Doors	Rounded Doors	Rounded Doors	Rounded Doors
Door stops	•	•	•	•	•
Reversible doors		•	_	•	•
Choose left or right door opening	•		•	•	
Adjustable rollers	Front	Front	Front	Front	Front
Weights & Dimensions	TTOTIC	TTOTIL	TTOTIC	TTOTIE	Hone
Height to top of hinge (in.) A	66-1/4	66-1/4	66-1/4	66-1/4	66-1/4
	65-3/4	65-3/4	65-3/4	65-3/4	65-3/4
Height to top of case (in.) B	25-1/4	25-1/4		25-1/4	
Case depth without door (in.) C			25-1/4		25-1/4
Case depth less door handle (in.) D	28	28	28	28	28
Case depth with door handle (in.) E	30-3/8	30-3/8	30-3/8	30-3/8	30-3/8
Depth w/fresh food door open 90° (in.) F	57-3/4	57-3/4	57-3/4	57-3/4	57-3/4
Width (in.) G	31	31	31	31	31
Width with door open 90°					
w/door handle (in.) H	33-1/2	33-5/8	33-1/2	33-5/8	33-5/8
Air clearances Each side (in.)	0	0	0	0	0
			1 1	1 1	1
Top (in.)	1	1			
Back (in.)	1/2	1/2	1/2	1/2	1/2

<sup>\*</sup>Color(s) available: SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black.

#### **Bottom-Freezer Refrigerators**





Total volume and shelf area are calculated by the Association of Home Appliance Manufacturers' standards.





Listed by Underwriters Laboratories

ALL MODELS AVAILABLE IN U.S. AND CANADA.

# New GE Profile Arctica® and GE® bottom-freezer refrigerators are turning refrigeration upside down.



# A design for every kitchen. A place for everything.

- Interior design makes versatile use of every inch of storage space.
  - -Slide-out, spillproof shelves and adjustable bins offer more flexibility, while making cleanup less time-consuming.
  - -Multi-level Slide-n-Store™ system includes three full-extension baskets for complete storage convenience.
- GE Reveal™ lighting casts a clear, natural-looking glow throughout the refrigerator.



# Exclusive ClimateKeeper™ system

- Exclusive ClimateKeeper™ system combines three elements to deliver excellent temperature management:
  - Upfront digital controls are precise and easy to use.
  - More electronic sensors than competitors' systems for more consistent temperature control.
  - –Multiflow air system includes more vents for even cooling, everywhere.



#### More convenient features

■ Internal water dispenser lets you enjoy the fresh taste of clean, filtered water—right from inside the refrigerator.



#### A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance.

Today, the GE tradition of quality and innovation continues.



GE Appliances

Before purchasing an ENERGY STAR®-qualified appliance, read important information about its estimated annual energy consumption or energy efficiency rating that is available from your retailer or at GEAppliances.com.

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.