

Free-standing gas ranges

HOTPOINT



Value and Dependability

Gas ranges

Hotpoint Capacity Plus™ gas ranges feature:

- More useable oven capacity than any other leading manufacturer
- Available with self-cleaning, continuous cleaning or standard clean oven
- Select models feature sealed burners that provide simmer capability and maximum output
- Extra-large broiler pan and grid
- Six embossed rack positions
- Upswept porcelain-enameled cooktop



Sealed gas burners

Special burner design helps contain spills and boilover liquids from dripping beneath cooktop for easy clean-up.



Simmer 600 burner

Offers true simmer capacity with a low (600 BTU) setting. Provides low, even heat distribution for delicate foods and sauces.



Performance Plus burner

Provides maximum output (12,000 BTU) for fast heat-up and boiling.



EasySet clock and oven timer

Easy-to-use electronic touchpad controls and delayed baking function with the convenience of knobs for controlling the oven, make cooking simple.



Capacity Plus™ gas ranges

Features more useable oven capacity than any other leading manufacturer. Sixth embossed rack position increases cooking flexibility.



One-piece upswept cooktop

Has no cracks or crevices to trap dirt. The porcelain enamel-on-steel surface wipes clean easily.



Extra-large broiler pan/grid

Porcelain-enameled broiler pan and grid are extra-large, allows for extra broiling space.



Lift-up cooktop with easy-clean subtop

Standard burner models have a cooktop that lifts up for easy access to porcelain-enameled subtop. Twin rod supports allow cooktop to lift and lock into place. No pipes or wires to interfere with clean-up.

All features may not be available on all models.

CAPACITY PLUS™ 30" free-standing gas ranges

Features more useable oven capacity than any other leading manufacturer, a sixth embossed rack position, extra-large broiler pan, porcelain-enameled upswept cooktop, interior oven light and electronic pilotless ignition.



RGB745WEA
CAPACITY PLUS™



RGB745BEA
CAPACITY PLUS™



RGB744WEA
CAPACITY PLUS™



RGB744BEA
CAPACITY PLUS™

RGB745WEA

- White on white model
- Extra-large, self-cleaning oven
- Sealed cooktop burners
- Simmer 600 burner
- Performance Plus burner
- Heavy-steel grates
- In-oven broiling
- Frameless white glass oven door with window
- EasySet III clock and oven timer
- Removable chrome drip pans
- Storage drawer

RGB745BEA

- Extra-large, self-cleaning oven
- Sealed cooktop burners
- Simmer 600 burner
- Performance Plus burner
- Heavy-steel grates
- In-oven broiling
- Frameless black glass oven door with window
- EasySet III clock and oven timer
- Removable black porcelain-enameled drip pans
- Storage drawer

RGB744WEA

- White on white model
- Extra-large self-cleaning oven
- In-oven broiling
- Frameless solid white glass oven door
- EasySet II clock and oven timer
- Twin cooktop burners
- Lift-up cooktop
- Removable chrome drip pans
- Storage drawer

RGB744BEA

- Extra-large, self-cleaning oven
- In-oven broiling
- Frameless solid black glass oven door
- EasySet II clock and oven timer
- Twin cooktop burners
- Lift-up cooktop
- Removable black porcelain-enameled drip pans
- Storage drawer

For detailed specifications, installation information and color availability, refer to pages 10 and 11.

30" gas ranges



RGB628BEA
CAPACITY PLUS™



RGB535BEA
CAPACITY PLUS™



RGB532BEA
CAPACITY PLUS™



RGB530BEA
CAPACITY PLUS™



RGB533WEA
CAPACITY PLUS™

CAPACITY PLUS™ 30" free-standing gas ranges



Features more useable oven capacity than only other leading manufacturer, a sixth embossed rack position, extra-large broiler pan, porcelain-enameled upswept cooktop, interior oven light, slide-out broiler drawer and electronic pilotless ignition.

RGB628BEA

- Extra-large continuous cleaning oven
- Frameless black glass oven door with window
- Electronic clock and timer
- Twin cooktop burners
- Lift-up cooktop

RGB535BEA

- Extra-large standard oven
- Sealed cooktop burners
- Simmer 600 burner
- Performance Plus burner
- Heavy-steel grates
- Frameless black glass oven door with window
- Electronic clock and timer
- Removable black porcelain-enameled drip pans

RGB533WEA

- White on white model
- Extra-large standard oven
- Sealed cooktop burners
- Simmer 600 burner
- Performance Plus burner
- Frameless white glass oven door with window
- Electronic clock and timer

RGB532BEA

- Extra-large standard oven
- Sealed cooktop burners
- Simmer 600 burner
- Performance Plus burner
- Frameless black glass oven door with window
- Electronic clock and timer

RGB530BEA

- Extra-large standard oven
- Sealed cooktop burners
- Frameless black glass oven door with window

RGB528BEA

- Extra-large standard oven
- Frameless black glass oven door with window
- Electronic clock and timer
- Twin cooktop burners
- Lift-up cooktop

RGB528PEA

- White on white model
- Extra-large standard oven
- White porcelain-enameled oven door with window
- Electronic clock and timer
- Twin cooktop burners
- Lift-up cooktop



RGB528BEA
CAPACITY PLUS™



RGB528PEA
CAPACITY PLUS™

For detailed specifications, installation information and color availability, refer to pages 10 and 11.

30" gas ranges



RGB526PEA
CAPACITY PLUS™



RGB525PEA/PPA
CAPACITY PLUS™



RGB508PEA/PPA
CAPACITY PLUS™



RGB524PEA/PPA
CAPACITY PLUS™

CAPACITY PLUS™ 30" free-standing gas ranges

Models feature an extra-large standard oven, six embossed rack positions, twin cooktop burners and lift-up cooktop.

RGB526PEA

- Extra-large standard oven
- Color-matched porcelain-enameled oven door with window
- Electronic clock and timer
- Slide-out broiler drawer
- Electronic pilotless ignition

RGB525PEA

- White on white model
- Extra-large standard oven
- Solid white porcelain-enameled oven door
- Slide-out broiler drawer
- Electronic pilotless ignition

RGB525PPA

- Same features as RGB525PEA, except with standing pilot ignition system.

RGB524PEA

- Extra-large standard oven
- Solid color-matched porcelain-enameled oven door
- Slide-out broiler drawer
- Electronic pilotless ignition

RGB524PPA

- Same features as RGB524PEA, except with standing pilot ignition system.

RGB508PEA

- Extra-large standard oven
- Solid color-matched porcelain-enameled oven door
- Drop-down broiler door
- Electronic pilotless ignition

RGB508PPA

- Same features as RGB508PEA, except with standing pilot ignition system.

RGB501PPA

- Extra-large standard oven
- Solid white porcelain-enameled oven door
- Removable square one-piece wire grates
- Drop-down door broiler
- Standing pilot ignition system
- One oven shelf

Available in White only with pilot ignition.



RGB501PPA

For detailed specifications, installation information and color availability, refer to pages 10 and 11.



RGA524EW/PW

24" compact gas ranges with standard oven

RGA524EW

- Standard oven
- Electronic pilotless ignition
- Porcelain-enameled oven door
- Recessed, lift-up cooktop
- Round burner grates
- Push-to-turn controls

RGA524PW

- Same features as RGA524EW, except with standing-pilot ignition system.



RGA520EW/PW

20" compact gas ranges with standard oven

RGA520EW

- Standard oven
- Electronic pilotless ignition
- Porcelain-enameled oven door
- Recessed, lift-up cooktop
- Round burner grates
- Push-to-turn controls

RGA520PW

- Same features as RGA520EW, except with standing pilot ignition system.


24" and 20" gas ranges

Features	RGA524EW/PW	RGA520EW/PW
Color appearance	WH/AD	WH/AD
Ignition system	Electronic/Pilot	Electronic/Pilot
Oven cleaning	Standard	Standard
Oven shelves	2	2
Porcelain-enameled oven door	Solid color-matched	Solid color-matched
Separate broiler drawer (with tip down door)	■	■
Broiler pan with grid	■	■
Recessed lift-up cooktop	■	■
Porcelain-enameled subtop	■	■
Round grates	■	■
Removable oven door	■	■
Push-to-turn controls	■	■
Overall oven interior dimensions (WxHxD in inches)	19 x 14 x 19	14-7/8 x 16 x 19-1/2
Burner BTU's:		
Top (Nat/LP)	10,000/9,000	10,000/9,000
Oven (Nat/LP)	18,500/18,500	18,500/18,500
Gas range electrical rating*	120V, 60 Hz, 5A	120V, 60 Hz, 5A
Four leveling legs	■	■
Approx. ship. wt. (lbs.)	140	124


WH=White AD=Almond

*Electrical rating not applicable to standing pilot model RGA524PW and RGA520PW. Factory set for natural gas. Can be converted to LP by a qualified technician.

24" gas range dimensions and installation information (in inches)



20" gas range dimensions and installation information (in inches)



Installation information: Before installing, consult installation instructions packed with product for current dimensional data.

Gas range specifications

30" CAPACITY PLUS™ gas ranges


Features	RGB745WEA	RGB745BEA	RGB744WEA	RGB744BEA	RGB628BEA	RGB535BEA	RGB533WEA	RGB532BEA
Color appearance	WW	WH/AD	WW	WH/AD	WH/AD	WH/AD	WW	WH/AD
Extra-large oven	Self-cleaning	Self-cleaning	Self-cleaning	Self-cleaning	Continuous Cleaning	Standard Clean	Standard Clean	Standard Clean
Cooktop burners	Sealed	Sealed	Twin	Twin	Twin	Sealed	Sealed	Sealed
Performance Plus burner (Nat.)	(1) 12,000/ 2,200 BTU	(1) 12,000/ 2,200 BTU				(1) 12,000/ 1,000 BTU	(1) 12,000/ 1,000 BTU	(1) 12,000/ 1,000 BTU
Simmer 600 burner (Nat.)	(1) 5,000/ 600 BTU	(1) 5,000/ 600 BTU				(1) 5,000/ 600 BTU	(1) 5,000/ 600 BTU	(1) 5,000/ 600 BTU
All purpose sealed burners (Nat.)	(2) 9,500/ 850 BTU	(2) 9,500/ 850 BTU				(2) 9,500/ 850 BTU	(2) 9,500/ 850 BTU	(2) 9,500/ 850 BTU
Ignition system	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
In-oven broiling	■	■	■	■				
Slide-out broiler drawer					■	■	■	■
Frameless oven door	White Glass	Black Glass	Solid White Glass	Solid Black Glass	Black Glass	Black Glass	White Glass	Black Glass
Oven door with window	■	■			■	■	■	■
Handle style	Designer-style	Designer-style	Designer-style	Designer-style	Designer-style	Designer-style	Designer-style	Designer-style
Six embossed rack positions	■	■	■	■	■	■	■	■
Oven shelves	2	2	2	2	2	2	2	2
Interior oven light	■	■	■	■	■	■	■	■
Removable oven door	■	■	■	■	■	■	■	■
Removable storage drawer	■	■	■	■				
Lift-up cooktop			■	■	■			
Porcelain-enameled cooktop	Upswept	Upswept	Upswept	Upswept	Upswept	Upswept	Upswept	Upswept
Easy clean subtop			■	■	■			
Valves (degree of turn)	270°	270°	270°	270°	140°	270°	270°	270°
Removable square grates	Grey Heavy-steel	Black Heavy-steel	Grey	Black	Black	Black Heavy-steel	Grey	Black
Removable drip pans	Chrome	Black Porc.-Enam.	Chrome	Black Porc.-Enam.	Opt. Access.	Black Porc.-Enam.	Opt. Access.	Opt. Access.
Clock and minute timer	EasySet III	EasySet III	EasySet II	EasySet II	Electronic	Electronic	Electronic	Electronic
Automatic oven timer	Electronic	Electronic	■	■				
Overall oven interior dimensions (WxHxD in inches)	← 24x17x19 →							
Top burners* (000's BTU's) NAT/LP	(1)-12.0/9.5 (1)-5.0/3.5	(1)-12.0/9.5 (1)-5.0/3.5	9.0/8.0	9.0/8.0	9.0/8.0	← (1)-12.0/9.5 (1)-5.0/3.5 →		(1)-12.0/9.5 (1)-5.0/3.5
Oven/broiler burners* (000's BTU's) NAT/LP	← 16.0/16.0 - Oven 13.5/12.0 - Broil →				← 18.0/16.5 →			
Gas range electrical rating**	← 120V, 60 Hz, 5A →							
LP conversion kit	■	■	■	■	■	■	■	■
Approx. shipping weight (lbs.)	185	185	185	185	165	185	185	185

WW=White on white WH/AD=White or Almond CM=Indicates color of oven door matches range cooktop (either White or Almond)

*Factory set for natural gas.

**Electrical rating not applicable to standing pilot models RGB525PPA/RGB524PPA/RGB508PPA/RGB501PPA

†LP conversion kit can be ordered (part# WB28K0085) for models RGB508PEA/PPA and RGB501PPA.



30" gas range dimensions (in inches)

Models	B Height	C* Depth	D Depth with door open
RGB745WEA	46-1/2	26-1/4	46-3/8
RGB745BEA	46-1/2	26-1/4	46-3/8
RGB744WEA	46-1/2	26-1/4	46-3/8
RGB744BEA	46-1/2	26-1/4	46-3/8
RGB628BEA	46-1/2	26-1/4	46-3/8
RGB535BEA	46-1/2	26-1/4	46-3/8
RGB533WEA	46-1/2	26-1/4	46-3/8
RGB532BEA	46-1/2	26-1/4	46-3/8
RGB530BEA	46-1/2	26-1/4	46-3/8
RGB528BEA	46-1/2	26-1/4	46-3/8
RGB528PEA	46-1/2	26-1/2	46-3/8
RGB526PEA	46-1/2	26-1/2	46-3/8
RGB525PEA/PPA	44	26-1/2	46-3/8
RGB524PEA/PPA	44	26-1/2	46-3/8
RGB508PEA/PPA	39-7/8	26-1/2	46-3/8
RGB501PPA	40	26-1/2	45-1/4


*Depth from wall to front of closed oven door.

Optional gas range accessory drip pans (Available at additional cost)

To order these accessory drip pans, call toll-free 800-626-2002.

Installation information: Before installing, consult installation instructions packed with product for current dimensional data.

	RGB530BEA	RGB528BEA	RGB528PEA	RGB526PEA	RGB525PEA RGB525PPA	RGB524PEA RGB524PPA	RGB508PEA RGB508PPA	RGB501PPA
	WH/AD	WH/AD	WW	WH/AD	WW	WH/AD	WH/AD	WH
	Standard Clean	Standard Clean	Standard Clean	Standard Clean	Standard Clean	Standard Clean	Standard Clean	Standard Clean
	Sealed	Twin	Twin	Twin	Twin	Twin	Twin	Twin
	(4) 9,500/ 850 BTU							
	Electronic	Electronic	Electronic	Electronic	Elec./Pilot	Elec./Pilot	Elec./Pilot	Pilot
	■	■	■	■	■	■	Drop down door	Drop down door
	Black Glass	Black Glass	White Porc.-Enam.	CM Porc.-Enam.	Solid White Porc.-Enam.	Solid CM Porc.-Enam.	Solid CM Porc.-Enam.	Solid White Porc.-Enam.
	■	■	■	■	■	■	■	■
	Designer-style	Designer-style	Visor	Visor	Visor	Visor	Visor	Visor
	■	■	■	■	■	■	■	■
	2	2	2	2	2	2	2	1
	■	■	■	■	■	■	■	■
	■	■	■	■	■	■	■	■
	■	■	■	■	■	■	■	■
	Upswept	Upswept	Upswept	Upswept	■	■	■	■
	■	■	■	■	■	■	■	■
	140°	140°	140°	140°	140°	140°	140°	140°
	Black	Black	Grey	Black	Grey	Black	Black	Black Wire
	Opt. Access.	Opt. Access. Electronic	Opt. Access. Electronic	Opt. Access. Electronic	Opt. Access.	Opt. Access.	Opt. Access.	
	←----- 24x17x19 -----→							
	9.5/7.0	←----- 9.0/8.0 -----→						
	←----- 18.0/16.5 -----→							
	←----- 120V, 60 Hz, 5A -----→							
	■	■	■	■	■	■	■	■
	185	165	165	165	165	147	165	156



All ranges are equipped with an Anti-Tip device. The installation of this device is an important, required step in the installation of the range.



Listed by Underwriters Laboratories

GE Consumer Service, We'll Be There!

Here are four reasons to choose Monogram,[®] GE Profile Performance Series,[™] GE Profile,[™] GE, Hotpoint and RCA Appliances:



GE Appliance Service 800-GE-CARES

Expert Service When You Need It!

- Call us 24 hours a day, every day of the year.
- Among the best one-call repair completion rates in the industry!
- Receive a 5-year full warranty on parts when installed by GE.

GE Answer Center[®] 800.626.2000

We Never Close!

- Any hour of the day or night—even on weekends and holidays—the GE Answer Center[®] service is available to answer questions about Monogram,[®] GE Profile Performance Series,[™] GE Profile,[™] GE, Hotpoint, and RCA features and installations.
- You and your customers can call toll-free before, during and after the sale.



GE Genuine Parts 800-626-2002

When You Want Parts To Fix It Yourself!

- We offer a complete line of parts, accessories and appliance care products for GE appliances and most other major brands too!
- Fast, convenient delivery direct to you.

GE Service Management 800-626-2224

We'll Cover Any Appliance. Anywhere. Anytime*!

- All brands covered
- Backed by GE
- With GE Service Protection Plus,[™] you receive complete coverage on parts, labor and service calls for the term of your GE Service Contract.

*All brands covered, up to 20 years old, in the continental U.S.

Before purchasing any appliance on which the Federal Trade Commission requires an energy label, read important energy cost and efficiency information available from your retailer.

GE has a policy of continuous improvement on its products and reserves the right to change materials and specifications without notice.

HOTPOINT
For the long run.